

AlphaTec® 58-430 58-435

CHEMICAL & LIQUID PROTECTION

NBR NITRILE

IMMERSION

STYLE #	COATING MATERIAL	LINER MATERIAL	GRIP DESIGN	CUFF STYLE	COLOUR	AQL	EN SIZE	LENGTH MM	PACKAGING
58-430 	Nitrile	Cotton flocking	Ansell Grip Technology®	Gauntlet	Sea green shell, anthracite grey dip	0.65	7, 8, 9, 10, 11	320	12 pairs/polybag, 12 polybags/carton, 144 pairs/carton
58-435 	Nitrile	Cotton flocking	Ansell Grip Technology®	Gauntlet	Glass green shell, anthracite grey dip	0.65	7, 8, 9, 10, 11	380	12 pairs/polybag, 6 polybags/carton, 72 pairs/carton



CONFIDENT GRIP PERFORMANCE WITH ENHANCED FLEXIBILITY

PRIMARY INDUSTRIES



IDEAL APPLICATIONS

- Chemical handling
- Petrochemicals
- Rubber & rubber additives
- Handling fluid-coated metal parts
- Industrial tool maintenance
- Handling waste oils
- Waste & water treatment

DESCRIPTION


- AlphaTec® 58-430 and 58-435 both feature Ansell Grip Technology™ for optimal control when handling oily or wet items. Less force is required on slippery objects, reducing hand and arm fatigue.
- Both models offer improved flexibility and dexterity thanks to a cotton-flocked lined nitrile shell and snug, second-skin tailoring that tightens the fit across the palm.
- The medium-duty 58-430 features a 10-mil shell to protect against exposure to bases, oils, fuels, some solvents, greases and animal fats. The heavy-duty 58-435 has a 16-mil shell effective against hydrocarbon derivatives, alcohol bases, many solvents and esters.
- The nitrile coating offers superior snag, puncture and abrasion protection for long-term wear. A foldable gutter cuff helps prevent dripping onto the forearm, while an extra-long cuff (58-435) extends protection to the upper forearm.

REMARKS

- Antistatic according to EN1149

FEATURED TECHNOLOGY

Ansell Grip



CATEGORY III



Distributor Details:

SENTINEL
Laboratories Ltd

Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Web: www.sentinel-laboratories.com

Ansell

Nitrile

Print date 13-10-2015

Glove material

- Nitrile (Coating material)
- Cotton flocking (Liner material)

Possible Harmful ingredientsSensitizers

- Zinc Diethyldithiocarbamate

Only a very small number of users may be sensitised to this ingredient in the glove and hence may develop irritant and/or allergic contact reactions.

Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

Properties

- Excellent physical properties
- Good dexterity
- Good dry & wet grip
- Excellent comfort

EN Test Data**Liquidproofness:**

Acceptable Quality Level 0.65 or EN performance level 3

Chemical permeation:

For more information on chemical permeation, please consult Ansell website

Abrasion resistance:

Performance level 3

Blade cut resistance:

Performance level 0

Tear resistance:

Performance level 0

Puncture resistance:

Performance level 1

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003, EN 374:2003

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

Centexbel
Technologiepark 7
B-9052 Zwijnaarde

Gloves conform to the requirements of the European Regulation 1935/2004 "Materials and Articles to Come into Contact with Foodstuff" and European Regulation 2023/2006 "Good Manufacturing Practices for Materials and Articles to Come into Contact with Foodstuffs".

For more information on food compliance, please consult Ansell Food Declaration of Product Compliance.

Application - Limitations of use

Hand protection

Do not use against flames or temperatures $\leq -25^{\circ}\text{C}$ or $\geq 100^{\circ}\text{C}$

Poor versus aromatic hydrocarbons, chlorinated solvents and many ketones

Storage

Keep away from sources of ozone or ignition.

Keep out of direct sunlight; store in a cool and dry place.

Coating material	Liner material	Grip design	Cuff style	Colour	AQL (EN374)	EN Size	Length mm	Packaging
Nitrile	Cotton flocking	Ansell Grip Technology®	Gauntlet	Sea green shell, anthracite grey dip	0.65	7, 8, 9, 10, 11	320	12 pairs/polybag; 12 polybags/carton; 144 pairs/carton

Distributor Details:

Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Web: www.sentinel-laboratories.com

