

AlphaTec® 85-600 85-601 85-602

CHEMICAL & LIQUID PROTECTION

 SPECIAL PURPOSE

STYLE #	COATING MATERIAL	GRIP DESIGN	COLOUR	AQL	EN SIZE	LENGTH MM	THICKNESS MM	PACKAGING
85-600	Diene Ethylene Propylene Rubber	Smooth	Black	1.5	9.5, 11	800 (Port Size 203mm)	0.5	10 pairs in black sealed bags per shipper carton
85-601	Diene Ethylene Propylene Rubber	Smooth	Black	1.5	9.5, 11	800 (Port Size 250mm)	0.5	10 pairs in black sealed bags per shipper carton
85-602	Diene Ethylene Propylene Rubber	Smooth	Black	1.5	9.5, 11	800 (Port Size 300mm)	0.5	10 pairs in black sealed bags per shipper carton



DESCRIPTION

- Dual-layered breach detection system: unique white material on a black lining
- High quality material, in compliance with FDA CFR21*
- Designed for repeated autoclave sterilization (up to 50 times), reducing the need for glove replacements
- Resistant against hydrogen peroxide solutions and common disinfecting chemicals
- Resists ageing from exposure to oxygen, UV rays and ozone
- Withstands temperatures up to 130°C for repeated sterilization
- Halogen-free: suitable for disposal by incineration
- Available port sizes fit most isolator glove boxes

REMARKS

- (*) in full compliance with FDA Food Contact regulations (FDA Positive List)
21 CFR 177 Indirect Food Additives

FDA APPROVED, PREMIUM WHITE MATERIAL(*) WITH BLACK LINING FOR BREACH DETECTION

PRIMARY INDUSTRIES



IDEAL APPLICATIONS

- Electronics
- Pharmaceuticals



CATEGORY III

Distributor Details:

SENTINEL
Laboratories Ltd

Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Web: www.sentinel-laboratories.com

Ansell

Special Purpose

Print date 19-10-2016

Glove material

- Diene (Coating material)
- Ethylene (Coating material)
- Propylene (Coating material)
- Rubber (Coating material)

Possible Harmful ingredientsSensitizers

- Zinc Dibutyldithiocarbamate

Properties**EN Test Data****Liquidproofness:**

Acceptable Quality Level 1.5 or EN performance level 2

Chemical permeation:

For more information on chemical permeation, please consult Ansell website

	a	b	c	d	e	f
EN388:2013	3	1	0	0		

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003, EN 374:2003

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

Institut für Arbeitsschutz der DGUV (IFA) (0121)
 Prüf- und Zertifizierungsstelle im DGUV Test
 Alte Heerstraße 111
 53754 Sankt Augustin

Storage

Keep away from sources of ozone or ignition.

Keep out of direct sunlight; store in a cool and dry place.

Coating material	Grip design	Colour	AQL (EN374)	EN Size	Length mm	Thickness mm	Packaging
Diene	Smooth	Black	1.5	9.5, 11	800 (Port Size 250mm)	0.5	10 pairs in black sealed bags per shipper carton
Ethylene							
Propylene							
Rubber							

Distributor Details:

Units 12-13 Lindfield Enterprise Park
 Lewes Road, Lindfield
 RH16 2LH
 Tel: 01444-484044 Fax: 01444-484045
 Email: sales@sentinel-laboratories.com
 Web: www.sentinel-laboratories.com