


“UNBEATABLE COMFORT”



Textured
for improved grip

Latex provides
exceptional flexibility
and comfort

Processed to ensure
ISO Class 4 compatibility

Beaded cuff provides
easier donning and
stability on the arm

MASTER CODE

SPECIFICATIONS

PACKAGING

PRODUCT CERTIFICATIONS

BLA2

Length 300mm (12")
Latex
ISO Class 4 Compatible
Category 3

100 pieces double bagged
Free of Amines & Amides
Recyclable Components

CE 0120

EN 374
LEVEL 2

EN 374
LEVEL 2



GB10/81851


GB04/61092

MASTER CODE

BLA2

RE-ORDER CODE	SIZE
BLA200-XS	X-Small
BLA201-S	Small
BLA202-M	Medium
BLA203-L	Large
BLA204-XL	X-Large
BLA205-XXL	XX-Large

PRODUCT ILLUSTRATION



COLOUR:	Natural.
LENGTH:	300mm (12").
MATERIAL:	Natural rubber latex.
SHAPE:	Ambidextrous.
SURFACE:	Textured.
OTHER FEATURES:	Powder-free, beaded cuff.
PROTEIN LEVEL:	Less than 50µg/gram.
PACKING:	Bagged.
AQL:	1.5 freedom from pinholes (1000ml water test).
PARTICULATES:	Processed in a cleanroom environment to ensure compatibility with ISO Class 4 operating conditions.
PHYSICAL PROPERTIES:	Complies with the requirements of the Glove Standard EN420:2003, the European Medical Gloves Standard EN455 (Parts 1, 2 & 3) & EN374-1, 2 & 3:2003.
QUALITY SYSTEMS:	Manufactured in a facility holding the ISO 9001:2008 and 89/686/EEC Article 11b certifications. Processed in an NEBB certified ISO Class 4 cleanroom environment.
SAMPLING & INSPECTION:	In accordance with ISO 2859.
STORAGE INSTRUCTIONS:	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
SHELF LIFE:	Five (5) years from date of manufacture.
BAR CODES:	Each size carries a unique bar code on the outer bag (EAN 13) and the carton (ITF 14) to allow automatic data entry into Stock Control Systems.
LOT NUMBER:	This is shown on the sealed outer bag and the carton to provide product traceability.
PACKAGING:	100 pieces per sealed inner PE bag; One sealed inner PE bag per sealed outer PE bag; 10 outer PE bags per carton liner; One carton liner per carton (1000 pieces).
COMPATIBILITY:	ISO Class 4.
CLASSIFICATION:	Category 3 - Complex Design Personal Protective Equipment conforming to PPE Directive 89/686/EEC..