

HyFlex® 11-625 11-627 11-628



Mechanical Protection



Cut Protection



Medium



Dexterity with superb cut resistance for optimal productivity

DESCRIPTION

- The HyFlex® 11-625, 11-627 and 11-628 gloves deliver a perfect balance of comfort and sure handling with superior cut resistance.
- The liners have an innovative yarn structure that contains an optimal rate of Dyneema®. This offers high levels of cut resistance, for a safe use in controlling, handling and assembly applications involving contacts with sharp pieces.
- The Lycra® in the liners of both gloves, as well as the polyurethane coating, provides excellent flexibility and fit.
- The three models are designed for use in dry, as well as slightly oily environments.

PRODUCT DETAILS

Construction	Knitted
Liner material	11-625: Dyneema® Spandex 11-627, 11-628: Dyneema® Lycra® Nylon
Gauge	15
Coating material	Polyurethane
Finishing	Palm coated
Cuff style	11-625, 11-627: Knitwrist 11-628: Long knitwrist
Colour	11-625: White 11-627, 11-628: Grey
EN Sizes	6,7,8,9,10,11
Length (mm)	11-625: 210 - 255 11-627: 210 - 270 11-628: 270 - 320
Packaging	12 pairs in a bag; 12 bags in a carton

IDEAL APPLICATIONS

- Aeronautics
- Assembling metal parts and components
- Assembly of white goods
- Finishing works
- Glass manufacturing
- Handling of sharp-edged objects, pre-assembling, cutting of small dry or lightly oiled parts and maintenance.
- Plastics injection and moulding

PRIMARY INDUSTRIES



STANDARDS AND CERTIFICATIONS

EN388:2003 EN388:2016



4342



4342B

CATEGORY II

FEATURED TECHNOLOGY



EXTRA FEATURES

11-627



Vending

Print date 21-10-2019

Ansell Healthcare Europe N.V. (European Head Office)

Riverside Business Park, Block J

Boulevard International 55, 1070 Brussels, Belgium

Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03

http://www.ansell.eu • E-mail info@ansell.eu