HyFlex® 11-630 11-638



Mechanical Protection



Cut Protection



Medium





DESCRIPTION

- The liners of the HyFlex® 11-630 and 11-638 gloves have a yarn structure that contains an optimal rate of HPPE. This offers high levels of cut resistance, for a safe use in controlling, handling and assembly applications involving contacts with sharp pieces.
- The Lycra® in the liners of both gloves, as well as the polyurethane coating, provides excellent flexibility and fit.

 The specific formulation of the polyurethane dipping provides a secure grip on
- dry or slightly oily pieces.
- The PU formulation also increases abrasion resistance on the gloves' work surface

PRIMARY INDUSTRIES





IDEAL APPLICATIONS

Aeronautics



Assembly of white goods Glass manufacturing



Plastics injection and moulding

Assembling metal parts and components

Handling sharp or irregular-edged metal



EN388:2016 EN388:2003

CATEGORY II

EXTRA FEATURES

11-630



PRODUCT DETAILS

Construction	Knitted
Liner material	Cotton HPPE Kevlar® Lycra® Nylon
Gauge	13
Coating material	Polyurethane
Finishing	Palm coated
Cuff style	11-630: Knitwrist 11-638: Long knitwrist
Colour	Grey
EN Sizes	6,7,8,9,10,11
Length (mm)	11-630: 215 - 275 11-638: 290 - 340
Packaging	12 pairs in a bag; 12 bags in a cartor

Print date 22-10-2019

Ansell Healthcare Europe N.V. (European Head Office)

Riverside Business Park, Block J Boulevard International 55, 1070 Brussels, Belgium Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03 http://www.ansell.eu • E-mail info@ansell.eu

