

# 11-927

Medium duty oil-repellent, oil grip, cut resistant glove







# Ultimate performance for oily environments

- HyFlex 11-927 is the first HyFlex style to combine advanced cut resistance, oil-repellence and oil grip in a single glove
- The 11-927 features a durable double coating with industry leading and patented ANSELL GRIP™ Technology on the palm, for a secure grip in oily environments
- The liner is made of a light, strong High Performance Polyethylene (HPPE) fiber that provides ANSI Level 2 (EN 3) cut performance, with a 3/4 dip primary coating
- This unique blend of protection and performance makes the 11-927 a versatile choice for any application where workers are handling sharp metal components coated in oil or other lubricants.



### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

# **Applications**

- Press shop operations
- Handling parts with sharp, rough edges
- Handling structural and body components
- Chassis assembly, body trimming
- Production line support & maintenance
- Inspection (picking, checking and marking)
- Adjusting systems and screwing
- Mounting and dismantling
- Handling materials with sharp or rough edges
- Assembly & inspection of components
- Equipment repair & maintenance





# 11-927

Medium duty oil-repellent, oil grip, cut resistant glove

## **Key Features**

- Patented ANSELL GRIP Technology. Industry leading wet and oil grip for added safety and efficiency
- New Former Design. New former shape provides superior fit for more agility and dexterity in medium duty applications
- 3/4 Dip Geometry Coating. Coating provides added protection against oil exposure and knuckle abrasion
- Robust Mechanical Protection. High ANSI Level 4 (EN 4) abrasion resistance and ANSI Level 2 (EN 3) cut resistance
- Dirt Masking Colors. Dark color hides dirt in oily, grimy and gritty environments
- Comprehensive Sizing. Sizes 6-11 ensure optimal dexterity and comfort for each worker
- HPPE Based Liner. High mechanical performance: abrasion, cut and tear resistance combined with a combined with a cool feeling on the hand
- Also available in vend pack

## **Technologies**







Performance Standards & Regulatory Compliance







## EN 388:2003 EN 388:2016





# **REACH Compliant**

# HyFlex

# **Specifications**

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLO R	PACKAGE
HyFlex <sup>®</sup> 11-927	Dipped, Nitrile, HPPE, Nylon, Spandex, Knitwrist	13		195-260 mm; 7.67-10.23 in	Black	<ul> <li>12 pairs in a bag; 12 bags in a carton</li> </ul>

# For additional information visit us at www.ansell.com, or call us at

### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

### Asia Pacific Region

application

Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

### North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 210 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

# Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintana No. 7001-C, Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133

### Australia

Australia
Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

### Canada

Ansell Canada Inc. 105, rue Lauder Cowansville (Québec) Q7001 Torre II. J2K 2K8, Canada T: 1800 363-8340 F: 1888 267-3551

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2019 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific

