

Microflex® 73-847

CHEMICAL & LIQUID PROTECTION



MULTI-PURPOSE



NEOPRENE

STYLE #	COATING MATERIAL	GRIP DESIGN	CUFF STYLE	COLOUR	AQL	EN SIZE	LENGTH MM	THICKNESS MM	PACKAGING
73-847	Neoprene	Textured Fingers	Beaded	Dark Green	1.5	5.5 - 6, 6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10	245	0.10	100 gloves per dispenser, 10 dispensers per shipper carton, 1000 gloves per shipper carton.




DESCRIPTION

- Soft and pliable neoprene formulation provides a more comfortable wear for longer periods, while allowing workers greater tactile sensitivity.
- Textured fingers ensure a strong and secure grip, while the advanced formulation helps deliver excellent wet and dry grip.
- Certified by U.S. Ergonomics for Ergonomic Design and Wet Grip. The Microflex 73-847 gloves are proven to reduce muscle effort and hand fatigue that can lead to serious injuries while enhancing gripping abilities in wet conditions.
- Made without natural rubber proteins and powder to help protect workers from allergies, skin irritation and dryness.

REMARKS

- Antistatic according to EN1149



CATEGORY III

Ergonomic neoprene disposable glove

PRIMARY INDUSTRIES



IDEAL APPLICATIONS

- Biotechnologies
- Filtration processes
- Fastening, screwing & unscrewing parts
- Handling of paint/glue guns & sprayers
- Inspection and tooling precision maintenance
- Laboratory analysis
- Laboratory testing
- Light assembly tasks (wet & dry)
- Light duty maintenance and clean up
- Pharmaceutical manufacturing
- Picking and assembling small & medium parts
- Preparing pharmaceutical products

Distributor Details:



Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Web: www.sentinel-laboratories.com



Multi-purpose

Print date 23-11-2015

Glove material

- Neoprene (Coating material)

Possible Harmful ingredients

Sensitizers

- Zinc Dibutyldithiocarbamate

Properties

EN Test Data

Liquidproofness:

Acceptable Quality Level 1.5 or EN performance level 2

Chemical permeation:

For more information on chemical permeation, please consult Ansell website

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 374:2003

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

CENTEXBEL (0493)

Technologiepark 7

B-9052 Zwijnaarde

Storage

Keep away from sources of ozone or ignition.

Keep out of direct sunlight; store in a cool and dry place.

Coating material	Grip design	Cuff style	Colour	AQL (EN374)	EN Size	Length mm	Thickness mm	Packaging
Neoprene	Textured Fingers	Beaded	Dark Green	1.5	5.5 - 6, 6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10	245	0.10	100 gloves per dispenser; 10 dispensers per shipper carton; 1000 gloves per shipper carton.

Distributor Details:



Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Web: www.sentinel-laboratories.com

