

semperguard (S) comfort

January 2016



Distributor Details:



Units 12-13 Lindfield Enterprise Park Lewes Road, Lindfield RH16 2LH

Tel: 01444-480444 Fax: 01444-484045 Email: sales@sentinel-laboratories.com Web: www.sentinel-laboratories.com



We proudly present a NEW GENERATION OF comfort



semperguard[®] comfort

New generation!

Our tried and tested **Semperguard® Comfort** is now finally available in a new generation and offers...

- Best balance between comfort and chemical resistance*
- Appealing new blue colour
- good sense of touch

MATERIAL

COLOUR

INSIDE

OUTSIDE

SIZE/TOTAL LENGTH according to EN 420

THICKNESS at PALM

measured in double layer

PACKAGING

PURPOSE

as set out in MDD 93/42 EEC as set out in PPE 89/686 EEC

flat with rolled edge (ambidextrous)

nitrile

regular blue

powder-free, online chlorinated

Fully textured

med. 240 mm

0.20 mm (typical) 0.16 mm (minimal)

100 pcs./dispenser S, M, L 90 pcs./dispenser XL

medical device class I

single-use protective glove for complex risks, category III



^{*}according to chemical resistance list available on www.sempermed.com



Areas of application for Semperguard Comfort/1

semperguard® comfort

Suitable for applications in....



Laboratories and Pharmaceutical industries



Industrial food processing and HoReCa



Because of...

- ... excellent tactility and grip safety for manipulating sensitive instruments
- ... water and virus-proof protective glove with good chemical protection*
- ... good grip in wet conditions thanks to textured fingertips
- ... enough stability for donning glove and optimal comfort even for longer wearing duration
- ... signal colour blue, which may be required when working in HACCP environments
- ... good oil and fat resistance due to material characteristics



^{*}according to chemical resistance list available on www.sempermed.com



Areas of application for Semperguard Comfort/2

semperguard comfort

Suitable for applications in....



Manufacturing industries and occupational health





Professional cleaning and hygiene

Because of...

- ... excellent tactility and comfort for working quickly and efficiently while being protected against harmful or irritating substances such as chemicals*, dirt, grease, oils and paints
- ... enhanced resilience and mechanical resistance

- ... sufficient resistance to diluted and concentrated chemicals* used in day-to-day cleaning applications
- ... comfortable and strong glove material that ensures stability and a pleasant wearing experience even over longer time periods



^{*}according to chemical resistance list avaiable on www.sempermed.com



Logistic Data – Semperguard® Comfort ex Malaysia

| Reference number | Alternative Reference No. | Product name | Pcs/ carton | EAN-code Dispenser | EAN-code Transport carton |
|------------------|---------------------------|------------------------------|----------------|-----------------------|------------------------------|
| 8167 57263 | 3000004106 | Semperguard Comfort S (new) | 1,000 pcs | 9001570530479 | 9001570531568 |
| 8167 57265 | 3000004107 | Semperguard Comfort M (new) | 1,000 pcs | 9001570530486 | 9001570531582 |
| 8167 57267 | 3000004108 | Semperguard Comfort L (new) | 1,000 pcs | 9001570530493 | 9001570531605 |
| 8167 57269 | 3000004109 | Semperguard Comfort XL (new) | 900 pcs | 9001570530509 | 9001570531629 |

| Sempermed specification code | | | | | |
|--|--|--|--|--|--|
| Dispenser dimension (mm) | | | | | |
| Dispenser volume | | | | | |
| Carton scoreline | | | | | |
| (width & length +/- 3mm; height +/- 5mm) | | | | | |
| Carton outer measurements | | | | | |
| (length x width x height) | | | | | |
| Container loading quantity: 20' | | | | | |
| Container loading quantity: 40' | | | | | |
| Container loading quantity: 40'HC | | | | | |
| | | | | | |

| NOF-047RB-N-3CZ |
|----------------------|
| 220 x 110 x 68 |
| 1646 cm ³ |
| 355 x 225 x 230 |
| 350 x 228 x 230 |
| 1640 cs |
| 3349 cs |
| 3699 cs |





Packaging –New generation of Semperguard Comfort

