

GN65

Vinyl Examination Gloves

√ Vinyl

√ Powder Free

√ Clear

√ Smooth

√XS-XL

√ Ambidextrous

Made of high quality PVC plastisol, GN65 gloves are designed to offer sensitivity and improved feel. They offer a dependable and economical latex free alternative.

Attributes

- Manufactured from PVC plastisol
- Latex free reducing the risk of hypersensitivity and allergic reactions
- Soft smooth formulation for improved feel and fit reducing fatigue during extended wear
- Beaded cuff for added strength and easier donning
- Powder free to reduce potential dust contamination
- Smooth finish

Regulatory Compliance

- Complies with:
 - Medical Devices Directives 93/42/EEC Class 1 (2007/47/EC)
 - EN455 parts 1, 2, 3 and 4: Medical Gloves for Single use
- Manufactured in accordance with:
 - European Personal Protective Equipment Directive 89/686/EEC
 - CE Category: Cat III (0086)
 - EN420: Protective gloves: General requirements
 - EN374-2 Protective gloves: Chemicals and Micro organisms penetration
 - EN374-3 Protective gloves: Chemicals and Micro organisms permeation
- Tested to:
 - **AQL 1.5**
 - EN388
 - ASTM F1671-7
 - Food approval EC1935/2004 (except fatty foods)
- Visually inspected for holes and minor defects
- Random samples are filled with 1L of water and examined for leaks
- Typical force at break: 3.6 Newtons
- Shelf life of 3 years

EN420	Level
Dexterity	5

EN374	Code
Sodium hydroxide 40%	К

itv	5 Sodium hydroxide	400% K
-----	--------------------	--------

Dimensions	XS	S	M	L	XL
Palm Width (mm)	≤ 80 ± 10	80 ± 10	95 ± 10	110 ± 10	≥ 110 ± 10
Length (mm)	Min 240	Min 240	Min 240	Min 240	Min 240
Thickness (mm) palm	0.09 ± 0.02	0.09 ± 0.02	0.09 ± 0.02	0.09 ± 0.02	0.09 ± 0.02
Thickness (mm) finger	0.10 ± 0.02	0.10 ± 0.02	0.10 ± 0.02	0.10 ± 0.02	0.10 ± 0.02
Thickness (mm) cuff	0.06 ± 0.02	0.06 ± 0.02	0.06 ± 0.02	0.06 ± 0.02	0.06 ± 0.02

EN420: glove measurements are determined by taking into account the behaviour of the glove material and intended use





GN65


Vinyl Examination Gloves

Packaging

Outer



Inner



Dimensions

Inner: 230mm L x 120mm W x 63mm H Outer: 330mm L x 250mm W x 255mm H

Size Colour Guide









Barcodes	Size	Inner Barcode	Outer Barcode
	XS	5024951014942	5024951014959
	S	5024951003106	5024951003113
	М	5024951003120	5024951003137
5 024951 014942 >	L	5024951003144	5024951003151
	XL	5024951003168	5024951003175



Packing

Inner: 100 gloves per dispenser Outer: 10 dispensers per case Pallet: 84 cases per pallet

Symbols



Lot number



Compliant with the Medical **Devices Directive**



Compliant with the **Personal Protective Equipment Directive**



25℃ Temperature limitation



Date of manufacture



Non-sterile



EN420: Protective gloves: General requirements



Recyclable packaging



Use by



Acceptable quality level



EN374 - 2: Micro organism hazards




Keep dry



Manufacturer







EN374 - 3: Chemical



Keep away from direct sunlight and fluorescent lighting

Do not re-use



Powder free



Food approved

hazards

GN65/NOV2013



Units 12-13 Lindfield Enterprise Park Lewes Road, Lindfield RH16 2LH Tel: 01444-484044 Fax: 01444-484045 Email: sales@sentinel-laboratories.com Website: www.sentinel-laboratories.com