



GN70

Hybrid Examination Gloves

- ✓ Hybrid
- ✓ Powder Free
- ✓ Blue
- ✓ Smooth
- ✓ S-XL
- ✓ Ambidextrous


Made of a blend of Vinyl and Nitrile material, GN70 was developed for superior comfort and performance. Whilst designed as an alternative to latex, GN70 belongs to a new generation of gloves.

Attributes

- ✓ **Manufactured from** a blend of Polyvinyl Chloride (80%) and Acrylonitrile butadiene (20%)
- ✓ **Latex free** reducing the risk of hypersensitivity and allergic reactions
- ✓ **Low in residual chemicals** to reduce the risk of contact dermatitis associated with these chemicals
- ✓ **Flexible material** for improved feel and fit reducing fatigue during extended wear
- ✓ **Hybrid latest technology** combining strength of two materials
- ✓ **Beaded cuff** for added strength and easier donning
- ✓ **Powder free** to reduce potential dust contamination
- ✓ **Smooth** finish

Regulatory Compliance

- ✓ Complies with:
 - Medical Devices Directives 93/42/EEC Class 1 (2007/47/EC)
 - EN455 parts 1, 2, 3 and 4: Medical Gloves for Single use
- ✓ Manufactured in accordance with:
 - European Personal Protective Equipment Directive 89/686/EEC
 - CE Category: Cat III (0086)
 - EN420: Protective gloves: General requirements
 - EN374-2 Protective gloves: Chemicals and Micro organisms penetration
 - EN374-3 Protective gloves: Chemicals and Micro organisms permeation
- ✓ Tested to:
 - AQL 1.5
 - EN388
 - ASTM F1671-7
 - Food approval EC1935/2004 (except fatty foods)
- ✓ Visually inspected for holes and minor defects
- ✓ Random samples are filled with 1L of water and examined for leaks
- ✓ Typical force at break: 3.6 Newtons
- ✓ Shelf life of 3 years



Warning: Contains ZDBC and ZDEC chemicals, which can cause type IV skin irritation and contact dermatitis.

EN420	Level	EN374	Code
Dexterity	5	Sodium hydroxide 40%	K

Dimensions	S	M	L	XL
Palm Width (mm)	80 ± 10	95 ± 10	110 ± 10	≥ 110 ± 10
Length (mm)	Min 240	Min 240	Min 240	Min 240
Thickness (mm) palm	0.10 ± 0.02	0.10 ± 0.02	0.10 ± 0.02	0.10 ± 0.02
Thickness (mm) finger	0.13 ± 0.02	0.13 ± 0.02	0.13 ± 0.02	0.13 ± 0.02

EN420: glove measurements are determined by taking into account the behaviour of the glove material and intended use

Distributor Details:



Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Website: www.sentinel-laboratories.com



GN70


Hybrid Examination Gloves

Packaging

Outer



Inner



Dimensions

Inner: 220mm L x 125mm W x 68mm H
Outer: 359mm L x 260mm W x 235mm H

Size Colour Guide



Barcodes	Size	Inner Barcode	Outer Barcode
	S	5024951012122	5024951012139
	M	5024951012146	5024951012153
	L	5024951012160	5024951012177
	XL	5024951012184	5024951012191



Packing

Inner: 100 gloves per dispenser
Outer: 10 dispensers per case
Pallet: 72 cases per pallet

Symbols

Lot number	Compliant with the Medical Devices Directive	Compliant with the Personal Protective Equipment Directive	5°C - 25°C Temperature limitation
Date of manufacture	Non-sterile	EN420: Protective gloves: General requirements	Recyclable packaging
Use by	Acceptable quality level	EN374 - 2: Micro organism hazards	Keep dry
Manufacturer	Latex free	EN374 - 3: Chemical hazards	Keep away from direct sunlight and fluorescent lighting
Do not re-use	Powder free	Food approved	

GN70/MAY2014

Distributor Details:



Units 12-13 Lindfield Enterprise Park
Lewes Road, Lindfield
RH16 2LH
Tel: 01444-484044 Fax: 01444-484045
Email: sales@sentinel-laboratories.com
Website: www.sentinel-laboratories.com