

# TouchNTuff® 69-210 and 69-318

CHEMICAL & LIQUID PROTECTION

NATURAL RUBBER LATEX



STYLE #	COATING MATERIAL	LINER MATERIAL	GRIP DESIGN	CUFF STYLE	COLOUR	AQL	POWDER-FREE	EN SIZE	LENGTH MM	THICKNESS MM	PACKAGING
69-210	Natural rubber latex	N/A	Smooth Finish	Rolled beaded	Natural	1.5	No	6½-7, 7½-8, 8½-9, 9½-10	240	0.12	100 gloves in a box, 10 boxes in a carton
69-318	Natural rubber latex	N/A	Textured Finish	Rolled beaded	Natural	1.5	Yes	5½-6, 6½-7, 7½-8, 8½-9, 9½-10	240	0.12	100 gloves in a box, 10 boxes in a carton



## Combined safety and comfort for delicate handling

### PRIMARY INDUSTRIES



### IDEAL APPLICATIONS

- Laboratory analysis
- Electronic manufacture
- Pharmaceuticals

### DESCRIPTION

- Ambidextrous, same glove fits both hands.
- Convenient and economical. Stocks can be kept to a minimum.
- Flexible and comfortable to wear. Cooler than vinyl, with superior finger flexibility and grip.
- Available in both powdered and powder-free versions

### REMARKS

- Fit for special purpose



CATEGORY III



### Distributor Details:



Units 12-13 Lindfield Enterprise Park  
Lewes Road, Lindfield  
RH16 2LH  
Tel: 01444-484044 Fax: 01444-484045  
Email: sales@sentinel-laboratories.com  
Web: www.sentinel-laboratories.com



## Natural Rubber Latex

Print date 24-11-2015

### Glove material

- Natural rubber latex (Coating material)
- N/A (Liner material)

### Possible Harmful ingredients

#### Sensitizers

- Natural rubber proteins
- Zinc Diethyldithiocarbamate
- Zinc Dibutyldithiocarbamate

Only a very small number of users may be sensitised to this ingredient in the glove and hence may develop irritant and/or allergic contact reactions.

#### Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

### Properties

- Very good physical properties
- Excellent comfort
- Excellent finger dexterity
- Tensile at break : 27 MPa
- Elongation : 870 %
- Powder-free version is chlorinated to aid donning and to reduce the amount of allergenic proteins
- Protein count: < 50 µg/g

### EN Test Data

#### Liquidproofness:

Acceptable Quality Level 1.5 or EN performance level 2

#### Chemical permeation:

For more information on chemical permeation, please consult Ansell website

### European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 374:2003

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

Centexbel  
Technologiepark 7  
B-9052 Zwijnaarde

Gloves conform to the requirements of the European Regulation 1935/2004 "Materials and Articles to Come into Contact with Foodstuff" and European Regulation 2023/2006 "Good Manufacturing Practices for Materials and Articles to Come into Contact with Foodstuffs".

For more information on food compliance, please consult Ansell Food Declaration of Product Compliance.

### Application - Limitations of use

Mainly product protection

Do not use for mechanical protection nor for extended chemical protection

Do not use against heat or cold

### Storage

Keep away from sources of ozone or ignition.

Keep out of direct sunlight; store in a cool and dry place.

Coating material	Liner material	Grip design	Cuff style	Colour	AQL (EN374)	Powder-free	EN Size	Length mm	Thickness mm	Packaging
Natural rubber latex	N/A	Textured Finish	Rolled beaded	Natural	1.5	Yes	5½-6, 6½-7, 7½-8, 8½-9, 9½-10	240	0.12	100 gloves in a box; 10 boxes in a carton

#### Distributor Details:



Units 12-13 Lindfield Enterprise Park  
Lewes Road, Lindfield  
RH16 2LH  
Tel: 01444-484044 Fax: 01444-484045  
Email: sales@sentinel-laboratories.com  
Web: www.sentinel-laboratories.com

