
DATA SHEET





Intelligent Electric Vehicle Chargepoints

7.4kW or 22kW Models







The UK's most affordable intelligent EV chargers

The QUBEV Smart charging range offers affordable EV charging points which are packed with the latest features, making them the ideal solution for your home.

With models providing up to 7.4kW or 22kW, these intelligent, modern yet low-cost units have been designed to provide electric vehicle drivers with an affordable charging solution, without compromising on quality. Compatible not only with all EVs and PHEVs on the market, but also with Solar power.

The QUBEV Smart app gives you full control of your charger. From scheduling your charging session for when your electricity is cheapest, adjusting the power rating, monitoring your energy usage and much more.

EV drivers can enjoy a seamless charging experience, ensuring their EV will be ready for their next electrified adventure.



The most cost-effective and reliable solution for housing developers



QU8∈∨

Product features

- Universal charging socket or Type 2 tethered lead
- Power rating Up to 7.4kW or 22kW models
- Adjustable power rating 10A, 13A, 16A & 32A
- Free QUBEV Smart Wi-Fi app
- Scheduled / off-peak charging
- Solar compatible (single phase models only)
- PEN fault and residual current protection (AC 30mA Type A, DC 6mA)
- Dynamic load balancing (CT clamp(s) & cable(s) included)
- OCPP 1.6 compliant
- Built-in LED charging status indicator
- UK Smart Charge Point Regulations Compliant including tamper security
- Wi-Fi / Ethernet connectivity
- IP54 & IK08 rated
- Corrosion & fire resistant
- CE and UKCA certified
- Easy to install and maintain
- Wall or post mounting options
- 3 Year warranty



Wi-Fi App



PEN Protection



Tamper Security



Adjustable Power Rating



Solar Compatible



OCPP 1.6 Compliant



Wi-Fi / Ethernet Connectivity







IP65 Rated Enclosure



The details

ADJUSTABLE POWER SETTING

By default, the QUBEV charger is set to 32A – however, if a lower power setting is required, the power rating can be adjusted between 10A, 13A, 16A & 32A using the internal Amp selector.

FAST & RELIABLE

Choose from 7.4kW singlephase or 22kW three-phase models which are backed by our 3-year warranty for peace of mind.

COMPATIBLE & COMPLIANT

Compatible with all EVs and PHEVs on the market, provided that you have the corresponding cable to plug in. The QUBEV Smart is also tested to meet UKCA & CE standards.

SAFE & SECURE

The QUBEV Smart range are packed with the latest safety features and fully comply with the latest UK Smart Charge Points Regulations including security logs and alerts.



HARD-WEARING & DURABLE

The IP65 weatherproof rated enclosure is made from durable ABS and Polycarbonate ensuring it can withstand the harshest of weather conditions for years to come.

COMPACT DESIGN

Our QUBEV chargepoints are designed to provide users with a modern and discreet home electric vehicle charging solution.



Specifications

Product Overview:

	Connection Type	Charging Output	Input Supply	Product Code
Single Phase Units	Type 2 (IEC 62196) charging socket	Up to 7.4kW (32A)	32A Single Phase 230V AC (±10 %) 50/60Hz	EVON0090
	Type 2 (IEC 62196) 5m tethered lead*	Up to 7.4kW (32A)	32A Single Phase 230V AC (±10 %) 50/60Hz	EVON0095
Three Phase Units	Type 2 (IEC 62196) charging socket	Up to 22kW (32A)	32A Three Phase 400V AC (±10 %) 50/60Hz	EVON0100
	Type 2 (IEC 62196) 5m tethered lead*	Up to 22kW (32A)	32A Three Phase 400V AC (±10 %) 50/60Hz	EVON0105

*Tethered cables are approximately 5m total length





– 132mm –

– 109mm —

-





Specifications

Technical Data:

User Interface	 Mobile app Plug & charge (manual) Scheduled ECO mode (solar) Push button (limited functions) RGB LED status indicator halo 	
Charge Protocol	Mode 3 (IEC 61851-1)	
Charging Current	Variable – 10A, 13A, 16A & 32A	
Protection	 Over current protection – A Type A RCBO installed at source is recommended Residual current protection – AC 30mA Type A & DC 6mA Over temperature protection PEN fault detection – No earth electrode/rod required 	
Cable Terminals	 3 x 10mm² terminals (1-Phase) 5 x 10mm² terminals (3-Phase) 	
Communications	 Wi-Fi 802.11 b/g/n 2.4 GHz RJ45 Ethernet connection Bluetooth (for installer configuration purposes) OCPP 1.6J 	
Standby Power Consumption	< 10W	
Enclosure Dimensions	200mm x 330mm x 109mm (W x H x D)	
Weight	< 2.8kg (Socket) < 6kg (Tethered)	
Environmental	 Ingress protection – Enclosure IP65, plug & socket IP54 Impact protection – IK08 Security – Tamper and breach protection boundaries with notifications Operating temperature – -25°C to +50°C Operating humidity – 3% to 95% Altitude – < 2000m 	
Materials	 Unit – PC/ABS Alloy, flammability rating UL94-V0 Mounting back plate – 1.5mm Steel with black powder coated finish 	
Unit Colour	Black	
Certifications & Compliances	 EV Charging Compliance – EN IEC 61851-1:2019, BS EN IEC 61851-1:2019 Smart Regulations – SI 2021:1467 inc Schedule 1. EMC Compliance – 2014/30/EU, SI 2016:1091. ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.1.1 (2019-03), ETSI EN 301 489-17 V3.2.4 (2020-09). IEC 61851-21-1:2 EN IEC 61851-21-2:2021, EN IEC 62311:2020 Radio Emissions – 2014/53/EU, SI 2021:1467.ETSI EN 300 328 V2.2.2, ETSI EN 300 330 V2.1.1. ETSI EN 301 489-1 V2.2.3, ETSI EN 301 489-3 V2.1.1. ETSI EN 301 489-17 V3.2.4, EN IEC 61851-21-2:2021. EN IEC 61851-1:2019, EN IEC 62311:20 BS EN IEC 61851-21-2:2021, BS EN IEC 62311:2020. EN IEC 61851-1:2019, EN IEC 62311:20 BS EN IEC 61851-21-2:2021, BS EN IEC 62311:2020 Safety Compliance – EN 60950-1:2006+A2:2013, EN 60950-22:2017. IEC 62955:2018. Low Voltage Directive (LVD) – 2014/35/EU, SI 2016:1101. Certification Markings – CE, UKCA & WEEE 	2020.
Warranty	3 years	



QUBEV Smart App



charger, from scheduling your charging session for when electricity is cheapest, adjusting the power rating, monitoring your energy usage and much more.

Enjoy a seamless charging experience, ensuring your EV will be ready for your next electrified adventure.

- Choose from charging modes: Plug & charge, ECO (solar), scheduled
- View charging state
- Solar compatible
- Schedule charging
- 🐣 Multi user access
- Monitor usage
- **Full charging history**
- Fault notifications
- Security log & alerts



DOWNLOAD THE FREE QUBEV SMART APP



QUBEV

Options & accessories

Product Code	Item Description	
EVFP0030	Mounting post – fits up to 2 chargers	
EVFP0050	QUBEV Smart plate for mounting post	
ACSR0380	120A up to 35mm ² CT clamp with 5m cable	
EVPP0100	5m 32A Type 2 to Type 2 charging cable	
EVPP0107	10m 32A Type 2 to Type 2 charging cable	
EVPP0105	5m 32A 3 phase Type 2 to Type 2 superfast charging cable	
EVPP0108	10m 32A 3 phase Type 2 to Type 2 Superfast charging cable	
	(Other cables are available, including Type 1 options)	
EVPP0330	Carrying bag for EV charging cables	
EVRS0040	QUBEV Smart remote wall mount for Type 2 plug holster	







BIM & CAD PACKAGE DOWNLOADS

- Revit RFA families (BIM)
- 3D models STEP/IGES
- CAD drawings DWG/PDF

Assets are available to add to development plans and see how these units look in context. To download the assets, please visit: www.qubev.co.uk/assets







THIS DOCUMENT CONTAINS INFORMATION THAT IS SUBJECT TO CHANGE WITHOUT NOTICE. The latest version of this publication can be downloaded at http://qubev.co.uk Illustrations of the product and user interface are for marketing purposes only.

Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with ONE STOP EUROPE LTD. and is purely to demonstrate branding opportunities.

© 2023 by ONE STOP EUROPE LTD. All rights reserved. QUBEVSD-V01-R1 QUBEV Smart Data Sheet

www.qubev.co.uk

sales@evonestop.co.uk www.evonestop.co.uk One Stop Europe Ltd, Ralphs Lane, Frampton West, Boston, Lincolnshire, PE20 1QU



Europe:

sales@evonestop.com www.evonestop.com Eurotech Sire System AB, Mallslingan 20A, 187 66 TÄBY, Sweden