

SAFETY DATA SHEET

Issue Date 20-Jan-2016 Revision Date 21-Mar-2022 Version 2

1. IDENTIFICATION

Product identifier

Product Name Primer (Clear - W/B)

Other means of identification

Product Code

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Paint, Coatings.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

SlipDoctors

2101 Midway Road

Suite #350

Carrollton, TX 75006 TEL: 972-999-9998

Emergency telephone number

Emergency Telephone 24 Hour Chemical Emergency Response: (Spill, Leak, Fire, Exposure or Accident)

Call CHEMTREC/ (800) 424-9300 (US & Canada)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity Category 1B

Label elements

Emergency Overview

Danger

Hazard statements

May damage fertility or the unborn child



Appearance No information available Physical state liquid Odor Slight

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed Causes mild skin irritation Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

Unknown acute toxicity 89.74396% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	1 - 5	*
Butyl benzyl phthalate	85-68-7	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Wash contaminated clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if

irritation develops and persists.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, give artificial respiration. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt, or waistband.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting without medical advice. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Never give anything by mouth to an unconscious person. If

unconscious, place in recovery position and get medical attention immediately. Maintain an

open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Contact poison treatment specialist if large quantities have been

ingested or inhaled.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid breathing vapors or mists. Use personal protective equipment as required. Keep

people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. If the product

contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with

local regulations. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Move containers from spill area. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

Section 13).

Methods for cleaning up Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb

with inert dry material and place in an appropriate waste disposal container. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose same hazard as the spilled product. Dispose of waste product or used containers according

to local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not breathe dust/fume/gas/mist/vapors/spray. Never use pressure to empty container.

Prevent product from entering drains. Handle in accordance with good industrial hygiene

and safety practice. Comply with the health and safety at-work laws.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with local regulations. Keep/store only in original container. Keep

containers tightly closed in a cool, well-ventilated place. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to

prevent leakage. Store locked up. Keep from freezing.

Incompatible materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	•
		(vacated) S*	
		` S* ´	

Appropriate engineering controls

Engineering Controls If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local

exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety eyewear complying with an approved standard should be used when risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields.

Skin and body protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling

this product.

Respiratory protectionUse a properly-fitted, air-purifying or air-fed respirator complying with an approved standard

if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits

of the selected respirator.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Take off all

contaminated clothing and wash it before reuse. Ensure that eyewash stations and safety

showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance No information available Odor Slight

Color No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Heavier than air.

Melting point / freezing pointNo information availableBoiling point / boiling range336 °F - 471 °FFlash point>93.3 °C / >200 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: 24.6% Lower flammability limit: 0.62%

Vapor pressureNo information availableVapor densityNo information available

Relative density 1.041

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available No information available **Oxidizing properties**

Other Information

Softening pointNo information availableMolecular weightNo information availableMaterial VOC0.121 lbs/gal - 14.4 g/LCoating VOC0.288 lbs/gal - 34.5 g/LDensity8.670 lbs/gal

Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No specific test data related to reactivity available for this product.

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known.

Incompatible materials

None known.

Hazardous Decomposition Products

Under normal conditions, hazardous decomposition products should no be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50

2-Butoxyethanol 111-76-2	= 470 mg/kg(Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h
Butyl benzyl phthalate 85-68-7	= 2330 mg/kg (Rat)	= 6700 mg/kg (Rat)	> 6.7 mg/L (Rat)4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-
Butyl benzyl phthalate 85-68-7	-	Group 3	-	-

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3,018.00 mg/kg
ATEmix (dermal) 7,238.00 mg/kg
ATEmix (inhalation-dust/mist) 9.50 mg/l
ATEmix (inhalation-vapor) 3,318.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

90.86356157 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Butyl benzyl phthalate	0.02 - 0.25: 96 h		0.9 - 1.1: 48 h Daphnia magna mg/L
85-68-7	Pseudokirchneriella subcapitata	mykiss mg/L LC50 static 0.82: 96 h	EC50 Static 0.97: 48 h Daphnia
	mg/L EC50 0.2 - 28.2: 72 h	Oncorhynchus mykiss mg/L LC50	magna mg/L EC50 1.28: 48 h
	Pseudokirchneriella subcapitata	flow-through 1.39 - 3.88: 96 h	Daphnia magna mg/L EC50
	mg/L EC50	Pimephales promelas mg/L LC50	semi-static 0.76: 48 h Daphnia
		flow-through 0.78: 96 h Pimephales	magna mg/L EC50 Flow through
		promelas mg/L LC50 static 1.0 -	
		10.0: 96 h Lepomis macrochirus	
		mg/L LC50 static	
C7-C9 alkyl benzyl phthalate	-	0.3: 96 h Pimephales promelas	0.3: 48 h Daphnia magna mg/L
68515-40-2		mg/L LC50 static 0.3: 96 h	EC50
		Oncorhynchus mykiss mg/L LC50	
		static 0.3: 96 h Lepomis	
		macrochirus mg/L LC50 static	
Dibutyl phthalate	1.2: 72 h Desmodesmus	0.71 - 1.2: 96 h Pimephales	2.99: 48 h Daphnia magna mg/L
84-74-2	subspicatus mg/L EC50 0.4: 96 h	promelas mg/L LC50 flow-through	EC50 Static 3.4: 48 h Daphnia
	Pseudokirchneriella subcapitata	1.24 - 5.3: 96 h Oncorhynchus	magna mg/L EC50
	mg/L EC50 static	mykiss mg/L LC50 static 0.31 -	
		5.45: 96 h Pimephales promelas	
		mg/L LC50 static 1.24: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 1.38 - 1.74: 96 h	
		Lepomis macrochirus mg/L LC50	

		flow-through 0.42 - 1.28: 96 h Lepomis macrochirus mg/L LC50 static	
5-chloro-2-methyl-4isothiazolin-3-on e 26172-55-4	0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static 4.71: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	
Butyl benzyl phthalate	3.57 - 4.91
85-68-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

The generation of waste should be avoided or minimized whenever possible. Disposal of this product, solutions, or any by-products should at all time comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. This material and its container must be disposed of in a safe manner. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

Contaminated packaging

Improper disposal or reuse of this container may be dangerous and illegal. Empty containers must be scrapped or reconditioned.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Butyl benzyl phthalate	-	Included in waste stream:	-	-
85-68-7		F039		
Dibutyl phthalate	U069	Included in waste stream:	-	U069
84-74-2		F039		

14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedMEXNot regulatedICAO (air)Not regulatedIATANot regulated

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

Special precautions All packaging must be reviewed for suitability prior to shipment, and compliance with

applicable regulations is the sole responsibility of the person offering the product for transport. Persons loading or unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations. If there are any questions concerning shipments of this product, please call our main office telephone

number for clarification.

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** Complies **DSL/NDSL EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Butyl benzyl phthalate 85-68-7	-	X	X	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)

Primer (Clear - W/B)

Revision Date 21-Mar-2022

Butyl benzyl phthalate	100 lb	-	RQ 100 lb final RQ
85-68-7			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Butyl benzyl phthalate - 85-68-7	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	Х	X	Х
Butyl benzyl phthalate 85-68-7	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Greg Cohen Issue Date 20-Jan-2016 Revision Date 21-Mar-2022

Revision Note

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet