



Where to Buy

Become a Distributor

Applications

Products

Resources

Company




# 1.5" Screen Filter

## Specifications

- Flow: 10-50 GPM
- Max Pressure: 150 PSI
- Dimensions: 11-3/8"L x 5-1/4"W
- Port size: 1.5" slip

## FILTER MATERIALS

### Polyester



Polyester screens are durable and easily cleaned for reuse.

## Resources

### Videos

### Documentation

[1.5" Screen Filter Specifications](#)

### Filter Sizes

|                       |                       |                       |                       |
|-----------------------|-----------------------|-----------------------|-----------------------|
| <b>700</b><br>MICRONS | <b>500</b><br>MICRONS | <b>350</b><br>MICRONS | <b>250</b><br>MICRONS |
| 24<br>MESH            | 30<br>MESH            | 40<br>MESH            | 60<br>MESH            |
| <b>150</b><br>MICRONS | <b>100</b><br>MICRONS | <b>50</b><br>MICRONS  | <b>30</b><br>MICRONS  |
| 100                   | 140                   | 250                   | 500                   |



Where to Buy

Become a Distributor

Applications


Products

Resources

Company

1000  
MESH

### Stainless Steel



Stainless Steel filters have higher durability against course particles.

### Filter Sizes

500  
MICRONS

250  
MICRONS

150  
MICRONS

100  
MICRONS

30  
MESH

60  
MESH

100  
MESH


140  
MESH

75  
MICRONS

200  
MESH

## What Is A Micron Rating?

A micron is short for micrometer or one millionth of a meter. As a unit of measure, it describes the size of a particle. A micron rating describes the size of particles that the filter will allow to pass through. So a 150 micron rated filter will not allow anything larger than 150 microns to pass through.





**Applications**

**Products**

**Resources**

**Company**

|      |     |  |                                |
|------|-----|--|--------------------------------|
| 24   | 700 | General Use  | Shale, Sand                    |
| 30   | 500 | General Use  | Debris                         |
| 40   | 350 | General Use  | Debris                         |
| 60   | 250 | Sprinkler Systems, sensitive valves, factory aerators  | Fine Sand                      |
| 100  | 150 | Drip irrigation systems, sensitive valves, poultry growers, watering devices, fogger nozzles | Fine Sand, Grit from New Wells |
| 140  | 100 | Drip irrigation systems, sensitive valves, poultry growers, watering devices, fogger nozzles | Fine Sand, Grit from New Wells |
| 250  | 50  | Pre-treatment for RO, UF systems, etc  | Very Fine Sand and Grit        |
| 500  | 30  | Pre-treatment for RO, UF systems, etc  | Very Fine Sand and Grit        |
| 1000 | 15  | Pre-treatment for RO, UF systems, etc  | Very Fine Sand and Grit        |



Where to Buy

Become a Distributor

Applications

Products

Resources

Company

FIND A DISTRIBUTOR

BECOME A DISTRIBUTOR

## Nationally Recognized & Certified



### APPLICATIONS

- Irrigation
- Industrial
- Agriculture
- Livestock

### PRODUCTS

- Fresh Water Filters
- Chemical Resistant Filters
- Hot Water Filters
- Miscellaneous

### RESOURCES

- FAQ
- How-To

Phone: 1.800.833.5171

Fax: 1.888.361.9108

info@vuflow.com

Warranty & Disclaimer

Vu-Flow Filters 13360 Chambord St. Bldg. B Brooksville, FL 34613, United States of America

© 2022 Vu-Flow Filters | All Rights Reserved



[Where to Buy](#)

[Become a Distributor](#)

[Applications](#)

[Products](#)

[Resources](#)

[Company](#)