



Where to Buy

Become a Distributor

Applications

Products

Resources

Company



2" Screen Filter

Specifications

• Flow: 18-100 GPM

• Max Pressure: 150 PSI

• Dimensions: 17-7/8"L x 5-1/2"W

• Port size: 2" slip

FILTER MATERIALS

Polyester



Polyester screens are durable and easily cleaned for reuse.

Resources

Videos

Documentation

2" Screen Filter Specifications

Filter Sizes

| 700 | 500 | 350 | 250 | |
|---------|---------|-------------------|---------|--|
| MICRONS | MICRONS | MICRONS | MICRONS | |
| 24 | 30 | 40 | 60 | |
| MESH | MESH | MESH | MESH | |
| 150 | 100 | 50 MICRONS | 30 | |
| MICRONS | MICRONS | | MICRONS | |
| 100 | 140 | 250 | 500 | |



Where to Buy

Become a Distributor

Applications

Products

Resources

Company

1000 MESH

Stainless Steel



Stainless Steel filters have higher durability against course particles.


Filter Sizes

| 500 | 250 | 150 | 100 |
|---------|---------|---------|---------|
| MICRONS | MICRONS | MICRONS | MICRONS |
| 30 | 60 | 100 | 140 |
| MESH | MESH | MESH | MESH |

75
MICRONS
200
MESH

What Is A Micron Rating?

A micron is short for micrometer or one millionth of a meter. As a unit of measure, it describes the size of a particle. A micron rating describes the size of particles that the filter will allow to pass through. So a 150 micron rated filter will not allow anything larger than 150 microns to pass through.





Where to Buy Become a Distributor

| $\mathcal{T}\mathcal{T}$ | TM TM | The state of the s | | | |
|--------------------------|-------|--|----------|-----------------------------------|---------|
| VU-I | FLOW | Applications | Products | Resources | Company |
| 24 | 700 | General Use | | Shale, Sand | |
| 30 | 500 | General Use | | Debris | |
| 40 | 350 | General Use | | Debris | |
| 60 | 250 | Sprinkler Systems valves, factory aer | | Fine Sand | |
| 100 | 150 | Drip irrigation systems, sensitive valves, poultry growers, watering devices, fogger nozzles | | Fine Sand, Grit from New Wells | |
| 140 | 100 | Drip irrigation systems, sensitive valves, poultry growers, watering devices, fogger nozzles | | Fine Sand, Grit from New Wells | |
| 250 | 50 | Pre-treatment for l systems, etc | RO, UF | Very Fine Sand a | nd Grit |
| 500 | 30 | Pre-treatment for l systems, etc | RO, UF | Very Fine Sand a | nd Grit |
| 1000 | 15 | Pre-treatment for l systems, etc | RO, UF | Very Fine Sand a | nd Grit |



Applications

DISTRIBUTOR

in

Where to Buy

Become a Distributor

Products

Resources

Company

DISTRIBUTOR

Nationally Recognized & Certified











APPLICATIONS

PRODUCTS

RESOURCES

Irrigation

Fresh Water Filters

FAO

Industrial

Chemical Resistant Filters

How-To

Agriculture

Hot Water Filters

Livestock

Miscellaneous

Phone: 1.800.833.5171

Fax: 1.888.361.9108

info@vuflow.com

Warranty & Disclaimer

Vu-Flow Filters 13360 Chambord St. Bldg. B Brooksville, FL 34613, United States of America © 2022 Vu-Flow Filters | All Rights Reserved



in

Where to Buy

Become a Distributor

Applications

Products

Resources

Company