

PRODUCT GUIDE

DECK AND HARDSCAPE LIGHTING

FXLuminaire®



WALL LIGHTS

LF + Color

The LF under-the-cap hardscape wall light easily fits between a block wall and a capstone for a neat, clean installation.



Height: 0.9" (22 mm)
Width: 6.7" (170 mm)
Depth: 3.6" (92 mm)
Lamp: 1 LED, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, BS, AB, AT, NP
Material: Brass
Bracket: SS

MS + Color

Part of the energy-efficient LED line, the MS includes changeable filters and is available in brass or powder coat finish options for style and performance at night and during the day.



Height: 3.7" (93 mm)
Diameter: 2.0" (51 mm)
Lamp: 1 LED, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP
Material: Aluminum/Brass

PO + Color

The PO provides glare-free illumination so guests can transition from space to space in comfort and safety. The LED faceplate offers different exterior styling and light-type outputs to match site needs.



Height: 2.5" (64 mm)
Diameter: 1.5" (38 mm)
Lamp: 1 LED, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP
Material: Brass

MO + Color

The MO is available with four interchangeable faceplates and four color filters that provide versatility for various lighting applications, including use as a walkway light and recessed-style can light.



Height: 3.3" (84 mm)
Diameter: 2.0" (51 mm)
Lamp: 1, 3 LEDs, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP
Material: Brass



WALL LIGHTS



CP/LM

The CP and LM are engineered to bring light to walkways, stairways, and decks in busy areas that lack an adjacent planter area for path lighting, or trees for down lighting.

Height: 3.5" (89 mm)
Width: 5.0" (127 mm)/9.0" (229 mm)
Lamp: 1, 2 LEDs
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP
Material: Copper



UN/PD

The UN and PD washes walkways with a smooth, shadow-free illumination that highlights a range of architecture, from the meticulous detail in fine stonework to the richness of a redwood deck.

Height: 3.5" (89 mm)
Width: 5.0" (127 mm)/9.0" (229 mm)
Lamp: 1, 2 LEDs
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP, CB, DT
Material: Brass or Composite



UP LIGHTS

RS

As the core fixture of the FX Luminaire up light family, the RS gives designers unsurpassed freedom and flexibility to create a variety of customized applications.

Height: 7.5" (188 mm)
Diameter: 2.5" (64 mm)
Lamp: MR-16
Finishes: BZ, FB
Material: Zinc



FB

The FB fits nicely into smaller landscapes and tight spaces. Accommodating up to a 3 LED board, the fixture offers all the classic up light benefits in a more compact package.

Height: 8.8" (224 mm)
Diameter: 2.4" (61 mm)
Lamp: 1, 3 LEDs
Finishes: BZ, DG, WI, SB, FB, WG, FW, AL, SV
Material: Aluminum





C-LINE

C-UL



Part of our midgrade brass C-Line, the robust, corrosion-resistant C-UL up light is especially at home in coastal environments.

Height: 6.5" (165 mm)
Diameter: 2.4" (60 mm)
Lamp: MR-16
Finish: AB
Material: Brass



C-PL-4 and -7

Part of our midgrade brass C-Line, the elegant, corrosion-resistant C-PL-4 and -7 path lights are especially at home in coastal environments.

Height: 21.5" (546 mm)
Diameter: 6.5" (73 mm)
Riser Diameter: 1" (25 mm)
Lamp: G4
Finish: AB
Material: Brass

C-WW



Part of our midgrade brass C-Line, the sturdy, corrosion-resistant C-WW wall wash is especially at home in coastal environments.

Height: 6.5" (165 mm)
Width: 4.0" (102 mm)
Lamp: G4
Finish: AB
Material: Brass




C-DL

Part of our midgrade brass C-Line, the versatile, corrosion-resistant C-DL down light is especially at home in coastal environments.

Height: 10.7" (272 mm)
Diameter: 2.9" (165 mm)
Lamp: MR-16
Finish: AB
Material: Brass



PATH LIGHTS



M-PL + Color

The ultra-modern M-PL path light combines the versatility of die-cast aluminum with minimalist aesthetics to complement a range of contemporary installations.

Height: 21.1" (537 mm)
Width: 2.2" (55 mm)
Lamp: 1 LED, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV
Material: Aluminum



PM + Color

Designed for midsized landscapes, the PM is engineered with a diffuser cone and optics that work together to produce a long projection beam spread with no glare.

Height: 14.0" (279 mm)
Width: 2.5" (64 mm)
Lamp: 1, 3, 6, 9 LEDs, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV
Material: Aluminum



SP

For the ideal combination of proven quality and unmatched beauty in your outdoor living space, the SP path light is the industry standard.

Height: 15.5" (394 mm)
Diameter: 4.7" (119 mm)
Lamp: G4
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, AB, AT, NP
Material: Copper/Brass or Aluminum



DM + Color

The essential ingredients of a timeless path light are provided purely through shape and function. The DM is just right for any application.

Height: 16.2" (412 mm)
Width: 7.1" (180 mm)
Lamp: 1, 3 LEDs, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, AB, AT, NP
Material: Copper



SPECIALTY LIGHTS

KG + Color

Inside the subterranean KG is a powerful LED module that allows for precise aiming. This capability refines the look of any landscape feature or structure.



Height: 8.9" (226 mm)
Diameter: 6.0" (152 mm)
Lamp: 3, 6, 9 LEDs, ZDC
Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, AB, AT, NP
Material: Aluminum, Brass



FC + Color

The FC is an ideal fit for any LED application, and features an innovative installation sleeve that allows for easy removal and adjustment, especially in concrete.



Height: 4.8" (122 mm)
Diameter: 4.0" (102 mm)
Lamp: 1, 3, 6, 9 LEDs, ZDC
Finishes: AB, AT, BS, NP, BZ, DG, WI, SB, FB, WG, FW, AL, SV
Material: Brass

BQ

1 LED for illuminating grilling areas. Designed to work with the Luxor® system, or independently with optional plug-in transformer. Stainless steel.



Height: 24.0" (610 mm)
Diameter: 3.6" (91 mm)
Lamp: G4
Finishes: SS
Material: Stainless Steel

LL + Color

The LL brings all of the efficiency and reliability of LED technology to underwater lighting. Highly versatile, it works with all FX LED boards (1-9), and is compatible with an array of filters that allow water to be colored to match the facade.



Height: 4.0" (101 mm)
Diameter: 3.2" (81 mm)
Lamp: 1, 3, 3T, 6, 9 LEDs, ZDC
Finishes: BS
Material: Brass



DOWN LIGHTS



Wall Plate



NL + Color

The NL boldly represents the next generation of fixed-mount LED down lights. This side-mounted down light includes a mounting bracket that permits tool-free servicing after installation.

Height: 3.3" (84 mm)

Width: 3.2" (81 mm)

Lamp: 1, 3, 6, 9 LEDs, ZDC

Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, CU-AB, CU-AT, BS, BS-AT, BS-AB, NP

Material: Copper/Brass or Aluminum



Wall Plate



PS + Color

The PS is meant for top-mounting, and is available with an optional copper cover. The PS also includes a mounting bracket that allows for tool-free servicing after installation.

Height: 3.2" (81 mm)

Height: 3.3" (84 mm)

Lamp: 1, 3, 6, 9 LEDs, ZDC

Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, CU-AB, CU-AT, BS, BS-AB, BS-AT, NP

Material: Aluminum/Brass

SD + Color

The SD wall light has a simple cylindrical drum design that complements a range of classic and contemporary applications while providing maximum optical control for downward illumination.

Height: 7.1" (180 mm)

Diameter: 3.0" (76 mm)

Lamp: 3, 6, 9 LEDs, ZDC

Finishes: BZ, DG, WI, FB, SB, WG, FW, AL, SV

Material: Aluminum





TRANSFORMERS AND ACCESSORIES

Luxor® Controller

The Luxor ZDC lighting controller provides the ability to create a spectrum of 30,000 colors using RGBW LED technology and also has zoning and dimming capabilities.

Height: 13" (330 mm)
Width: 8" (203 mm)
Depth: 5" (127 mm)
Finishes: SS, M
Material: Stainless Steel



DX Digital Transformer

The DX controller is an easy to program, low-voltage lighting transformer that brings customers the convenience of pre-installed astronomical timing and event-based programming. This means there is no need for end users to buy plug-in accessories such as timers and photocells.

Height: 11.4" (289 mm)
Width: 7.1" (181 mm)
Depth: 5.0" (128 mm)
Finishes: SS, M
Material: Stainless Steel



EX Hardscape Transformer

The EX transformer provides an economical, low-wattage power and control option for LED lighting projects

Height: 12.3" (312 mm)
Width: 5.5" (140 mm)
Depth: 4.8" (122 mm)
Finishes: M
Material: Stainless Steel



MR-16 and G4 Lamps

The MR-16 is a high-quality LED lamp that offers zoning and dimming capabilities. The energy-efficient G4 LED replacement lamp provides retrofit capabilities for lighting fixtures with a G4 lamp base.

MR-16 Base: GU5.3
MR-16 Max Lumens: 260-370 lm
G4 Base: T3
G4 Max Lumens: 76-170 lm

FINISHES

Metals				Powder coat - Standard					Powder coat - Specialty				Composites					
CU-AB Antique Bronze on Copper	BS-AB Antique Bronze on Brass	CU-AT Antique Tumbled on Copper	BS-AT Antique Tumbled on Brass	CU Copper	BS Natural Brass	SS Stainless Steel	NP Nickel Plate	BZ Bronze Metallic	DG Desert Granite	WI Weathered Iron	SB Sedona Brown	FB Black	WG White Gloss	FW Flat White	AL Almond	SV Silver	CB Camo Bronze	DT Desert Tan

FXLuminaire

A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries



Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website fxl.com | Customer Support 760-744-5240 | Technical Service 760-591-7383

This brochure was printed on Forest Stewardship Council® (FSC®) certified paper with soy inks. The FSC is an international organization established to promote the responsible management of the world's forests.

© 2018 Hunter Industries Incorporated  Please recycle.