

STANDARD ISSUE







DESIGN BY FRANK












NOTICE


Make sure to check what type of wall you are mounting your Standard Issue onto.

The supplied mounting fixings are designed for use on brick/concrete walls.

Use different rawl plugs if mounting onto other kinds of materials.




Depending on the size of your Standard Issue, the placement of the holes will vary. Please refer to the illustration below when marking and drilling the holes.




Mark the holes with a pen.




3. Drill a hole in the wall using \emptyset 6 drill.



Firmly push the rawl plug **D** into the hole, making sure that it goes all the way in.



Use the supplied screws **©** and a screwdriver to secure them in the wall.




NOTICE

Make sure to leave 1-2 cm of the screws exposed




Align the bar with the screws and mount it to the walls, letting the key holes slide down over the screws. Tighten the screws completely.




The powder coating is delicate, so be careful when mounting/ dismounting the beams (A) in order to avoid damaging the surface.

Mount the shelves onto the profiles, making sure that both sides lock securely into place.



Done!



NOTICE

Please note the max. weight is 15 kg per shelf, which is related to the strength of the wall fixings.

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture.



Please find our Care & Maintenance guide by scanning the QR code



You can find more relevant information on Standard Issue by scanning the QR code

You can also find the same information here hay.dk/downloads



Havnen 1 8700 Horsens Denmark +45 4282 0282 / hay@hay.com

