

Sanihealth Isopropyl Alcohol 70%

Safety Data Sheet

Section 1: Identification

1.1 Identification

Product name: Sanihealth Isopropyl Alcohol 70%

1.2 relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Antiseptic cleanser

1.3 Details of the supplier of the safety data sheet

Sanihealth Labs Inc

2570 Matheson Blvd E Unit 113

Mississauga, ON L4W

1.4 Emergency telephone number

Section 2: Hazard Identification

2.1 Classification of the substance or mixture

GHS classification

Flam. Liq. 2

Eye Irrit. 2

STOT SE 3 2.2.

2.2 Label elements

GHS labelling

Hazard pictograms (GHS)

Signal word (GHS) :

Danger

Hazard statements (GHS) :
irritation.

Highly flammable liquid and vapour. Causes serious eye
May cause drowsiness or dizziness

Precautionary statements (GHS) : Keep away from heat/sparks/open flames/hot surfaces.
Keep container tightly closed. Ground/Bond container and receiving equipment.
Use explosion-proof electrical/ ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3 Other hazards

No additional information available

2.4 Unknown acute toxicity

Not applicable

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Substances

Name	Product identifier	%
Isopropyl alcohol	(CAS No) 67-63-0	70

Section 4: First aid measures

4.1 Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Wash clothing before re-using. Get medical attention if irritation develops and persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea

4.3 Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Alcohol foam.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Products of combustion may include, and are not limited to: oxides of carbon.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity : No dangerous reactions known under normal conditions of use

5.3 Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Cool closed containers exposed to fire with water spray.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.

6.1.1. For non-emergency personnel No additional information available

6.1.2. For emergency responders No additional information available

6.2 Environmental precautions Prevent entry to sewers and public waters

6.3 Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite, or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4 Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

Section 7: Handling and storage

7.1 Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Avoid eye contact. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only nonsparking tools. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product

7.2 Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep out of the reach of children. Keep container tightly closed in a cool, well-ventilated place

Section 8: Exposure controls/personal protection

Isopropyl alcohol (67-63-0)

ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m ³)	980 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	500 ppm

8.2 Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Wear suitable gloves.

Eye protection : Chemical goggles or face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection :	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls :	Avoid release to the environment.
Other information :	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state :	Liquid
Appearance :	No data available
Colour :	Colourless
Odour :	Rubbing alcohol
Odour threshold :	No data available
pH :	No data available
Melting point :	No data available
Freezing point :	-86 °C / -122 °F
Boiling point :	82 °C / 180 °F
Flash point :	12 °C / 54 °F closed cup, 17 °C / 63 °F open cup
Relative evaporation rate (butylacetate=1) :	2.3
Flammability (solid, gas) :	Highly flammable liquid and vapour.
Vapour pressure :	33 mm Hg @20 °C / 68 °F
Relative vapour density at 20 °C :	2.07
Relative density :	0.785
Solubility :	Water: Appreciable.
Partition coefficient n-octanol/water :	No data available
Auto-ignition temperature :	399 °C / 750 °F
Decomposition temperature :	No data available
Viscosity, kinematic :	No data available

Viscosity, dynamic :	No data available
Explosive limits :	Lower explosive limit (LEL): 2 vol % Upper explosive limit (UEL): 12 vol %
Explosive properties :	No data available
Oxidising properties :	No data available

9.2 Other information

Saturation concentration :	142 g/m ³ @ 25 °C / 77 °F
VOC content :	100 %

Section 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known under normal conditions of use

10.2 Chemical stability

Stable under normal conditions. May form flammable/explosive vapour-air mixture

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use

10.4 Conditions to avoid

Sources of ignition. Heat. Incompatible materials

10.5 Incompatible materials

Strong oxidizing agents. Strong acids. Aldehydes. Halogenated hydrocarbons. Halogens. Phosgene. Iron salts. Hydrogen palladium. Potassium t-butoxide nitroform.

10.6 Hazardous decomposition products

May release flammable gases. May include, and are not limited to: oxides of carbon.

Section 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Isopropyl alcohol 70%

LD50 oral rat	> 2000 mg/kg (Calculated acute toxicity estimate)
LD50 dermal rabbit	> 2000 mg/kg (Calculated acute toxicity estimate)
LC50 inhalation rat	> 20 mg/l/4h (Calculated acute toxicity estimate)

Isopropyl alcohol (67-63-0)

LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	> 12800 mg/kg
LC50 inhalation rat	> 10000 ppm (Exposure time: 6 h)

Skin corrosion/irritation :	Not classified.
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitisation :	Not classified.
Germ cell mutagenicity :	Not classified.
Carcinogenicity :	Not classified.

Isopropyl alcohol (67-63-0)

IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified.
STOT-single exposure :	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified.
Aspiration hazard :	Not classified.
Symptoms/injuries after inhalation :	May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact :	May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact :	Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion :	May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea

Section 12: Ecological information

12.1 Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment

Isopropyl alcohol (67-63-0)

LC50 fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2 Persistence and degradability

Isopropyl alcohol 70%

Persistence and degradability	Not established.
-------------------------------	------------------

12.3 Bioaccumulative potential

Isopropyl alcohol 70%

Bioaccumulative potential	Not established
---------------------------	-----------------

Isopropyl alcohol (67-63-0)

Partition coefficient n-octanol/water	0.05 (at 25 °C)
---------------------------------------	-----------------

12.4 Mobility in soil

No additional information available

12.5 Other adverse effects

Effect on the global warming : No known effects from this product.

Other information : No other effects known.

Section 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Section 14: Transportation information

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG

UN-No.(DOT/TDG) : UN1219
Proper Shipping Name (DOT/TDG) : Isopropyl alcohol
Class (DOT/TDG) : Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT/TDG) : II
Hazard labels (DOT/TDG)

Section 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

Isopropyl alcohol (67-63-0)

Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting	1 % (only if manufactured by the strong acid process, no supplier notification)
---------------------------------------	---

15.2 International regulations

No additional information available