



HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 04/14/2020

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: HYDRO BAN® Quick Cure

1.2. Intended Use of the Product

Waterproofing membrane

1.3. Name, Address, and Telephone of the Responsible Party

Company

LATICRETE International

1 Laticrete Park, N

Bethany, CT 06524

T (203)-393-0010

www.laticrete.com

Company

LATICRETE Canada ULC

PO Box 129, Emeryville, Ontario, Canada

NOR-1A0

(833)-254-9255

1.4. Emergency Telephone Number

Emergency Number : For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America)

(800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Eye Dam. 1 H318

Skin Sens. 1 H317

STOT RE 2 H373

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA)

: Danger

Hazard Statements (GHS-US/CA)

: H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements (GHS-US/CA)

: P260 - Do not breathe vapors, mist, or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|---|---------------------|---------|---|
| Carbonic acid, calcium salt (1:1) | (CAS-No.) 471-34-1 | 29 - 32 | Not classified |
| Stearic acid | (CAS-No.) 57-11-4 | 1 - 3 | Comb. Dust |
| Silane, ethenyltrimethoxy- | (CAS-No.) 2768-02-7 | 1 - 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 STOT RE 2, H373 |
| N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine | (CAS-No.) 1760-24-3 | > 3 | Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317 |
| Methanol | (CAS-No.) 67-56-1 | <= 1 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370 |
| Chromium oxide (Cr2O3) | (CAS-No.) 1308-38-9 | 0.1 - 1 | Skin Sens. 1, H317 |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

** The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing. Obtain medical attention if irritation/rash develops or persists.

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: May cause damage to organs through prolonged or repeated exposure. Skin sensitization. Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrous fumes. Formaldehyde. Silica compounds.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Acids.

7.3. Specific End Use(s)

Waterproofing membrane

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Carbonic acid, calcium salt (1:1) (471-34-1) | | |
|---|---------------------------------------|--|
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust) |
| Alberta | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Nunavut | OEL STEL (mg/m ³) | 20 mg/m ³ (Limestone) |
| Nunavut | OEL TWA (mg/m ³) | 10 mg/m ³ (Limestone) |
| Northwest Territories | OEL STEL (mg/m ³) | 20 mg/m ³ (Limestone) |
| Northwest Territories | OEL TWA (mg/m ³) | 10 mg/m ³ (Limestone) |
| Québec | VEMP (mg/m ³) | 10 mg/m ³ (total dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 20 mg/m ³ (Limestone) |
| Saskatchewan | OEL TWA (mg/m ³) | 10 mg/m ³ (Limestone) |
| Yukon | OEL STEL (mg/m ³) | 20 mg/m ³ |
| Yukon | OEL TWA (mg/m ³) | 30 mppcf 10 mg/m ³ |
| Stearic acid (57-11-4) | | |
| USA ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates)) |
| British Columbia | OEL TWA (mg/m ³) | 10 mg/m ³ (Stearates) |
| Manitoba | OEL TWA (mg/m ³) | 10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates)) |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates)) |
| Nova Scotia | OEL TWA (mg/m ³) | 10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates)) |
| Prince Edward Island | OEL TWA (mg/m ³) | 10 mg/m ³ (inhalable particulate matter (Stearates)) 3 mg/m ³ (respirable particulate matter (Stearates)) |
| Silane, ethenyltrimethoxy- (2768-02-7) | | |
| Ontario | OEL STEL (mg/m ³) | 60 mg/m ³ |
| Ontario | OEL STEL (ppm) | 10 ppm |
| Chromium oxide (Cr2O3) (1308-38-9) | | |
| USA ACGIH | ACGIH TWA (mg/m ³) | 0.05 mg/m ³ 0.5 (Cr II & Cr III Compounds) 0.05 (Cr VI Water Soluble) |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 1 mg/m ³ (metal) 0.5 (Cr II & Cr III Compounds) 0.005 (Cr VI Compounds) |
| Methanol (67-56-1) | | |
| USA ACGIH | ACGIH TWA (ppm) | 200 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 250 ppm |
| USA ACGIH | ACGIH chemical category | Skin - potential significant contribution to overall exposure by the cutaneous route |
| USA ACGIH | Biological Exposure Indices (BEI) | 15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific) |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 260 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 200 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 260 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 325 mg/m ³ |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm |
| USA IDLH | US IDLH (ppm) | 6000 ppm |
| Alberta | OEL STEL (mg/m ³) | 328 mg/m ³ |

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|-------------------------|-------------------------------|-----------------------|
| Alberta | OEL STEL (ppm) | 250 ppm |
| Alberta | OEL TWA (mg/m ³) | 262 mg/m ³ |
| Alberta | OEL TWA (ppm) | 200 ppm |
| British Columbia | OEL STEL (ppm) | 250 ppm |
| British Columbia | OEL TWA (ppm) | 200 ppm |
| Manitoba | OEL STEL (ppm) | 250 ppm |
| Manitoba | OEL TWA (ppm) | 200 ppm |
| New Brunswick | OEL STEL (mg/m ³) | 328 mg/m ³ |
| New Brunswick | OEL STEL (ppm) | 250 ppm |
| New Brunswick | OEL TWA (mg/m ³) | 262 mg/m ³ |
| New Brunswick | OEL TWA (ppm) | 200 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 250 ppm |
| Newfoundland & Labrador | OEL TWA (ppm) | 200 ppm |
| Nova Scotia | OEL STEL (ppm) | 250 ppm |
| Nova Scotia | OEL TWA (ppm) | 200 ppm |
| Nunavut | OEL STEL (ppm) | 250 ppm |
| Nunavut | OEL TWA (ppm) | 200 ppm |
| Northwest Territories | OEL STEL (ppm) | 250 ppm |
| Northwest Territories | OEL TWA (ppm) | 200 ppm |
| Ontario | OEL STEL (ppm) | 250 ppm |
| Ontario | OEL TWA (ppm) | 200 ppm |
| Prince Edward Island | OEL STEL (ppm) | 250 ppm |
| Prince Edward Island | OEL TWA (ppm) | 200 ppm |
| Québec | VECD (mg/m ³) | 328 mg/m ³ |
| Québec | VECD (ppm) | 250 ppm |
| Québec | VEMP (mg/m ³) | 262 mg/m ³ |
| Québec | VEMP (ppm) | 200 ppm |
| Saskatchewan | OEL STEL (ppm) | 250 ppm |
| Saskatchewan | OEL TWA (ppm) | 200 ppm |
| Yukon | OEL STEL (mg/m ³) | 310 mg/m ³ |
| Yukon | OEL STEL (ppm) | 250 ppm |
| Yukon | OEL TWA (mg/m ³) | 260 mg/m ³ |
| Yukon | OEL TWA (ppm) | 200 ppm |

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

| | |
|--|--------------------------------|
| Physical State | : Liquid |
| Appearance | : Green |
| Odor | : Not available |
| Odor Threshold | : Not available |
| pH | : Not available |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : 207 °C (404.6 °F) ASTM D3828 |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : 1.2 |
| Solubility | : Water: Insoluble |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. **Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. **Incompatible Materials:** Acids.
- 10.6. **Hazardous Decomposition Products:** Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

- Acute Toxicity (Oral):** Not classified
- Acute Toxicity (Dermal):** Not classified
- Acute Toxicity (Inhalation):** Not classified
- LD50 and LC50 Data:** Not available
- Skin Corrosion/Irritation:** Not classified
- Eye Damage/Irritation:** Causes serious eye damage.
- Respiratory or Skin Sensitization:** May cause an allergic skin reaction.
- Germ Cell Mutagenicity:** Not classified
- Carcinogenicity:** Not classified
- Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs through prolonged or repeated exposure.
- Reproductive Toxicity:** Not classified
- Specific Target Organ Toxicity (Single Exposure):** Not classified
- Aspiration Hazard:** Not classified
- Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.
- Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.
- Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|--|--------------------------------|
| Carbonic acid, calcium salt (1:1) (471-34-1) | |
| LD50 Oral Rat | 6450 mg/kg |
| Stearic acid (57-11-4) | |
| LD50 Oral Rat | > 5000 mg/kg |
| LD50 Dermal Rat | > 2000 mg/kg |
| Silane, ethenyltrimethoxy- (2768-02-7) | |
| LD50 Oral Rat | 7340 µl/kg |
| LC50 Inhalation Rat | 11 mg/l/4h |
| Chromium oxide (Cr2O3) (1308-38-9) | |
| LD50 Oral Rat | > 5000 mg/kg |
| Methanol (67-56-1) | |
| LD50 Dermal Rabbit | 15840 mg/kg |
| LC50 Inhalation Rat | 22500 ppm (Exposure time: 8 h) |
| ATE US/CA (oral) | 100.00 mg/kg body weight |
| ATE US/CA (dermal) | 300.00 mg/kg body weight |
| ATE US/CA (vapors) | 3.00 mg/l/4h |
| N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3) | |
| LD50 Oral Rat | 2413 mg/kg |
| LC50 Inhalation Rat | 1.49 - 2.44 mg/l/4h |
| Chromium oxide (Cr2O3) (1308-38-9) | |
| IARC Group | 3 |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

| | |
|---|--|
| Silane, ethenyltrimethoxy- (2768-02-7) | |
| LC50 Fish 1 | 191 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [not specified]) |
| EC50 Daphnia 1 | 168.7 mg/l |
| NOEC Chronic Algae | 10 mg/l |
| Chromium oxide (Cr2O3) (1308-38-9) | |
| LC50 Fish 1 | > 10000 mg/l (Exposure time: 96 h - Species: Danio rerio [static]) |
| NOEC Chronic Fish | 1000 mg/l (Species: Brachydanio rerio - Duration: 30 d) |
| Methanol (67-56-1) | |
| LC50 Fish 1 | 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1 | 1340 mg/l |
| LC50 Fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |

12.2. Persistence and Degradability

| | |
|-------------------------------|------------------|
| HYDRO BAN® Quick Cure | |
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| | |
|---|----------------------|
| HYDRO BAN® Quick Cure | |
| Bioaccumulative Potential | Not established. |
| Carbonic acid, calcium salt (1:1) (471-34-1) | |
| BCF Fish 1 | (no bioaccumulation) |
| Methanol (67-56-1) | |
| BCF Fish 1 | < 10 |

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---------|-------|
| Log Pow | -0.77 |
|---------|-------|

12.4. Mobility in Soil

| | |
|------------------------|-------|
| Stearic acid (57-11-4) | |
| Log Koc | 51.05 |

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- 14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

| | |
|--|---|
| HYDRO BAN® Quick Cure | |
| SARA Section 311/312 Hazard Classes | Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Respiratory or skin sensitization Health hazard - Serious eye damage or eye irritation |
| Carbonic acid, calcium salt (1:1) (471-34-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Stearic acid (57-11-4) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Silane, ethenyltrimethoxy- (2768-02-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Chromium oxide (Cr2O3) (1308-38-9) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Methanol (67-56-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 | |
| CERCLA RQ | 5000 lb |
| SARA Section 313 - Emission Reporting | 1 % |
| N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

15.2. US State Regulations

California Proposition 65

 **WARNING:** This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|---|-----------------|------------------------|------------------------------|----------------------------|
| Methanol (67-56-1) | | X | | |
| Chromium oxide (Cr2O3) (1308-38-9) | | | | |
| U.S. - Massachusetts - Right To Know List | | | | |

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| |
|---|
| U.S. - New Jersey - Right to Know Hazardous Substance List |
| Methanol (67-56-1) |
| U.S. - Massachusetts - Right To Know List |
| U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List |
| U.S. - Pennsylvania - RTK (Right to Know) List |

15.3. Canadian Regulations

| |
|--|
| Carbonic acid, calcium salt (1:1) (471-34-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Stearic acid (57-11-4) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Silane, ethenyltrimethoxy- (2768-02-7) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Chromium oxide (Cr2O3) (1308-38-9) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Methanol (67-56-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3) |
| Listed on the Canadian DSL (Domestic Substances List) |

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 04/14/2020

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

| | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
| Acute Tox. 3 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 |
| Comb. Dust | Combustible Dust |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Skin Sens. 1 | Skin sensitization, Category 1 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 1 | Specific target organ toxicity (single exposure) Category 1 |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| H301 | Toxic if swallowed |
| H311 | Toxic in contact with skin |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H331 | Toxic if inhaled |

HYDRO BAN® Quick Cure

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|------|---|
| H332 | Harmful if inhaled |
| H370 | Causes damage to organs |
| H373 | May cause damage to organs through prolonged or repeated exposure |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)