

## E.M.T. Conduit Fittings


Polyethylene (Plastic)



Part No	Trade Size	Pcs/ Unit Ctn	Pcs/ Ship Ctn	Wt(lbs)/ 100pcs
90910	1/2"	100	1000	0.4
90920	3/4"	100	1000	0.42
90930	1"	100	1000	0.06
90940	1-1/4"	100	1000	1
90950	1-1/2"	100	1000	1.2
90960	2"	-	50	1.22
90965	2-1/2"	-	25	4.18
90970	3"	-	25	4.2
90975	3-1/2"	-	25	6.2
90980	4"	-	25	6.8

### NOMINAL DIMENSIONS (Inches):

Part No	A	B	C
1/2"	0.558	0.835	0.537
3/4"	0.743	1.045	0.525
1"	0.945	1.300	0.635
1-1/4"	1.240	1.655	0.625
1-1/2"	1.440	1.918	0.610
2"	1.870	2.38	0.625
2-1/2"	2.240	3.054	1.230
3"	2.725	3.600	1.210
3-1/2"	3.340	4.210	1.240
4"	3.765	4.79	1.205



## EMT Insulating Bushings

### Non-Metallic

**TYPE:** "Press" Fit Design  
**MATERIAL:** Polyethylene (Plastic)  
**FINISH:** Natural

### APPLICATIONS & FEATURES:

- Used to protect low voltage cables from abrasions caused by sharp edges found on the ends of EMT
- May also be used to protect cables used for cable TV, power, audio/video lines, alarm/security systems, and computer data lines.
- Sizes 2-1/2"- 4" for EMT, RIGID & IMC

### FEATURES:

- Tight "press fit" design allows for easy installation staying in place during cable pulling

### COMPLIANCE:

Complies with NEW Article 300-15c.



Electrical Resource International  
 440.878.1199  
[www.electrical-resource.com](http://www.electrical-resource.com)