AWARNING

DO NOT USE THIS PRODUCT UNLESS YOU HAVE READ AND UNDERSTAND THESE WARNINGS, CAUTIONS, AND INSTRUCTIONS WHICH ARE FOR YOUR SECURITY AND PROTECTION. THIS INFORMATION MAY BE SUBJECT TO CHANGE AT ANY TIME. FOR CURRENT UPDATES, PLEASE VISIT OUR WEBSITE AT: WWW. CABRINHAKITES.COM

IF YOU ARE BELOW THE AGE OF 18, YOU SHOULD HAVE YOUR PARENT OR GUARDIAN READ THESE WARNINGS, CAUTIONS AND INSTRUCTIONS AND SHOULD NOT USE THIS PRODUCT UNLESS YOU ARE UNDER THE PROPER GUIDANCE AND SUPERVISION OF SLICH A PERSON.

The use of this product exposes the user to many unavoidable and unexpected risks, injury, DAN-GERS and HAZARDS. The suppliers of this product are not responsible for any damage to property or any personal injury caused by any use, misuse, abuse or irresponsible use of this product by the user.

Kiteboarding is a HAZARDOUS sport. Power kites and their lines and control equipment can be DANGEROUS to flyers and to anyone in the vicinity of their use. Kiteboarding must be taken seriously and we recommend that, at least in the early stages of your use, you seek the guidance of professional instructors and experienced kiteboarders. Improper and/or unreasonable use of this kite may result in DEATH or SERIOUS INJURY to ANY part of your body and to OTHERS. Do NOT use your kite near power lines, airports, buildings, automobiles, trees, streets, parking lots, rocks, piers, breakwaters, buoys, etc. and keep your kite fly lines away from people and ALL obstacles. Always fly in an open area and observe wind and weather conditions, particularly in circumstances where you may encounter offshore, onshore, variable or strong winds. Do NOT attempt to use your kite on water until you are confident and comfortable with the use of a trainer kite on land. Spend time to become familiar with the operation of your kite and remember that you are responsible for its operation and for the security of those around you. As you learn the sport, work within your own limitations and do NOT exceed them. If you intend to use the kite on water, always use appropriate protective gears and flotation devices and do NOT attach yourself or tie yourself permanently to the kite lines. The kite is NOT intended for use as a flying device nor indeed is it intended as a means of flotation.

RECOMMENDED KITESURFING PRACTICE:

Kiteboarding is an extremely diverse sport, with many disciplines and ability levels. As with all sports, there can be certain inherent risks. The following contains key security points to remember when operating your Cabrinha kite.

- Kiteboarding is a HAZARDOUS activity and the use of Kiteboarding equipment involves the risk of serious personal injury to any part of the user's body or death.
- Injuries are an INHERENT RISK of kiteboarding and the participation in kiteboarding implies the
 user's acceptance and assumption of those risks.
- · Children should ALWAYS be under adult supervision.
- It is strongly recommended that beginners take lessons.
- ALWAYS inspect your equipment for signs of wear and tear each time before use, particularly all lines, canopy, bladders, screws and fittings.
- If ANY products are found to show signs of wear & tear, STOP using the product immediately and repair or replace before further use. If in doubt about any signs of wear & tear, please contact your local vendor. Contact details are available from www.cabrinhakites.com
- NEVER place yourself in a situation where breakage of any one of the various kiteboarding components would pose a risk to yourself or others, or make it difficult to return to the shore securely & unassisted.
- Make sure you use properly designed and manufactured parts from reputable suppliers.
- Take time to study the conditions including sea state, tides, currents, weather conditions and forecasts before you decide to no sailing. Beware of sailing in offshore, onshore, variable or strong winds.
- Familiarize yourself with any new location before venturing onto the water. Ask the locals to tell
 you about any hazards.
- Watch out for other beach users, especially swimmers and small children. Make sure you
 keep your board and rig under control at all times and that they don't get blown about on
 the beach or in the water.
- Always use appropriate protective gear and flotation devices. Wear the correct protective clothing for the conditions such as a wetsuit or a UV top.
- We STRONGLY recommend wearing a kiteboarding specific helmet
- Make sure someone knows where you've gone & when you are expected back always sail with a buddy.
- Be aware of the conditions as they change. ALWAYS return to the beach if there is a significant change in the conditions. i.e. wind dropping or wind & waves increasing.
- As you learn the sport, work within your own limitations and do NOT exceed them.
- Do NOT alter, modify or change this product.
- This product is designed and manufactured only for kiteboarding on water or snow.
- · Keep these warnings, cautions and instructions for future reference.
- The following contains key security points to remember when operating your Cabrinha kite, and associated kiteboarding equipment on water. land or snow.

LIMITED WARRANTY

Cabrinha Kitesurfing warrants that this product, when it is purchased from an authorized Cabrinha Kitesurfing dealer by a retail customer, will be free from defects in materials and workmanship for a period of one (1) year from the date of purchase by the original retail customer. This warranty is solely for the benefit of the original retail purchaser and may not be assigned.

For retail customer Limited Warranty claims, proof of purchase from an authorized Cabrinha Kitesurfing dealer is required. If the date of purchase cannot be established, Cabrinha Kitesurfing will make a determination based upon on the last production year of the particular model, or on the condition of the equipment claimed.

If you have any questions about the Cabrinha Kitesurfing Limited Warranty or procedures for making claims thereunder, please contact Cabrinha Kitesurfing at www.cabrinhakites.com The Cabrinha Kitesurfing Warranty Center will determine if a product is covered under this Limited Warranty. If covered, Cabrinha Kitesurfing will, at Cabrinha Kitesurfing's sole option, regair or replace the product in question.

All returns must be made through Cabrinha Kitesurfing authorized dealers within 30 days of the defect becoming apparent. Cabrinha Kitesurfing does not accept returns directly from customers. Customers must call for a Return Authorization Number before returning any product under this Limited Warranty. All authorized returns must be sent to a Cabrinha Kitesurfing's Warranty Center at the country's main distribution warranty office, freight prepaid. Cabrinha Kitesurfing will pay the freight for the return shipment. Return shipment will either be consolidated together with the authorized retailer next shipment, or paid by Cabrinha Kitesurfing, at Cabrinha Kitesurfing's sole option.

Any repair or replacement of any product under this Limited Warranty is not available for ordinary wear and tear, including scratches or paint chipping, or for any damage caused by misuse, abuse, unauthorized modification or repairs, accident, heat, excessive exposure to sunlight, excessive exposure to cold, improper handling, storage, maintenance or care; incorrect setup, use in commercial, rental or teaching environments; use in reef wave, waves, shore break or off the water; any blow or impact with a hard object or any other irresponsible use.

THE FOREGOING LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF QUALITY AND PERFORMANCE, WRITTEN, ORAL OR IMPLIED AND ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED. IN NO EVENT SHALL CABRINHA KITESURFING BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, STATUTORY OR EXEMPLARY DAMAGES, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE including, without limitation, loss to properly other than this product, loss of use of said product, or other property or other economic losses. Cabrinha Kitesurfing shall not be liable for contribution or indemnification, whatever the cause.

Some jurisdictions do not allow limitations on how long an implied warranty lasts and/or the exclusion or limitation of incidental or consequential damages, so the above limitation and exclusion may not apply to particular customers. Cabrinha Kitesurfing's obligations under any warranty shall be limited, to the greatest extent allowed by law, as provided in this Cabrinha Kitesurfing Limited Warranty, This Limited Warranty gives you specific legal rights; you may also have other rights, which vary from one jurisdiction to another.

REGISTER YOUR CABRINHA PRODUCT ONLINE AT: www.cabrinhakites.com

H1 MOUNTING INSTRUCTIONS

INVENTORY LIST:


- 2 x H1 Footstraps with mounting tabs installed
- 2 x H1 Footpads
- 4 x M6 x 16 mm Footstrap mounting screws

TOOLS NEEDED:

Phillips #3 screwdriver.

NOTE: This Cabrinha accessory is designed for use with Cabrinha boards. Use of this accessory with products from other manufacturers may result in over-tightening of the screws and is therefore excluded from any warranty cover.

NOTE: Do not use power tools to assemble your board. You will run the risk of cross threading the inserts. Doing so will void your warranty.



RNARD ASSEMBLY:

- Identify the right and the left footpads by the location of the embossed Cabrinha logo. The Cabrinha logos should be positioned on the side closest to the tips of the board when installed properly.
- Identify the right and the left footstraps by the location of the H1 logo. The H1 logo should be positioned on the side closest to the tips of the board and the Hydra Series logo should be towards the toe-side edge when installed properly.
- 3. Place the footpad onto the board in the desired stance width. Line up the board inserts with the hole on the footplate. There are 3 angle options for each side of the H1, initially choose the centre position - this is adjustable later for both duck angle and heal/toe offset.
- The footstrap tabs index into the footplate to line up the mounting holes. Insert the M6 x 16mm screw and tighten the screw slightly.
- Repeat the above step the other side of the H1 strap. You may need to push the footplate towards the previously mounted tab to help line up the holes.
- Once both sides of the strap are mounted, fully tighten the mounting screws with a hand held screwdriver.
- Insert your foot into the footstrap and adjust to size. It is recommended to set the strap low and tight on the outside of the foot, then use the inside foot adjustment to fit to size.

TO GIVE YOUR BOARD / ACCESSORIES A LONG LIFE

H1 CARE AND MAINTENANCE:

- Always wash the board components after use with fresh water and dry thoroughly before storing.
- The binding and fin mounting screws are subject to extreme loads and forces. They should be checked regularly if still tight and if not, tightened accordingly.
- Ensure that the H1 strap is correctly adjusted. Riding with an ill fitted strap could cause injury to the rider or damage to the strap itself.

H2.0 BINDING MOUNTING INSTRUCTIONS

INVENTORY LIST:

- 2 x H2.0 Straps with 4 x Adjuster Plates installed
- 2 x H2.0 Footpads
- 4 x M6 x 16 mm binding mounting screw

TOOLS NEEDED:


Phillips #3 screwdriver

NOTE: This Cabrinha accessory is designed for use with Cabrinha Boards. Use of this accessory with products from other manufacturers may result in over-tightening of the screws and is therefore excluded from any warranty cover.

NOTE: Do not use power tools to assemble your board. You will run the risk of cross threading the inserts. Doing so will void your warranty.

BEFORE GETTING STARTED:

- Remove all contents from the H2.0 accessory package.
- · Identify each item from the inventory list above.
- Carefully thread a binding mounting screw into each insert to be sure it threads easily and the insert threads are clear of any debris.



ASSEMBLY, MOUNTING and TUNING of H2.0 BINDINGS

- Identify the left and right footpad by locating the round 'C' logo on the foot bed the logo should be positioned towards the centre of the board.
- Identify the left and right footstraps by the location of the Cabrinha logo the logo should be positioned towards the centre of the hoard.
- Decide on the amount of coverage and location of the support you like from your footstrap and move the velcro straps forward or back on the adjuster plates.

Note: For greatest support and coverage insert the velcro straps on the furthest forward and furthest back slots in the adjuster plates. For targeted support insert velcro straps through closer slots in the adjuster plates.

- The adjuster plates index onto the footpad plates click the adjuster plates of the left strap onto the left pad to form the left H2.0 Binding. Repeat with right pad and strap.
- Place the H2.0 bindings onto the board in the desired stance width and line up the board inserts with the desired stance angle hole on the foot plate and loosely secure in place with the screws provided.
 - Note: There are 3 stance width options (narrow, medium or wide) and 5 stance angle options. If you are uncertain of stance preference choose the centre position (except if using with the CBL, then add more duck). Tuning for width, duck angle and heal/toe offset to suit can be done after test fitting.
- 6. With the velcro straps loose, place your foot over the arch of the footpad then loosely secure the tongue of the strap by placing the velcro across the top of it.
 Note: For even coverage place velcro side by side and spread out across the tongue or for more targeted coverage place velcro in desired areas towards the toe- or heal-side of the tongue.
- Adjust the width of the binding by sliding the adjuster plates in or out as desired before tightening the screws completely.
- 8. Re-adjust the straps as needed until you achieve the desired level of coverage and support.
- Pull your foot completely out and then reinsert to double check the overall fit and ease of re-entry. Note: The perfect fit will vary between riders as this is largely dependent on personal preference. Optimally, the binding should fit snug for maximum performance and allow minimal movement, vet still provide a level of comfort that can be ridden for extended periods.
- Repeat steps 3 to 10 until the desired fit is achieved.
 Note: Re-adjustment may be required after initial use as the straps form to your feet.

Visit www.cabrinhakites.com for a H2.O Binding Tech Tip Installation and Fitting video.

TO GIVE YOUR BOARD AND ACCESSORIES A LONG LIFE

H2.0 CARE AND MAINTENANCE:

- Always wash the board components after use with fresh water and dry thoroughly before storing.
- The binding and fin mounting screws are subject to extreme loads and forces. They should be checked regularly if still tight and if not, tightened as necessary.
- Ensure that the H2.0 strap is correctly adjusted. Riding with an ill fitted strap could cause injury to the rider or damage to the strap itself.

H3 BOOT BINDING MOUNTING INSTRUCTIONS

INVENTORY LIST:


- 2 x H3 boot bindings
- 4 x M6 x 16 mm binding mounting screws

TOOLS NEEDED:

A Phillips #3 screwdriver is recommended

NOTE: This Cabrinha Accessory is designed for use with Cabrinha Boards. Use of this accessory with products from other manufacturers may result in over-tightening of the screws and is therefore excluded from any warranty cover.

NOTE: Do not use power tools to assemble your board. You will run the risk of cross threading the inserts. Doing so will void your warranty.



BEFORE GETTING STARTED:

- · Remove all contents from the H3 accessory package.
- · Identify each item from the inventory list above.
- Carefully thread a binding mounting screw into each insert to be sure it threads easily and the
 threads are clear of any debris.

MOUNT BINDINGS

- Identify the left and right binding by the location of the Cabrinha logo on the side of the upper boot.
 The Cabrinha logo will be positioned on the side closest to the tips of the board when installed properly.
- Place the H3 boot binding on the desired stance. Note: There are 3 stance options for each foot on the Cabrinha kiteboards.
- There are 7 angle options for each side of the H3 Boot Binding chassis marked -7.5 to 30 deg. Choose 15 deg on the CBL and 7.5 deg on other board models as your starting point if you do not know you preferred angle.
- Align the outside (closest to end of board) hole first to the correct alignment. Put the screw in place and tighten to a loose fit only.
- 5. Align the inside hole to the correct alignment. Put the screw in place and tighten completely.
- 6. Now tighten the outside screw completely.
- 7. Repeat on the other boot.
- 8. When using the H3 the straps should be a firm but not tight fit on your feet/ankles.

H3 CARE AND MAINTENANCE:

- · Always wash the board components after use with fresh water and dry thoroughly before storing.
- The binding and fin mounting screws are subject to extreme loads and forces. They should be checked regularly if still tight and if not, tightened as necessary.
- WARNING the H3 Boot may not release the rider when falling, causing injury or drowning and should therefore only be used by experienced riders in suitable conditions.

Always use correct size binding. Adjust binding for a snug, not tight fit.