









# **FEATURES**

MAIN UNIT



- 1.Real time humidity display with arrow trend
- 2. MIN/MAX humidity display
- 3. Comfort level icon
- 4. Real time temperature display with arrow trend, °F/°C selectable
- 5. MIN/MAX temperature display with °F/°C selectable
- 6. Humidity range: 1%-95%RH
- 7. Temperature range: 32°F-122°F(0-50°C)

















# POWER SUPPLY



- 1. Remove the battery compartment cover.
- 2. Insert 2x AAA batteries matching the polarity (+and-).

# **HUMIDITY**

- 1. The indoor humidity will display after power on.
- 2. The arrow will change direction to show the humidity trend.
- MIN/MAX humidity will update timely. And the data will automatically be cleared each 24 hour after power on.
- Press and hold "CLEAR" key for 2 seconds to clear the memory of MIN/MAX data.
- 5. Humidity level icon:

















The "OK" in the house icon should be displayed when the humidity is between 25%-55%.

#### "Low" Icon

The "Low" should be displayed when the humidity is below comfort range.

#### "High" loon

The "High" should be displayed when the humidity is above the comfort range.

### **TEMPERATURE**

- 1. The indeer temperature will display after newer on
- 2. The arrow will change direction to show the temperature trend.
- 3. Press "°F/°C" key to switch°F/°C.
- 4. MIN/MAX temperature will update timely. And the data will automatically be cleared each 24 hour after power on.
- 5. Press and hold "CLEAR" key for 2 seconds to clear the memory of MIN/MAX data



















## **PRECAUTIONS**

Do not clean any part of the product with benzene, thinner or other solvent chemicals. When necessary, clean it with a soft cloth.

Never immerse the product in water. This will damage the product

Do not subject the product to extreme force, shock, or fluctuations in temperature or humidity.

Do not tamper with the internal components.

Do not mix new and old batteries or batteries of different types.

Do not mix alkaline, standard or rechargeable batteries with this product

Remove the batteries if storing this product for a long period of time

Do not dispose of this product as unsorted municipal waste. Collection of such waste separately for special treatment is necessary.



















### VARRANTY

BALDR provides a 1-year limited warranty on this product against manufacturing defects in materials and workmanship. Warranty service can only be performed by our authorized service center. The original dated bill of sale must be presented upon request as proof of purchase to us, or our authorized service center.

The warranty covers all defects in material and workmanship with the following specified exceptions:

- (1) damage caused by accident, unreasonable use or neglect (including the lack or reasonable and necessary maintenance); (2) damage occurring during shipment (claims must be presented to the carrier);
- (3) damage to, or deterioration of any accessory or decorative surface;
- (4) damage resulting from failure to follow instructions contained
- in your owner's manual. This warranty covers only actual defects

within the product itself, and does not cover the cost of installation or removal from a fixed installation, normal set-up or adjustments, claims based on misrepresentation by the seller or performance variations resulting from installation-related circumstances. To receive warranty service, the purchaser must contact with BALDR nominated service center for the problem determination and service procedure.

Thank you for your choice of BALDR products!









