

EXTRA DUTY®

 **TayMac®**

**Get Tough
With Extra Duty
Weatherproof
Covers!**



Meet 2014 & 2017 Extra Duty Standards/Requirements

TayMac Extra Duty In-use Cover Features:

- More room for electrical cords
- High-impact polycarbonate construction provides maximum durability
- Heavy Duty die-cast aluminum construction
- Premium finish corrosion protection
- UL, NEC and NEMA 3R compliant



**EXTRA
DUTY®**

**EXTRA
DUTY®**

**EXTRA
DUTY®**

Get ahead of the Code with TayMac!

TayMac Extra Duty covers are UL Listed for Wet and Damp locations.
Our rugged and innovative products offer superior protection. Why settle for less?

2014/2017 NATIONAL ELECTRICAL CODE

NEC Adoption by State (Extra Duty Requirement)

406.9 Receptacles in Damp or Wet Locations.


(B) Wet Locations. (1) Receptacles of 15 and 20 Amperes in a Wet Location.

15- and 20-ampere, 125- and 250 volt receptacles installed in a wet location shall have an enclosure that is weatherproof whether or not the attachment plug cap is inserted. **An outlet box hood installed for this purpose shall be listed and shall be identified as "extra-duty."**

All 15- and 20- ampere, 125- and 250-volt nonlocking-type receptacles shall be listed weather-resistant type.

NEC Adoption by State

Revised January 2019



NOTE: Earlier editions of the NEC may be enforced in states with no statewide adoption or that are subject to local adoption.


EXTRA DUTY®

EXTRA DUTY®

EXTRA DUTY®

EXPANDABLE NONMETALLIC IN-USE COVERS

- Patented design expands from 1" to 3" to meet your In-Use needs
- Ultra rugged polycarbonate & synthetic neoprene rubber will not dry rot, crack or deteriorate in sunlight
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes attached gasket and mounting hardware

 2014/2017 NEC Compliant
NEMA 3R Rated

16-in-1



GFCI Duplex Switch 5 Rounds:
1-1/4" 1-3/8" 1-9/16" 1-3/4" 2-1/8"

1-GANG



1" → 3"

CONFIGURATIONS

Horizontal or Vertical Mount



ML500G



In For Looks - Out For Use



ML500W



ML500Z

55-in-1



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16"
& 1-5/8"

2-GANG

CONFIGURATIONS



ML2500G



CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
1-Gang Flat Expandable Extra Duty® In-Use Covers						
ML500G	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Gray	Shrink	10	050169917411
ML500W	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	White	Shrink	10	050169917428
ML500Z	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Bronze	Shrink	10	050169917435
2-Gang Flat Expandable Extra Duty® In-Use Covers						
ML2500G	55-in-1 Flat Expandable 2-Gang	1" to 3"	Gray	Shrink	6	050169917367