


## FIBERBUILT GRASS SERIES Hourglass Pro - Double Hitting

T7R-6X4-KIT



Please check your box for accuracy. All of these pieces should be included.

ITEM	PART NUMBER	ΩΤΥ.
Α	T7R-TL	2
В	T7R-TR	2
С	T7R-MLR	2
D	760-T7RD	1
E	381/40-3	2
F	658/621-BLK	2
G	PL-PRACTICERODS	1 (4-Pack)
Н	T45R-75TRAY	1




FiberbuiltGolf.com 833.328.3218






Ensure the ground is properly prepared for placement of the rubber base. The surface should be firm, packed and level. Concrete, asphalt, patios or decking are ideal. (Do not place on grass.)

Place the rubber base pieces (A, B, C) on the ground together as shown and interlock the pieces to create a solid base.






Lay the stance turf (D) down on the surface of the edges all align.




Place the ball tray (H) in front of the mat for easy scooping of balls onto the hitting surface.






Insert the Adjustable Tees (F) into the desired holes in the Fiberbuilt Grass Hitting Panels (E) from underneath before laying the panels into the indented areas in the base assembly.





Rods (G) can be placed in the grooves in the base beside the grass panel to guide swing path and can also be placed on the stance mat to guide alignment, swing path and ball position.







[Balls not included]

## DOUBLE THE LIFE OF YOUR WARRANTY TODAY FOR FREE

For a free one-year extension to our standard warranty, exclusive access to insider deals, new product information and much more, register your mat today at:

## FiberbuiltGolf.com/register

Be sure to select the following:

FIBERBUILT GRASS SERIES
HOURGLASS PRO - DOUBLE HITTING

SKU#: T7R-6X4-KIT

FiberbuiltGolf.com 833.328.3218