





#### **POWER CURVE® TECHNOLOGY**

A curved rotor and inverted funnel housing help move more snow in less time and virtually eliminate clogging.

Standard on electric and all single-stage models.



#### **ANTI-CLOGGING SYSTEM (ACS)**

Reduces clogging while maximizing impeller speed and snowblowing velocity.

Standard on all two-stage models.

## **MORE DURABILITY**



#### **HIGH-STRENGTH AUGER GEAR BOX**

Special hardened gears designed to withstand the highest stresses provide worry-free performance.

Standard on all two-stage models.





#### **STEEL CHUTE**

The 100% steel chute construction means this snow blower is built to last.

Select models.

### MORE EASE-OF-USE



#### > QUICK STICK® CHUTE CONTROL

An innovative joystick control allows you to change the chute and deflector direction quickly and easily, even on the go.

Standard on all two-stage models.






#### PERSONAL PACE® SELF-PROPEL

Toro's innovative Personal Pace self-propel system automatically senses and adapts to your walking speed.

Standard on Snowmaster® models.







LARGE CLEARING WIDTHS TO GET THE JOB DONE FASTER

With clearing widths up to 32" the Power Max HD will reduce the number of trips up and down your driveway.



**ANTI-CLOGGING SYSTEM** 

The only system to allow the impeller to automatically reroute excess snow away from the chute and back into the auger to reduce clogging.

## MORE **DURABILITY**



ALL STEEL CONSTRUCTION

Everything from the housing, frame, ACS, and chute are 100% steel construction, meaning this snow blower is built to last.

## NO DRIFT TOO LARGE OR DRIVEWAY TOO LONG

For those who care about what's under the hood as much as what's outside it, Toro's new Power Max® HD won't disappoint. From bigger engines to beefy allsteel construction, we haven't just pushed the limit — we've broken right through. This hungry beast devours snowdrifts that would choke the competition. Plus, it's loaded with features that turn a dreaded chore into a task so efficient, you just might feel like tackling the whole neighborhood.

#### **POWER MAX HD**

#### **IDEAL FOR:**

- Concrete, Asphalt and Gravel Surfaces
- 6+ Car Driveways
- Snow 6+" / 15+ cm Deep




See your dealer for full details on warranties.

# COMMERCIAL-GRADE AUGER GEAR BOX

Special hardened gears are designed to withstand the highest of stresses. No shear pins are needed, so there are none to replace.

## MORE **EASE-OF-USE**



#### **POWER STEERING**

Turn on a dime! Wheels can be disengaged independently or simultaneously with trigger controls, making turning, reversing, and steering easy for anyone.



#### QUICK STICK® CHUTE CONTROL

Reinforced with metal rod, innovative joystick control changes chute direction on the qo.







#### **POWERFUL ENGINES**


Smooth Toro 252 cc 4-cycle OHV engines have been tuned specifically for these models to deliver powerful, responsive performance.



#### **ANTI-CLOGGING SYSTEM**

The only system to allow the impeller to automatically reroute excess snow away from the chute and back into the auger to reduce clogging.

## MORE **DURABILITY**



#### **STEEL CHUTE**

The 100% steel chute construction means this snow blower is built to last.

Select models.

# IMPRESSIVE IN ANY KIND OF SNOW

Blizzard in the forecast? No worries. Toro Power Max two-stage snowblowers are made for tough conditions. With durable components and a patented Anti-Clogging System (ACS), they make quick work of hard, compressed snow. They're also compact and easy to handle. It's the perfect mix of Toro dependability and snow-clearing muscle for longer driveways and heavier snowfalls.

#### **POWER MAX**

#### IDEAL FOR:

- Concrete, Asphalt and Gravel Surfaces
- 4-10 Car Driveways
- Snow 6" to 20" / 15 cm to 51 cm Deep







See your dealer for full details on warranties.

## MORE **EASE-OF-USE**



# HIGH-STRENGTH AUGER GEAR BOX

Special, hardened gears are designed to withstand the highest of stresses and provide worry-free performance — no shear pins needed.



## New design allows smooth, tight turning without pulling or straining — no triggers or levers required. Power Max® 37799 only.



#### QUICK STICK® CHUTE CONTROL

Innovative joystick control allows you to change chute direction and angle quickly and easily on the go.





GET BACK TO IT
10 30 0
6
FASTER
THAN A TRADITIONAL TWO-STAGE\*

#### **CUT SNOW CLEARING BY 30%**

Clears 25% more snow per minute, cutting your snow clearing time by 30%, getting you back in your house and out of the cold faster.



#### **SNOWMASTER AUGER TECHNOLOGY**

Tall, open auger housing is free of obstacles and reduces clogging in deep snow. The all-steel rotor has a helical design — which quickly breaks up and gathers snow to the center section to throw snow far through its tall chute opening.

## **MORE DURABILITY**



**UNIBODY FRAME** 

Added durability with a one piece welded frame.

# THE BEST OF BOTH WORLDS

Looking for a snowblower that's easy enough for anyone to handle yet still powers through tough end-of-driveway snow? The new SnowMaster is for you. This innovative design delivers impressive power, amazing maneuverability and user-friendly controls. It all adds up to clearing 25% more snow per minute, which can save you 30% more time\* and get you back in the warmth, faster.

#### **SNOWMASTER**

#### IDEAL FOR:

- Concrete and Asphalt Surfaces
- 4-10 Car Driveways
- Snow 6" to 18" / 15 cm to 46 cm Deep







See your dealer for full details on warranties.

### MORE EASE-OF-USE



#### **GUARANTEED FOR LIFE**

Chute, deflector and ACS are made of a special cold-weather material durable to -104° F and guaranteed for life (original owner only). It is also rust-free so there is no binding and snow and ice won't stick.



#### **EASY TO MANEUVER**

Toro's innovative Personal Pace® self-propel system automatically senses and adapts to your walking speed, and automatic steering allows easy turning.





#### QUICK STICK® CHUTE CONTROL

Quick Stick® chute control lets you change chute direction and angle on the go with one hand.







**POWER CURVE® TECHNOLOGY** 

Curved rotor and inverted funnel housing efficiently remove snow while reducing clogging.



#### POWER PROPEL™ SELF-PROPEL SYSTEM

Reduce your effort while clearing down to the pavement. The innovative pivoting scraper keeps the rotor in constant contact with the ground, self-propelling the snowblower through the snow. Select models only.

## **MORE DURABILITY**



**POWERFUL ENGINES** 

Smooth Toro 99 cc and 212 cc 4-cycle OHV engines have been tuned specifically for these models to deliver powerful, responsive performance.



POWER CLEAR® 721

# GET YOUR DRIVEWAY BACK

As our best-selling models, Power Clear snowblowers are strong enough to take on serious snow, yet easy for anyone to maneuver. And with Toro's 2-Year Guaranteed to Start Warranty\*, you're ready for whatever winter has in store. You'll appreciate a clear driveway down to the pavement when you're done.

#### **POWER CLEAR**

#### IDEAL FOR:

- Concrete and Asphalt Surfaces
- 4-8 Car Driveways
- Snow 2" to 9" / 5 cm to 23 cm Deep



POWER CLEAR® 518





\*See your dealer for full details on warranties.

## MORE EASE-OF-USE



**HEAVY-DUTY DRIVE BELT** 

Featuring a wider belt to transfer more torque and maximize life.



#### QUICK SHOOT CONTROL SYSTEM

Just squeeze the trigger and slide the grip to change the chute direction without slowing down.

Select models only.






#### ZIP DEFLECTOR

Throw snow high, low or in-between. The deflector locks into any angle in less than a second-with just a touch of your hand. Select models only.





Toro's compact electric snowblowers are lightweight and easy to store for clearing your deck, sidewalk or patio. But don't let the compact size fool you. **These models are powerful enough to throw snow up to 30 ft and clear down to the pavement.** They're also maintenance-free, which means there is no gas and oil to mix. Just plug them in and go.

#### **POWER CURVE**

#### **IDEAL FOR:**

- Concrete and Asphalt Surfaces
- Sidewalks and Decks
- 2-4 Car Driveways
- Snow 2" to 6" / 5 cm to 15 cm Deep

## POWER CURVE TECHNOLOGY

POWER SHOVEL

Curved rotor and inverted funnel housing efficiently remove snow while reducing clogging.





1800 POWER CURVE

See your dealer for full details on warranties.



**TELESCOPING HANDLE**Height adjustment of 6" (15 cm) to fit any user.



Aim snow on the go with no cranking needed. Standard on 1800 Power Curve.



POWERFUL PERFORMANCE
The lightweight Power Shovel throws snow up to 20' while the 1800 Power
Curve throws snow up to 30'.



## **GET THE MOST FROM** YOUR SNOWBLOWER

Protect the reliability of your snowblower with parts designed specifically for your Toro® model. Genuine Toro parts are made from premium materials and engineered to enhance the safety and performance of your Toro equipment. Plus, every part we ship comes with a one-year full warranty.

#### **BLADES / PADDLES**

Extended life paddles replace your worn single-stage paddles with thicker, heavyduty paddles designed to last up to twice as long. Standard paddles are also available as replacement parts.



PART#	DESCRIPTION	CATEGORY	
38205	Extended Life Paddle Kit	Power Clear 21"	

#### TORO® 4-CYCLE WINTER OIL & PREMIUM FUEL TREATMENT



PART#	DESCRIPTION
131-6572	Toro Premium Fuel Treatment — 12 oz
38907	Toro 4-Cycle Winter Oil 5W30 – 12 oz bottle
38908	Toro 4-Cycle Winter Oil 5W30 – 20 oz bottle
38910	Toro 4-Cycle Winter Oil 5W30 – 32 oz bottle
38913	Toro Full Synthetic Winter Oil 0W30 – 20 oz bottle

#### TORO SNOW MAINTENANCE KITS

Kits include: Toro Oil. 12 oz. Toro Premium Fuel Treatment and a spark plug.

PART# DESCRIPTION		
138-0698 18" Power Clear		
138-0699 21" Power Clear & SnowMaster		
138-0702 Power Max & Power Max HD		
138-0704 Power Max HD (Toro engines)		
138-0710 Power Max HD (Briggs & Stratton* engines)		

#### **TORO ALL SEASON FUEL**

Ethanol free fuel, engineered for maximum performance. Highly recommended for gas engines to maintain smooth performance.



PART#	DESCRIPTION
131-3823	4-Cycle Fuel
131-3824	2-Cycle Fuel

#### **PROTECTIVE COVERS**

Protect your snowblower with a water-, abrasion- and tearresistant cover.



#### **SNOW CAB**

Protects you from the frigid wind and snow. Heavy-duty vinyl with clear, freeze-resistant windows. Now fits both Power Max & Power Max HD



PART#	DESCRIPTION	CATEGORY
127-5960	Snow Cab	D
107-3815	Weight Kit (used with snow cab)	Power Max Power Max HD

#### **TIRE CHAINS**

Provides additional traction and helps keep drive wheels from slipping in heavy snow and icy conditions. Great for sloped surfaces.



PART#	DESCRIPTION	CATEGORY	1
38214	13" Tire Chains	Power Max® with	13" x 4" Tires
38215	16" Tire Chains	Power Max HD	
107-3813	15" Tire Chains	Power Max with 15	5" Tires

#### **DRIFT BREAKER KIT**

Breaks down drifts in front of auger housing, minimizing snow accumulation across the top of the housing.



PART#	DESCRIPTION	
38213	Power Max	
107-3816	Power Max HD 26"	
107-3817	Power Max HD 28" & 32"	

Extra wide .5" **heavy-duty cast iron skids** provide maximum life and reliability. You can also protect your driveway and sidewalk surfaces by using non-marking poly skids. Both are reversible for double the life.



PART#	DESCRIPTION	CATEGORY		
130-9619	Standard Skid	SnowMaster* 724 ZXR, 724 OXE & 824 OXE, 36001/36002/36003		
130-9619P	Skid Kit (includes 2 skids & hardware)	SnowMaster		
106-4588-01	Standard Skid			
120-3098-03	Heavy Duty Cast Iron Skid			
38212	Heavy Duty Cast Iron Skid Kit (includes 2 skids and hardware)	Power Max Power Max HD		
121-6600	Non-Marking Poly Skid	Power Max HD Commercial		
38211	Non-Marking Poly Skid Kit (includes 2 skids and hardware)			

## **SNOW BLOWER SPECIFICATIONS**

ELECTRIC			POWER CLEAR*			
MODELS	POWER SHOVEL™ 38361	<b>1800 POWER CURVE®</b> 38381	<b>518 ZR/ZE</b> 38472 / 38473	<b>721 R/E</b> 38741 / 38742	<b>721 QZE</b> 38744	<b>724 ZXR</b> 36001
ENGINE	7.5 Amp Series Wound Electric	» 15 Amp Series Wound Electric	Toro* Premium 99cc OHV 4-cycle	» Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle
STARTER	On/Off Switch	On/Off Switch	Recoil / Electric Start	Recoil / Electric Start	» Electric Start	Recoil
FUEL CAPACITY	-	-	1.6 Quarts (1.5 L)	1.1 Quarts (1.0 L)	1.1 Quarts (1.0 L)	2.3 Quarts (2.2 L)
PERFORMANCE						
HROW DISTANCE*	Up to 20' (6 m)	» Up to 30' (9 m)	Up to 25' (8 m)	» Up to 35' (11 m)	Up to 35' (11 m)	Up to 40' (12 m)
CLEARING WIDTH	12" (31 cm)	<b>»</b> 18" (46 cm)	18" (46 cm)	<b>»</b> 21" (53 cm)	21" (53 cm)	24" (61 cm)
STEERING	-	-	-	  -	  -	Automatic Steering
SPEEDS	-	-	-	-	-	Infinitely Variable (0 - 3.5 mph)
DRIVE SYSTEM	-	-	Rotor Propelled	» Power Propel* Self-Propel	Power Propel Self-Propel	Personal Pace*
ROTOR STYLE OR AUGER SYSTEM, AUGER DIAMETER & GEARBOX	Power Curve* Rotor	Power Curve Rotor	Power Curve Rotor	Power Curve Rotor	Power Curve Rotor	In-line 2-Stage, 10" (25 cm) Diameter
SNOW CUT DEPTH – I PASS	6" (15 cm)	12" (31 cm)	12" (31 cm)	<b>»</b> 12.5" (31.75 cm)	12.5" (31.75 cm)	18" (46 cm)
USER-FRIENDLY FEATUR	RES					
HANDLE	Telescoping Handle	-	Straight	Straight	Ergonomic	Ergonomic
CHUTE / DEFLECTOR TYPE	-	» Zip Deflector	Curved w/ Zip Deflector	Curved Steel w/ Friction Deflector	>> High Capacity Polyethylene w/ Zip Deflector	Sub Zero Material w/ Zip Deflector
CHUTE CONTROL	-	» Quick Lever (180° Rotation)	Chute-Mounted Handle (210* Rotation)	Chute-Mounted Handle (210° Rotation)	» Quick Shoot (210° Rotation)	EZ Turn (200° Rotation)
SKIDS	-	-	-	-	-	Combination
ONE-HAND INTERLOCK	-	-	-	_	_	-
HAND WARMERS	-	-	-	-	-	-
SCRAPER	Stationary	Stationary	Stationary	» Pivoting	Pivoting	Compression Loaded
WHEELS / TIRES	-	6" x 1.5" (15 cm x 3.8 cm) Wheels	6" x 1.5" (15 cm x 3.8 cm) Wheels	>> 7" x 1.5" (18 cm x 3.8 cm) Wheels	7" x 1.5" (18 cm x 3.8 cm) Wheels	11" (28 cm) Deep Lug Directional Tires
HEADLIGHT	-	-	-	-	-	_
WEIGHT: RECOIL / ELECTRIC START (IF APPLICABLE)	13.5 lbs. (6.1 kg)	25 lbs. (11.3 kg)	54 lbs. / 58 lbs. (25 kg / 27 kg)	82 lbs. / 87 lbs. (37 kg / 39 kg)	91 lbs. (41 kg)	117 lbs. (53 kg)
MACHINE WARRANTY**	2-Year Full	2-Year Full	2-Year GTS (Residential Only) 2-Year Full	2-Year GTS (Residential Only) 2-Year Full	2-Year GTS (Residential Only) 2-Year Full	3-Year Limited

<sup>&</sup>gt;> = Enhanced or step-up feature
\*Throw distance will vary with conditions. \*\* See retailer for warranty details.
We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

SNOWMASTER*		POWER MAX°		POWER MAX* HD			
	<b>724 QXE</b> 36002	<b>824 QXE</b> 36003	<b>824 0E</b> 37798	<b>826 OXE</b> 37799	<b>928 OAE</b> 38840	<b>1028 OHXE</b> 38841	<b>1232 OHXE</b> 38842
	Toro Premium 212cc OHV 4-cycle	>> Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	>> Toro Premium 265cc OHV 4-cycle	» Toro Premium 302cc OHV 4-cycle	>> Toro Premium 375cc OHV 4-cycle
	» Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start
	2.3 Quarts (2.2 L)	>> 3.1 Quarts (3.0 L)	3.1 Quarts (3.0 L)	3.1 Quarts (3.0 L)	» 3.6 Quarts (3.5 L)	3.6 Quarts (3.5 L)	4.8 Quarts (4.5 L)
	Up to 40' (12 m)	Up to 40' (12 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	<b>»</b> Up to 57' (17.4 m)
	24" (61 cm)	24" (61 cm)	24" (61 cm)	26" (66 cm)	» 28" (71 cm)	28" (71 cm)	<b>»</b> 32" (71 cm)
	Automatic Steering	Automatic Steering	-	Automatic Steering	Automatic Steering	Power Steering	Power Steering
	Infinitely Variable (0 - 3.5 mph)	Infinitely Variable (0 - 3.5 mph)	6 Forward 2 Reverse				
	Personal Pace	Personal Pace	Friction Disk	Friction Disk	-	-	-
	In-line 2-Stage, 10" (25 cm) Diameter	In-line 2-Stage, 10" (25 cm) Diameter	Anti-Clogging System (ACS), 11" (28 cm) Diameter, Hardened Gears; no shear pins needed	Anti-Clogging System (ACS), 11" (28 cm) Diameter, Hardened Gears; no shear pins needed	Anti-Clogging System (ACS), 14" (36 cm) Diameter, Commercial- Grade; no shear pins needed	Anti-Clogging System (ACS), 14" (36 cm) Diameter, Commercial- Grade; no shear pins needed	Anti-Clogging System (ACS), 14" (36 cm) Diameter, Commercial- Grade; no shear pins needed
	18" (46 cm)	18" (46 cm)	20" (51 cm)	20" (51 cm)	21.5" (55 cm)	21.5" (55 cm)	21.5" (55 cm)
	Ergonomic	Ergonomic	-	  -  -	» Reinforced Handle	Reinforced Handle	Reinforced Handle
	Sub Zero Material	Sub Zero Material	Steel Chute	Steel Chute	Steel Chute / Double Deflector	Steel Chute / Double Deflector	Steel Chute / Double Deflector
	» Quick Stick* (200* Rotation)	Quick Stick (200° Rotation)	Quick Stick (200° Rotation)	Quick Stick (200* Rotation)	Quick Stick (200° Rotation)	Quick Stick (200° Rotation)	Quick Stick (200° Rotation)
	Combination	Combination	Standard	Standard	Standard	Standard	Standard
	-	-	Standard	Standard	Standard	Standard	Standard
	-	-	_	-	-	» Standard	Standard
	Compression Loaded	Compression Loaded	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
	11" (28 cm) Deep Lug Directional Tires	11" (28 cm) Deep Lug Directional Tires	» 15" x 4" (38 cm x 10 cm)	» 15" x 5" (38 cm x 13 cm)	16" (41 cm) Deep Lug Directional Tires	16" (41 cm) Deep Lug Directional Tires	16" (41 cm) Deep Lug Directional Tires
	-	-	-	LED	LED	LED	LED
	125 lbs. (57 kg)	131 lbs. (59 kg)	171 lbs. (78 kg)	180 lbs. (81 kg)	264 lbs. (120 kg)	283 lbs. (128 kg)	300 lbs. (136 kg)
	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited, 45 Days Commercial	3-Year Limited, 45 Days Commercial	3-Year Limited, 45 Days Commercial
	Lower Chute, Chute, Deflector	Lower Chute, Chute, Deflector	ACS	ACS	-	-	-













### WHEN WE SAY COUNT ON IT, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next snowblower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.** 

Smart Features. Proven Dependability.







Look Before You Pump.com

#### toro.com / toro.ca

490-0100 © 2018 The Toro Company. Bloomington, MN 55420 All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.











#### **FOLLOW US!**

facebook.com/toro.yard instagram.com/TheToroCompany pinterest.com twitter.com/TheToroCompany youtube.com/toro

