



## LSP-102

Order No.: 25.1680

**EUR 79,90**

RRP \*

### PRODUCTINFOS

#### **2-channel 3-way line splitter,**

(2 inputs/6 outputs), e.g. for connecting one mixer to several amplifiers.

- 1 balanced XLR input (600  $\Omega$ ) for each channel
- 2 galvanically isolated, balanced XLR outputs (600  $\Omega$ ) with ground lift switch for each channel
- 1 balanced XLR direct output for each channel
- Frequency range: 20-20,000 Hz
- Robust metal housing with very good shielding qualities, suitable for stage applications
- Dimensions: 160 x 55 x 105 mm
- Weight: 980 g

**SOUNDCHECK 07/2007**

**tools4music 06/2009**

on the FGA-102, FGA-202, LC-31, MC-31 and LSP-102:

"Every musician or sound engineer should have these little helpers in their toolbox. They impress by their unobtrusiveness. Both the robust metal housing and the functionality of these transformers allow to solve many problems on stage or in the studio at a reasonable price."

on the LSP-102, LC-31, FGA-102, FGA-202, DIB-102

"Recommendable and fit for on-the-road applications. An attractively priced little audio aid, perfect for the 'ever accompanying' tool case."

## TECHNICAL SPECIFICATIONS

### LSP-102

Type	splitter
Frequency range	20-20,000 Hz
Input impedance	600 $\Omega$
Output impedance	600 $\Omega$
Admiss. ambient temp.	0-40 °C
Dimensions	160 x 55 x 105 mm
Weight	980 g
Inputs	2 x XLR, bal.
Outputs	6 x XLR, bal.
Other features	ground lift switch

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.