



# **PA-6600**

Order No.: 17.2390

**EUR 1629,00** 

RRP \*

### **PRODUCTINFOS**

#### 6-zone mono PA mixing amplifiers

- 1 x 240 W (PA-6240)
- 1 x 480 W (PA-6480)
- 1 x 600 W (PA-6600)
- 6 zones, can be controlled individually
- Chime, continuous sound and wailing sound, automatic mute, 2-tone chime or 4-tone chime (selectable)
- Bass, treble and master controls, level display via LEDs, regulated fan
- Insertions for various functions are available at option
- 17 V phantom power for electret microphones
- Connection for zone paging microphone PA-6000RC
- 1 insertion compartment at the front for automatic alarm message insertion PA-1120DMT, a tuner insertion or a CD player insertion, all available at option
- 3 insertion facilities on the rear panel for optional modules with the following features:
- PA-6FD: fault detection
- PA-6FM: fault monitoring
- PA-6FR: anti-feedback



- Mains operation and 24 V emergency power operation
- Removable mounting brackets

## **TECHNICAL SPECIFICATIONS**

#### PA-6600

S/N ratio

Channels 5 Zones 6

Power rating 600 W Peak music power output ( $P_{MAX}$ ) 850 W

 $2.5 \text{ mV/5 k}\Omega$ ,  $0.3 \text{ V/5 k}\Omega$  (mic/line),

Inputs 0.3 V/15 k $\Omega$  (line),

 $0.775~\text{V}/10~\text{k}\Omega$  (preamplifier)

Frequency range 55-16,000 Hz Equalizer bass  $\pm 10 \text{ dB/100 Hz}$  Equalizer treble  $\pm 10 \text{ dB/10 kHz}$ 

> 70 dBA (mic), > 80 dBA (line)

THD < 1%

~ 230 V/50 Hz/1,700 VA,

Power supply

DC 24 V/50 A

Mains voltage ~ 230 V

Mains frequency 50 Hz

Power consumption, operation 1,500 VA

Operating voltage (possible alternative) DC 24 V

Power supply (possible alternative) DC 40 A

Admiss. ambient temp. 0-40 °C

Dimensions 430 x 133 x 352 mm, 3 RS

Width 430 mm
Height 133 mm
Depth 352 mm

Rack spaces, RS 3

Weight 20 kg



PA-6600 - Page: 3



PA-6600

Connections

3 x combo 6.3 mm/XLR (mic/line),

2 x RCA L/R (line),

1 x 6.3 mm jack (preamplifier),

1 x RJ45 (push-to-talk mic),

screw terminals (telephone system),

screw terminals (speakers),

1 x 6.3 mm jack (ext. amplifier),

1 x RCA L/R (record)

<sup>\*</sup> Important Notice: The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.