



NORTHERN INDUSTRIAL SALES, LLC
 16 Sanford Drive Gorham, Maine 04038
 207-647-2999

Safety Data Sheet

INCREDIBLE PINK

Section 1. Identification

Product Use: WATER BASE CLEANER AND DEGREASER CONCENTRATE
Date Issue: 10/26/20 **Revised:** 3/18/19

Emergency Telephone Number (U.S.) INFOTRAC 1-800-535-5053
Emergency Telephone Number (International) 1-352-323-3500
Prepared By: Northern Industrial Sales, LLC
E-mail: NISLLC@msn.com

Section 2. Hazard(s) identification

Physical hazards	Not classified	
Health hazards	Acute toxicity, oral	Category 5
	Sensitization, Skin	Category 1
	Serious eye damage/eye irritation	Category 2B
	Acute toxicity, inhalation	Category 5
Environmental hazards	Not classified	
OSHA defined hazards	Not classified	

GHS Label Elements



Hazard pictograms:

Signal Word:

WARNING

Hazard statements:

May be harmful if swallowed. May cause an allergic skin reaction. Causes eye irritation. May be harmful if inhaled.

Precautionary statement

Prevention:	Avoid breathing mist. Wash hands and face thoroughly after handling. Wear protective gloves, clothing, and eye protection. Use only outdoors or in a well-ventilated area when sprayed.
Response:	IF ON SKIN: wash with plenty of water. IF SKIN irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. IF eye irritation persists: Get medical attention. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
Storage:	Not applicable
Disposal:	Dispose of container in accordance with local, state, and federal regulations.
Hazards Not Otherwise Classified	None known
Supplemental information	None

Section 3. Composition/Information on Ingredients**1. SODIUM HYDROXIDE LIQUID**

Concentration <1%

Other names / synonyms caustic soda; SODIUM HYDROXIDE; Sodium hydroxide (Na(OH)); Sodium hydroxide liquid

EC no. 215-185-5

CAS no. 1310-73-2

Index no. 011-002-00-6

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H314 Causes severe skin burns and eye damage

2. DISODIUM TRIOXOSILICATE PENTAHYDRATE

Concentration < 1%

Other names / synonyms Disodium trioxosilicate pentahydrate

CAS no. 10213-79-3

3. ETHYLENE GLYCOL MONOBUTYL ETHER

Concentration <5%

Other names / synonyms

2-BUTOXY-1-ETHANOL; 2-BUTOXYETHANOL; 3-OXA-1-HEPTANOL; BUCS; BUTOXYETHANOL; BUTYL CELLOSOLVE; BUTYL GLYCOL; BUTYL OXITOL; DOWANOL EB; EKTASOLVE EB; Ethanol, 2-butoxy-;

ETHYLENE GLYCOL MONOBUTYL ETHER; ETHYLENE GLYCOL N-BUTYL; ETHYLENEGLYCOLMONOBUTYLEETHER; GAFCOL EB; GLYCOL BUTYL ETHER; GLYCOL ETHER EB; GLYCOL ETHER EB ACETATE;

GLYCOL MONOBUTYL ETHER; JEFFERSOL EB; MONOBUTYL ETHER OF ETHYLENE GLYCOL; MONOBUTYL GLYCOL ETHER; N-BUTOXYETHANOL; O-BUTYL ETHYLENE GLYCOL; POLY-SOLV EB; UN 2369

EC no. 203-905-0
CAS no. 111-76-2
Index no. 603-014-00-0

- Acute toxicity (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 2
- Skin corrosion/irritation (chapter 3.2), Cat. 2

H302 Harmful if swallowed
H312 Harmful in contact with skin
H315 Causes skin irritation
H319 Causes serious eye irritation
H332 Harmful if inhaled

4. NONYLPHENOXY ETHYLENEOXY ETHANOL

Concentration < 5 %
Other names / synonyms Nonylphenoxyethyleneoxyethanol
CAS no. 9016-45-9

Trade secret statement (OSHA 1910.1200(i))

THE IDENTITY OF INDIVIDUAL COMPONENTS OF THIS PRODUCT IS PROPRIETARY INFORMATION AND REGARDED AS A TRADE SECRET. THERE ARE NO KNOWN HAZARDOUS SUBSTANCES PER SARA TITLE III OR TSCA EPA INVENTORY LIST.

Section 4. First Aid Measures

- Eye Contact** Immediately flush eyes with plenty of water. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
- Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation develops.
- Inhalation** Move exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
- Ingestion** Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. If affected person is conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point NONE
Flammable Limits N/A
Flammability Non-Flammable

Fire hazard None
Fire-Fighting Procedures Use an extinguishing agent suitable for the surrounding fire.

Section 6. Accidental Release Measures

Spills Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Disposal Method Dispose of in accordance with state, federal, or local Regulations.

Section 7. Handling and Storage

Handling Put on appropriate personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not ingest. Do not reuse container. Wash thoroughly after handling.

Storage Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C).

Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Product name

Exposure limits

SODIUM HYDROXIDE (CAS: 1310-73-2)

PEL (Inhalation): 2 mg/m³ (OSHA)
 OSHA Annotated Table Z-1, www.osha.gov
2. Sodium hydroxide (CAS: 1310-73-2)
 PEL (Inhalation): (C) 2 mg/m³ (Cal/OSHA)
 OSHA Annotated Table Z-1, www.osha.gov
3. Sodium hydroxide (CAS: 1310-73-2)
 REL (Inhalation): (C) 2 mg/m³ (NIOSH)
 OSHA Annotated Table Z-1, www.osha.gov
4. 2-Butoxyethanol (CAS: 111-76-2)
 PEL (Inhalation): 50 ppm (OSHA)
 OSHA Annotated Table Z-1, www.osha.gov
5. 2-Butoxyethanol (CAS: 111-76-2)
 PEL (Inhalation): 240 mg/m³ (OSHA)
 OSHA Annotated Table Z-1, www.osha.gov
6. 2-Butoxyethanol (CAS: 111-76-2)
 PEL (Inhalation): 20 ppm (Cal/OSHA)
 OSHA Annotated Table Z-1, www.osha.gov
7. 2-Butoxyethanol (CAS: 111-76-2)
 REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

DISODIUM TRIOXOSILICATE PENTAHYDRATE

ACGIH / OSHA (United States).

2 mg/m³ Ceiling

ETHYLENE GLYCOL MONOBUTYL ETHER

NIOSH REL (United States, 6/2009). Absorbed through skin.

TWA: 5 ppm 10 hour(s).

TWA: 24 mg/m³ 10 hour(s).

ACGIH TLV (United States, 1/2009).

TWA: 20 ppm 8 hour(s).

OSHA PEL (United States, 11/2006). Absorbed through skin.

TWA: 50 ppm 8 hour(s).

TWA: 240 mg/m³ 8 hour(s).

OSHA PEL 1989 (United States, 3/1989). Absorbed through skin.

TWA: 25 ppm 8 hour(s).

TWA: 120 mg/m³ 8 hour(s)

Personal Protection



Eyes Safety Goggles.

Body Recommended: Neoprene gloves. Rubber gloves. Nitrile gloves.

Respiratory Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

Section 9. Physical and Chemical Properties

Boiling Point	212°F
Vapor Pressure (@20OC)	N/A
Vapor Density (Air=1)	>1
Solubility in H ² O	Complete
Specific Gravity	1.046
Evaporation Rate (Acetone=1)	<1
pH	11 To 12.5
Appearance and Color	Pink Liquid – No Odor

Section 10. Stability and Reactivity

Chemical Stability	Stable
Conditions to Avoid	None
Materials to Avoid	Strong Acids
Hazardous Polymerization	None
Hazardous Decomposition Products	Burning may produce carbon monoxide and/or carbon dioxide.

Section 11. Toxicological Information

Information on toxicological effects

ETHYLENE GLYCOL MONOBUTYL ETHER	LC50 Inhalation Gas.	Rat	450 ppm	4 hours
	LC50 Inhalation Vapor	Guinea pig	>633 ppm	1 hours
	LD50 Dermal	Guinea pig	>2000 mg/kg	-
	LD50 Dermal	Rabbit	220 mg/kg	-

	LD50 Oral	Guinea pig	1200 mg/kg	-
	LD50 Oral	Rat	250 mg/kg	-
SODIUM HYDROXIDE	LD50 Dermal	Rabbit	500 mg/kg	24 hr
	LD50 Oral	Rat	240 mg/kg	-
DISODIUM TRIOXOSILICATE PENTAHYDRATE				
	LD50 Oral	Rat	1153 mg/kg	-
	LD50 Oral	Mouse	770 mg/kg	-
NONYLPHENOXY ETHYLENEOXY ETHANOL	LD50 Dermal	Rabbit	2000 mg/kg	24 hr
	LD50 Oral	Rat	3310 mg/kg	-
Acute toxicity	No data available			
Skin corrosion/irritation	No data available			
Serious eye damage/irritation	No data available			
Respiratory or skin sensitization	No data available			
Germ cell mutagenicity	No data available			
Carcinogenicity	No data available			
Reproductive toxicity	No data available			
Summary of evaluation of the CMR properties	No data available			

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

STOT-single exposure

None

STOT-repeated exposure

None

Aspiration hazard

No data available.

Additional information

No data available.

Section 12. Ecological Information

Toxicity**Persistence and degradability**

No data available.

Bio accumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

No data available.

Section 13. Disposal Considerations**Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D002
Classification: - [Hazardous waste]
Origin: - [RCRA waste.]

Section 14. Transport Information

UN or NA Number None
DOT Shipping Name Cleaning Compound – Non-Regulated Material
Reportable Quantity None
Other Precautions None

Section 15. Regulatory Information**Federal and State Regulations:**

SARA 313 toxic chemical notification and release reporting:

Product Name:

Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop 65 No products were found.

Section 16. Other Information

HMIS ratings Health: 1
Flammability: 0
Physical Hazard: 0

NFPA ratings Health: 1
Flammability: 0
Instability: 0

Northern Industrial Sales, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage, and disposal of the product, and to assume liability for loss, injury, damage, or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of Northern Industrial Sales, LLC' knowledge or obtained from sources believed by Northern Industrial Sales, LLC to be accurate. Before using any, read all warnings and directions on the label. For further clarification of any information contained on this SDS consult your supervisor, a health & safety professional, or Northern Industrial Sales, LLC.