

## REFLECT BI-COLOR

Bi-Color LED Light - 2700L-5600K



# BB&S

LIGHTING PEOPLE

Made by Lighting People  
for Lighting People

### BB&S REFLECT BI-COLOR

#### BB&S Reflect Bi-Color System.

The Reflect Bi-Color is the latest addition to the BB&S studio lighting system including the Pipeline Reflect remote phosphor, Compact beamlight single or Bi-Color as well as the CFL Bi-Color completing a full range of single-color lighting fixtures as well as a full range of Bi-color Lighting fixtures to fit all positions in a studio lighting setup.

#### Perfect Color rendering semihard and soft.

BB&S Reflect Bi-color has been engineered as a linear lighting fixture incorporating a Bi-Color mixing chamber enabling clean color tweaking from 2700 Kelvin to 5600 Kelvin at (97 to 98+ TLCI) over the Kelvin range. BB&S Reflect Bi-Color has onboard superior quality reflectors offering optimal control and light dispersion spanning an 85° angle with no spill light. A secondary slide-in diffuser ships with the Reflect Bi-color and can be used where softer light is needed, expanding the light dispersion to 105°. Reflect Bi-Color is built using only the best components and parts built to last.

#### Studio Hero.

From small to big broadcast studios to run-and-gun, the Reflect Bi-Color single and double fixtures are ideal for studio grids, or anchor desks for a clean upright on talent and the perfect solution for today's demanding full or semi-automated walk-around studios.

Reflect housings are made of rigid, extruded aluminium with a contoured base, 1.5" high sidewalls and a 2" wide opening. Set designers will appreciate that the housings are designed with a "clean" look in mind so your grid installation will look nice and clean. Due to the optical reflector system the Reflect Bi-Color fixtures can be used as key, side and backlighting as well as wall or set wash.

#### No Auditive noise, no flickering

Reflect Bi-color as well as the whole BB&S studio range described above as well as controllers are completely convection-cooled for silent operation and all BB&S built controllers are totally flicker free and can be used for high-speed recording.

#### High output:

The Reflect Bi-Color System offers more than 1000 lumens per foot and ships as single fixtures in 2- and 4-Foot or as 2-banks in 2- and 4-feet. For example, a 4-foot 2-Bank pushes more than 8000 lumens out.

#### Easy Mounting

The 2- and 4-Foot 2-Banks are supplied with yoke and TVMP whereas the single 2- and 4-foot fixtures have several optional mounting options such as Mini yokes or sliders. Another benefit is the Reflect housing's easy mounting capability. A built-in T-Track solution allows for mounting onto grids or they can stack onto each other side-by-side.

#### POWER

- Lamphead—1050 mA at 36 V, 41W maximum draw  
4-Pin XLR Male Power In (2m Cable)
- With 4-Way Controller  
100-270V 50/60 Hz  
175W maximum draw
- With optional manual Driver/  
Dimmer: 12-14.4V at 3.5 amps  
or 110-240 AC Power Supply

#### Variety of Control Options

Made for several combinations, Reflect Bi-color units feature a 4-pin XLR plug (2 plugs for the 4-foot 2 bank) to allow the user to control the electronic configuration. For plug and play, fixtures may be operated with the BB&S 4-way DMX Controller (has four 40W channels), and full RDM setup capabilities.

#### Manual Control.

A Manual controlled Bi-Color dimmer for controlling Reflect Bi-Color 4-foot fixtures is available powered by either an AC 65W power supply or 14.4VDC D-Tap cable for use with V-Lock, or gold mount batteries.


#### Accessories

Barndoors, Mini yokes, Reflect Sliders, Cables, Dimmers, and Grids.


[Brothers-Sons.dk](http://Brothers-Sons.dk)

# Reflect Bi-Color Photometrics 2700K


## Reflect Bi-Color 2-Foot 2700K




## Reflect Bi-Color 4-Foot 2700K



## Reflect Bi-Color 2-Foot 2-Bank 2700K




## Reflect Bi-Color 4-Foot 2-Bank 2700K




# Reflect Bi-Color Photometrics 5600K


## Reflect Bi-Color 2-Foot 5600K




CRI: 97,6 - TLCI: 98




## Reflect Bi-Color 4-Foot 5600K




CRI: 97,6 - TLCI: 98




## Reflect Bi-Color 2-Foot 2-Bank 5600K




CRI: 97,6 - TLCI: 98



## Reflect Bi-Color 4-Foot 2-Bank 5600K




CRI: 97,6 - TLCI: 98




# Pipeline Reflect Bi-Color Photometrics 2700K with Front Diffuser


## Reflect Bi-Color 2-Foot 2700K with Front Diffuser




CRI: 98 - TLCI: 97




## Reflect Bi-Color 4-Foot 2700K with Front Diffuser




CRI: 98 - TLCI: 97




## Reflect Bi-Color 2-Foot 2-Bank 2700K with Front Diffuser




CRI: 98 - TLCI: 98



## Reflect Bi-Color 4-Foot 2-Bank 2700K with Front Diffuser




CRI: 98 - TLCI: 97




# Pipeline Reflect Bi-Color Photometrics 5600K with Front Diffuser


## Reflect Bi-Color 2-Foot 5600K with Front Diffuser




## Reflect Bi-Color 4-Foot 5600K with Front Diffuser



## Reflect Bi-Color 2-Foot 2-Bank 5600K with Front Diffuser




## Reflect Bi-Color 4-Foot 2-Bank 5600K with Front Diffuser



# ORDER INFO - BB&S Pipeline Reflect Bi-Color

## BB&S Reflect Bi-Color (4-Pin XLR)

- Model: Reflect Bi-Color, 2-Foot, Black - BBS-6020
- Model: Reflect Bi-Color, 2-Foot, White - BBS-6021
- Model: Reflect Bi-Color, 4-Foot, Black - BBS-6022
- Model: Reflect Bi-Color, 4-Foot, White - BBS-6023
- Model: Reflect Bi-Color, 2-Foot 2-Bank, Black - BBS-6024
- Model: Reflect Bi-Color, 2-Foot 2-Bank, White - BBS-6025
- Model: Reflect Bi-Color, 4-Foot 2-Bank, Black - BBS-6026
- Model: Reflect Bi-Color, 4-Foot 2-Bank, White - BBS-6027




## Power Options

- BB&S 4-Way Controller - BBS-3593
- Bi-Color 4-Lamp Controller in Flightcase - BBS-2851
- Bi-Color Manual Dimmer (For 4-Foot or 2-Foot 2-Bank) - BBS-2845
- PSU for Bi-Color Manual Dimmer - BBS-2846



## 4-pin XLR Extension Cables & Splits

- 2,5 Meter 4-Pin Extension with Split - BBS-3604
- 5,0 Meter 4-Pin Extension with Split - BBS-3605
- 7,5 Meter 4-Pin Extension with Split - BBS-3606



## BB&S Reflect Bi-Color Accessories

### Barndoors

- BB&S Pipeline Reflect 2-Foot Barndoor mount set - BBS-6432
- BB&S Pipeline Reflect 4-Foot Barndoor mount set - BBS-6434



### Mounting

- BB&S Mini Yoke - BBS-6422
- BB&S Baby Pin Single - BBS-6417
- BB&S Pipeline Reflect Slider - BBS-6413




### Safety

- Safety wire 5 kilos 850mm/2.8' - BBS-3737

## BB&S Reflect Bi-Color incl. Track Mount & LED Driver

### DMX:

- Model: BB&S Reflect Bi-Color 2-Foot - Driver: DMX - Color: Black - BBS-6028
- Model: BB&S Reflect Bi-Color 2-Foot - Driver: DMX - Color: White - BBS-6029
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: DMX - Color: Black - BBS-6030
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: DMX - Color: White - BBS-6031
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: DMX - Color: Black - BBS-6032
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: DMX - Color: White - BBS-6033



### Casambi:

- Model: BB&S Reflect Bi-Color 2-Foot - Driver: Casambi - Color: Black - BBS-6034
- Model: BB&S Reflect Bi-Color 2-Foot - Driver: Casambi - Color: White - BBS-6035
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: Casambi - Color: Black - BBS-6036
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: Casambi - Color: White - BBS-6037
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: Casambi - Color: Black - BBS-6038
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: Casambi - Color: White - BBS-6039

### DALI:

- Model: BB&S Reflect Bi-Color 2-Foot - Driver: DALI - Color: Black - BBS-6040
- Model: BB&S Reflect Bi-Color 2-Foot - Driver: DALI - Color: White - BBS-6041
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: DALI - Color: Black - BBS-6042
- Model: BB&S Reflect Bi-Color 4-Foot - Driver: DALI - Color: White - BBS-6043
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: DALI - Color: Black - BBS-6044
- Model: BB&S Reflect Bi-Color 2-Foot 2-Bank - Driver: DALI - Color: White - BBS-6045

