



Compact Beamlight 1 Bi-COLOR
w/ DMX TRACK LED DRIVER

TRACK LIGHTING

BB&S Track lighting provides a flexible power and data-distribution for our new track mounted fixtures.

Our track fixtures are ready to be mounted directly in a 230V 3 Phase track.




BB&S Track Ready Fixtures

BB&S Compact beamlight 1 mounted with track adaptor for DMX controlled dimming or for Casambi BLE-mesh controlled dimming, both options are available for single color or for Bi-Color. See the full list of BB&S SKU Numbers on page 2.

Track Driver Options

In total we offer 4 different drivers.



CASAMBI

The Casambi solution is based on Bluetooth Low Energy, the state-of-the-art wireless technology. On top of Bluetooth Low Energy, the Casambi technology provides a mesh network where all the intelligence of the system is replicated in every node and, in such a way, creates a system with no single points of failure.

Casambi offers a big variety of possibilities for a user to interact with the lighting depending on the user's individual requirements.

Read more on: www.casambi.com

Compact Beamlight 1


Compact Beamlight 1 Bi-Color
2700-5600K
LED: High CRI 95+
Power Draw: Max 41W

Compact Beamlight 1
ACL 7°
LED: High CRI 95+
Avialable in
2700K, 3000K, 4000K or 5600K
Power Draw: Max 41W

VNSP 11°
LED: High CRI 95+
Avialable in
2700K, 3000K, 4000K or 5600K
Power Draw: Max 41W

Medium 13°
LED: High CRI 95+
Avialable in
2700K, 3000K, 4000K or 5600K
Power Draw: Max 41W

Wide 17°
LED: High CRI 95+
Avialable in
2700K, 3000K, 4000K or 5600K
Power Draw: Max 41W



Compact Beamlight 1

Incl. 3 Phase Track Mount & LED Driver

BB&S
LIGHTING PEOPLE

SKU# LIST

BI COLOR

Bi-Color 2700°K/5600°K	
Color: White Track Driver: DMX	SKU# 33391
Color: White Track Driver: Casambi	SKU# 33390
Color: Black Track Driver: DMX	SKU# 33393
Color: Black Track Driver: Casambi	SKU# 33392

ACL 7°

ACL 2700°K		ACL 3000°K	
Color: White Track Driver: DMX	SKU# 33326	Color: White Track Driver: DMX	SKU# 33344
Color: White Track Driver: Casambi	SKU# 33327	Color: White Track Driver: Casambi	SKU# 33345
Color: Black Track Driver: DMX	SKU# 33328	Color: Black Track Driver: DMX	SKU# 33346
Color: Black Track Driver: Casambi	SKU# 33329	Color: Black Track Driver: Casambi	SKU# 33347
ACL 4000°K		ACL 5600°K	
Color: White Track Driver: DMX	SKU# 33358	Color: White Track Driver: DMX	SKU# 33374
Color: White Track Driver: Casambi	SKU# 33359	Color: White Track Driver: Casambi	SKU# 33375
Color: Black Track Driver: DMX	SKU# 33360	Color: Black Track Driver: DMX	SKU# 33376
Color: Black Track Driver: Casambi	SKU# 33361	Color: Black Track Driver: Casambi	SKU# 33377

VNSP 11°

VNSP 2700°K		VNSP 3000°K	
Color: White Track Driver: DMX	SKU# 33330	Color: White Track Driver: DMX	SKU# 33346
Color: White Track Driver: Casambi	SKU# 33331	Color: White Track Driver: Casambi	SKU# 33347
Color: Black Track Driver: DMX	SKU# 33332	Color: Black Track Driver: DMX	SKU# 33348
Color: Black Track Driver: Casambi	SKU# 33333	Color: Black Track Driver: Casambi	SKU# 33349
VNSP 4000°K		VNSP 5600°K	
Color: White Track Driver: DMX	SKU# 33362	Color: White Track Driver: DMX	SKU# 33378
Color: White Track Driver: Casambi	SKU# 33363	Color: White Track Driver: Casambi	SKU# 33379
Color: Black Track Driver: DMX	SKU# 33364	Color: Black Track Driver: DMX	SKU# 33380
Color: Black Track Driver: Casambi	SKU# 33365	Color: Black Track Driver: Casambi	SKU# 33381

MEDIUM 13°

Medium 2700°K		Medium 3000°K	
Color: White Track Driver: DMX	SKU# 33334	Color: White Track Driver: DMX	SKU# 33350
Color: White Track Driver: Casambi	SKU# 33335	Color: White Track Driver: Casambi	SKU# 33351
Color: Black Track Driver: DMX	SKU# 33336	Color: Black Track Driver: DMX	SKU# 33352
Color: Black Track Driver: Casambi	SKU# 33337	Color: Black Track Driver: Casambi	SKU# 33353
Medium 4000°K		Medium 5600°K	
Color: White Track Driver: DMX	SKU# 33366	Color: White Track Driver: DMX	SKU# 33382
Color: White Track Driver: Casambi	SKU# 33367	Color: White Track Driver: Casambi	SKU# 33383
Color: Black Track Driver: DMX	SKU# 33368	Color: Black Track Driver: DMX	SKU# 33384
Color: Black Track Driver: Casambi	SKU# 33369	Color: Black Track Driver: Casambi	SKU# 33385

WIDE 17°

Wide 2700°K		Wide 3000°K	
Color: White Track Driver: DMX	SKU# 33338	Color: White Track Driver: DMX	SKU# 33354
Color: White Track Driver: Casambi	SKU# 33339	Color: White Track Driver: Casambi	SKU# 33355
Color: Black Track Driver: DMX	SKU# 33340	Color: Black Track Driver: DMX	SKU# 33356
Color: Black Track Driver: Casambi	SKU# 33341	Color: Black Track Driver: Casambi	SKU# 33357
Wide 4000°K		Wide 5600°K	
Color: White Track Driver: DMX	SKU# 33370	Color: White Track Driver: DMX	SKU# 33386
Color: White Track Driver: Casambi	SKU# 33371	Color: White Track Driver: Casambi	SKU# 33387
Color: Black Track Driver: DMX	SKU# 33372	Color: Black Track Driver: DMX	SKU# 33388
Color: Black Track Driver: Casambi	SKU# 33373	Color: Black Track Driver: Casambi	SKU# 33389

BB&S COMPACT BEAMLIGHT

CBL Bi Color & Single - DMX Driver - Black



CBL Bi Color - Casambi Driver - Black



CBL-1 Single - Casambi Driver - Black



BB&S
LIGHTING PEOPLE

web: brothers-sons.dk

email: sales@brothers-sons.dk

phone: +45 70274241

*“Powerful,
beautiful
and easy light
to play with”*

Robert Pontinder



BICOLOR Photometrics


BICOLOR 11°

BICOLOR 2700°K (without diffuser)					
Distance Feet	3	17	23	33	66
Footcandles	4806	192	98	48	12
Distance Meters	1	5	7	10	20
LUX	51680	2067	1055	517	129

BICOLOR 4000°K (without diffuser)					
Distance Feet	3	17	23	33	66
Footcandles	6045	242	123	60	15
Distance Meters	1	5	7	10	20
LUX	65000	2600	1327	650	163

BICOLOR 5600°K (without diffuser)					
Distance Feet	3	17	23	33	66
Footcandles	6138	246	125	61	15
Distance Meters	1	5	7	10	20
LUX	66000	2640	1347	660	165

BB&S CBL-1 Bicolor
BEAM DETAILS



Compact Beamlight 1 Accessories



Optional Accessories

Magnetic Barndoor
SKU# 2843

Magnetic Top Hat
SKU# 2842

Magnetic Filter Ring
SKU#2841

Diffuser/Filter Kit
SKU#2835

DoP Snapbag (Mounts on Barndoor)
SKU#2843



Single Color Photometrics

BB&S CBL-1 BEAM DETAILS

ACL 7°

ACL 2700°K						ACL 3000°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	10388	416	212	104	26	Footcandles	11128	445	227	111	66
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	111819	4473	2282	1118	280	LUX	119777	4791	2444	1198	299

ACL 4000°K						ACL 5600°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	12312	492	251	123	31	Footcandles	13821	553	282	138	35
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	132527	5301	2705	1325	331	LUX	148770	5951	3036	1488	372

VNSP 11°

VNSP 2700°K						VNSP 3000°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	5685	227	116	57	14	Footcandles	6381	255	130	64	16
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	61195	2448	1249	612	153	LUX	68684	2747	1402	687	172

VNSP 4000°K						VNSP 5600°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	7261	290	148	73	18	Footcandles	8472	339	173	85	21
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	78155	3126	1595	782	195	LUX	91189	3648	1861	912	228

MEDIUM 13°

MEDIUM 3000°K						MEDIUM 5600°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	10388	416	212	104	26	Footcandles	4108	164	84	41	10
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	111819	4473	2282	1118	280	LUX	44219	1769	902	442	111

WIDE 17°

WIDE 2700°K						WIDE 3000°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	2771	111	57	28	7	Footcandles	3036	121	62	30	8
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	29830	1193	609	298	75	LUX	32681	1307	667	327	82

WIDE 4000°K						WIDE 5600°K					
Distance Feet	3	17	23	33	66	Distance Feet	3	17	23	33	66
Footcandles	3364	135	69	34	8	Footcandles	3985	159	81	40	10
Distance Meters	1	5	7	10	20	Distance Meters	1	5	7	10	20
LUX	36209	1448	739	362	91	LUX	42889	1716	875	429	107

