



SOLUTIONS

Temperature Screening Fever Access Control



MANUFACTURING



FACILITIES MANAGEMENT



EDUCATION



HOTELS



HEALTHCARE



COMMUNITY CENTRES



Fever Screener Access Control

Providing Protection against the spread of COVID 19.
The non-contact facial temperature screening enables you to provide proactive protection for your Staff & client's safety and peace of mind.

- Screens Users in just a second - No congestion at Entrances & Lobby Areas
- Self Explanatory - No Need for User Training
- Standalone - Don't Jeopardise the safety of Other Staff During the Screening Process
- Accurate to +/-0.3°C
- No need for facemasks to be removed during the screening process
- No Internet Required
- Install in Just 15 minutes
- Plug & Play

FIND OUT MORE TODAY;

 **353 61 603742**

 **sales@hhsolutions.ie**





Fever Screener Access Control

PRODUCT SPECIFICATION:

CAMERA

Pixels	Two mega pixels
Type	Binocular wide dynamic camera
Measurement distance	30-80cm
White balance	Automatic

SCREEN

Size	8.0 inch IPS LCD screen
Resolution	800×1280

PROCESSOR

CPU	RK3288 Quad core, RAM 2G, main frequency is up to 1.8GHz
Local memory	EMMC 4GB

ACCESSORIES

Network Module	Support Ethernet, wireless (WIFI) Audio Support for 2.5w /4R speakers
-----------------------	--

USB Ports USB 2.0 x 2

Serial Communication

Interface RS232 com port x 1

Relay output Door opening signal output x 1

Wigan interface Wigan 26/34 output x 1

Wired network interface RJ45 Ethernet seat x 1

Power supply DC12V(±10%)

Operating temperature 20°C~40°C

Power consumption 13.5W(Max)

Head Unit Dimensions 260.18*132.88*61.7(mm)

Height Including Stand 1480 (mm)

Weight 11.9 kg

