



60W 5-in-1 Dimmable Driver 24V

KEY FEATURES

- Available in 60W and 96W
- Seamless Dimming
- UL-Listed
- 6 year warranty

SPECIFICATIONS

PWR-624V-060-66-U-D-JH

	60W
Input Voltage	100-277V AC (108-132VAC)
Output Voltage	24V DC, 60 Watts (2.5 Amps)
Dimensions	188 x 94.5 x 40mm (7.40 x 3.72 x 1.57in)
Dimming Range	0%-100%
Power Factor	0.98 @ 120VAC
IP Rating	IP 66
Efficiency	≥86% @ 24VDC
Certifications	UL-Listed Class 2
Housing	Aluminum
Warranty	6 years


5-in-1 LED Dimmable Drivers: One of the safest 24V dimmable LED drivers out there.

This dimmable driver comes with short circuit protection, over current protection, over-voltage protection, low-voltage protection, and auto-recovery mode. No buzzing noise, No overheating.

This product is UL listed, meaning that it will automatically shut off if overloaded, preventing overheating and fire hazards caused by components exceeding their power ratings.


DIMMING AND CONNECTION DIAGRAM

Triac & 0/1-10V



1. The Pulse-Width Modulation (PWM) of output voltage can be adjusted through input terminal of the AC phase line(L) by connection a phase /Triac dimmer or lighting system.
2. Working with forward phase, MLV and Reverse phase , ELV, TRIAC dimmers or light system.
3. Minimim loading is about 10%
4. Please try to use dimmers with power at least 1.5 times as the output power of the driver.

Triac



Using one dimming ---0-10/ 1-10V/ 10V PWM/ Potentiometer dimming

0-10V / 10V PWM

