


CLASSIC FIELD Wide Hex Twist


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




45°


INSTALLATION: FACE-MOUNTED MODULE


SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- LAY OUT MODULES TO CONSTRUCT YOUR PATTERN.
 CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.







2-color pattern

3-color pattern



CLASSIC FIELD Wide Hex Stack


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.





INSTALLATION: FACE-MOUNTED MODULE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.







cut line - - - -



CLASSIC FIELD Little Diamond Mix


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE


SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



1-color pattern



3-color pattern



CLASSIC FIELD Half Hex Mix


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




2 LAY OUT IN TRIANGULAR GROUPS OF 3 TILES. THERE ARE TWO DIFFERENT CONFIGURATIONS, AS INDICATED BY NUMBERS 1 & 2. NOTE HOW THE CORNERS OF THE TILES MEET.




INSTALLATION: FACE-MOUNTED MODULE


SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



1-color pattern





3-color pattern (a)

3-color pattern (b)



CLASSIC FIELD Half Hex Stack


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.





INSTALLATION: FACE-MOUNTED MODULE


SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.







1-color pattern


2-color pattern



CLASSIC FIELD Half Hex Diamond Stack


1/8" - 3/16" GROUT LINE





INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.






INSTALLATION: FACE-MOUNTED MODULE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. **CUT THROUGH MOUNTING** TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



1-color pattern



CLASSIC FIELD Half Hex Wave


1/8" - 3/16" GROUT LINE






INSTALLATION: INDIVIDUAL TILE

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.





INSTALLATION: FACE-MOUNTED MODULE

1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.







1-color pattern

2-color pattern



CLASSIC FIELD Half Hex Twist


1/8" - 3/16" GROUT LINE






INSTALLATION: 1-COLOR OR 3-COLOR (B)

SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE
YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY
GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.






1-color pattern
MODULES ARE STACKED




3-color (b) patternMODULES ARE STAGGERED

GENERAL INSTALLATION GUIDELINES

TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO. THERE WILL BE SOME VARIATION IN GROUT SPACING IN ORDER TO KEEP MODULES ALIGNED.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.





CLASSIC FIELD Half Hex Diamond Mix


1/8" - 3/16" GROUT LINE







INSTALLATION: FACE-MOUNTED MODULE

1 THE COMPLETE PATTERN MODULE IS CREATED BY JOINING FOUR UNIQUE SHEETS INTO A 2x2 BLOCK AS SHOWN. EACH FACE-MOUNTED SHEET IS LABELED IN THE UPPER LEFT CORNER WITH 1A, 1B, 2A, OR 2B. THE PATTERN IS CREATED BY REPEATING THE PATTERN MODULE TO DESIRED HEIGHT OR WIDTH.







3 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED. SAVE OFF-CUT TILE UNTIL LAYOUT IS COMPLETE - THEY OFTEN ARE USEFUL TO COMPLETE EDGES AT THE OPPOSITE END OF THE LAYOUT.



4 CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO. CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.









CLASSIC FIELD Plait

1/8" - 3/16" GROUT LINE





INSTALLATION: FACE-MOUNTED MODULE


SELECT A STARTING POINT AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO. GROUT SPACING WILL SLIGHTLY INCREASE AND DECREASE IN DIFFERENT PARTS OF THE MODULE IN ORDER TO ACHIEVE A BALANCED LOOK. ONLY ADJUST SPACING THAT IS DISTRACTING OR MISALIGNED.










Pre-configured, tile designs highlight the possibilities of our smallest field tile sizes. Combine glazes from our made-to-order palette to create a unique installation.

ARGYLE INSTALLATION GUIDE


Tiles come in 48pc face-mounted modules.

STEP 1


TO INSTALL PATTERN, ROTATE EVERY OTHER MODULE 180 DEGREES.



STEP 2
CUT THROUGH FACE MOUNTING TAPE
TO ADJUST INDIVIDUAL TILES AS NEEDED.










Pre-configured, tile designs highlight the possibilities of our smallest field tile sizes. Combine glazes from our made-to-order palette to create a unique installation.

FLEMISH BOND INSTALLATION GUIDE

Tiles come in 24pc face-mounted modules.


STEP 1

TO INSTALL PATTERN, LINE UP MODULES IN SAME ORIENTATION. 'X' DENOTES ORIENTATION.



STEP 2

CUT THROUGH FACE MOUNTING TAPE TO ADJUST INDIVIDUAL TILES AS NEEDED.





ize	face-mounting	layout	trim	grout spacing
x2", 2x4"	24 pc/module	flemish bond	bullnose, Schluter edging	1/8"
	1 CO LOR -			
			lation	
1 module			approx. 6 sf installation	
			9	
		_	арр	




Pre-configured, tile designs highlight the possibilities of our smallest field tile sizes. Combine glazes from our made-to-order palette to create a unique installation.

STAGGER INSTALLATION GUIDE

Tiles come in 36pc face-mounted modules.


STEP 1

TO INSTALL PATTERN, LINE UP MODULES IN SAME ORIENTATION.




STEP 2

CUT THROUGH FACE MOUNTING TAPE TO ADJUST INDIVIDUAL TILES AS NEEDED.










Pre-configured, tile designs highlight the possibilities of our smallest field tile sizes. Combine glazes from our made-to-order palette to create a unique installation.

HERRINGBONE INSTALLATION GUIDE

Tiles come in 48pc face-mounted modules.


STEP 1

TO INSTALL PATTERN, LINE UP MODULES IN SAME ORIENTATION.





STEP 2

CUT THROUGH FACE MOUNTING TAPE TO ADJUST INDIVIDUAL TILES AS NEEDED.









ORDER FORMULA PER [48pc] MODULE				
2-color	tile size	pcs/size	% ratio	
glaze 1	1x3"	24	50%	
glaze 2	1x3"	24	50%	