




Specifications and Pricing | Issued March 2024







Our love of beautiful materials finds its purest expression in Heath Tile. Perfectly imperfect tiles reflect an intention, a pride in craft, the truth of quality, and the beauty in simplicity. They are made by real people, glazed using traditional techniques, and fired and finished in our San Francisco tile factory.

#### **About Heath Tile**

We use California clay to formulate the brown clay body we've been known for since Edith Heath first began making ceramics in the 1940s. Edith's tile earned wide recognition when she won the prestigious AIA Industrial Arts Medal in 1971 for the tile she designed for Pasadena's Norton Simon Museum. Her original design process—which we carry forward today—digs deep into the science of glaze, leaving room for unpredictability and intuition. We strive to balance function and beauty in our tile, producing design classics that stand the test of time. Heath Tile's iconic aesthetic supports truly unique, varied, and individual installations, ranging from home environments to large–scale public spaces.

#### **Responsible Business, Sustainable Material**

Heath is committed to environmental and social responsibility across our business. We manufacture all of our products in California and pay our employees a living wage. Our tile factory runs on 100% renewable electricity from solar and wind. We recycle our water and clay scraps within the manufacturing process. Heath conducts ongoing analysis to find opportunities to improve our practices, including carbon accounting and material sourcing. Our transition to using only our brown manganese clay body reflects that commitment, as it reduces our carbon footprint due to local sourcing.

## **Our Tile Collections**

Heath Tile is Made-to-Order: you pick your size, shape, and glaze, we make it just for you. Made-to-Order tile has a lead time that varies based on collection and production queue.

#### Classic Field p. 10

21 sizes, 90+ glazes, 33 patterns

Our Classic Field collection offers 21 shapes and sizes. Depending on context and choice of pattern, glaze, and grout, the look can range from quiet and meditative to dynamic and vibrant.

#### Mural p. 12

We are in the process of refreshing the glaze palettes for our Mural collection. Please contact a Tile Specialist for specific details.

Kinetic, and subtly dimensional. Mural is our series of preconfigured pattern combinations of matte and glossy tile. Designed for large-scale installations, and equally at home in more modest spaces.

#### Dimensional p. 12

5 shapes, 90+ glazes

Our most characterful shapes. Four were reintroduced in 2003 after 30 years of lying dormant in the Heath factory, while our latest—Crease—was designed in 2009 in collaboration with One & Company Design. Sculptural, three-dimensional surfaces make an installation with our Dimensional collection as much a stunning and unique art piece as it is functional.

#### Stan Bitters Tile p.13 3 shapes, 8 glazes

The word "monumental" is often used to describe Stan Bitters' ceramic sculptures. But even at a small scale, this legendary American artist's expression has a rare boldness. The Stan Bitters tile line represents the kind of collaboration we love—an opportunity to bring a sculptor's work to life in a format that fits the home. Bitters' tactile, dimensional approach is truly one-of-a-kind, and our expanded glaze palette adds new shades to our earthy originals.

#### Dual Glaze p. 14


6 sizes, 8 glaze blends

Taking variation and contrast to a new level, multiple glazes are overlaid on a single tile, creating the illusion of varying tile sizes within a single installation. Offered on both rectangular and triangular tile sizes, compelling in a random blend or arranged into geometric patterns.

#### **Looking For Inspiration?**

Visit heathceramics.com/tile or come into our showrooms to review samples and inspiration boards in person and meet our showroom team. If you are ready to take your project further, connect with a tile specialists for a consultation.

#### **Classic Field**



#### Dimensional



oval 3x9

3x9


triangle

3x9 nominal<sup>†</sup>





#### **Stan Bitters**



diamond 3x9 nominal<sup>†</sup>

#### Trims



bullnose edge any edge on square or rectangular Classic Field sizes



quarter round\*\* 1" x variable length



radius bullnose\*\* 3" or 4" x variable length



finger cove\*\* <sup>3</sup>/<sub>4</sub>" x variable length



cove base\*\* 3" or 4" x variable length



simple v-cap  $^{\dagger\dagger}$ 15/8" x 15/8" x variable length





rectangle box liner\*\* length



modern v-cap \*\* <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x variable length



beak

1" x 6"

modern v-cove \*\* <sup>7</sup>/<sub>8</sub>" x <sup>7</sup>/<sub>8</sub>" x variable length



corner cove post 1<sup>1</sup>/<sub>2</sub>"x1<sup>1</sup>/<sub>2</sub>"x3" or 4"H

\* Premium sizes.

- \*\* Lengths up to 12" available. Please contact a Tile Specialist for more information.
- <sup>†</sup>Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within.
- $^{\dagger\,\dagger}$  Not intended for use on wall corners.

NOTE: Drawings not to scale.

4

### A Guide to Tile and Glaze Qualities

#### **TILE QUALITIES**

The tile we make is perfectly imperfect. We celebrate the variation inherent in our product. Because each piece is unique, it's important that we share a few tips to keep in mind as you develop your project to help ensure your Heath Tile installation is successful and meets expectations.

#### Applications

Heath Tile is very durable and thus suitable for most interior and exterior applications, including warm and cold climates, residential and commercial floors, walls, counters, showers, baths, swimming pools, spas and fountains.

#### Size and Length Variation

Our manganese clay tile shrinks about 10-12% in the production process. Heath Tile is a handmade product, and as such variability is inevitable. Differences in size and length will be more apparent on longer tiles. You can expect between 1/16" and 1/4" of length tolerance, see table to the right for tolerances specific to each tile size. Length tolerance means the tile can be larger or smaller than the average tile size by this amount. This length tolerance amount reflects an order that includes 20% overage. To achieve an installation layout that requires less length variation, increased overage is recommended. See how nominal sizing relates to grout spacing on page 6. Please contact a Tile Specialist for more details.

#### Lengthwise Bowing

If you force an elastic material, like clay, into a mold, it will attempt to regain its original shape as it moves through the production process. For this reason, you can expect your tile to have what we deem to be an acceptable amount of lengthwise bowing, especially in our longer shapes. This can be accommodated by a wider grout line and thoughtful placement during installation.

#### **Surface Undulation**

Surface undulation can occur for the same reason that bowing occurs — an elastic material is forced into a flat mold. Undulation can occur anywhere on the surface, and could include a slightly raised corner or edge.

#### Modularity

Not all of our tile sizes are modular with themselves or with other sizes. Additional overage may be necessary to achieve your design.

#### **Tape Mounting**

Nothing beats a hand installation of handmade tile, however some of our smaller tiles can be ordered tape-mounted onto adhesive sheets (rather than the more common mesh backing) — set patterns apply. Our clear tape mounting should be considered as a visual guide for assembling tile pieces, not a modular assembly. Adjustments do need to be made during installation (pre-grout), including slicing/ moving of individual pieces and/or partial modules in order to achieve optimum grout spacing and variation blending.

Tile Dimensions + Performance				
type	+/-	tile size		
size/length	1⁄16"	1x3", 2x2", 3x3", little diamond, 3.5" hex		
size/length*	1⁄8"	2x4", 2x6", 3x6", 4x4", 6x6", wide hex, half hex, 4" right triangle, 5" hex		
size/length*	3/16"	2x8", 2x9", 3x9", 4x8", dimensional shapes		
size/length*	1⁄4"	2x12", 3x12", 6x12", Stan Bitters Tile		
thickness (5/16")	1/16"	all except Stan Bitters Tile		
thickness (½")	1/16"	Stan Bitters Tile		
lengthwise bow	up to 1⁄8"	2x8", 4x8", 2x9", 3x9", 2x12", 3x12", 6x12"		

Water Absorption – .5%–3% average (impervious = .5% or less, vitreous = .5%–3%)

 $\label{eq:Weight-approximately 3½ lb per sq.ft. Classic Field (5 lb per square foot for Dimensional Collection, 5 ½ lb per sq.ft. for Stan Bitters tile)$ 

Current ASTM C testing in progress for Bond Strength, Breaking Strength and Water Absorption.

Historical ASTM C results available by request; please connect with a tile specialist for details.

\* Tile sizes longer than 6" in any direction may require additional order overage if size variation presents an issue for intended layout. Please contact a Tile Specialist for more information.

## A Guide to Tile and Glaze Qualities

#### **GLAZE QUALITIES**

Use this guide in combination with the glaze palette tables on the following pages.

#### **Glaze Variation**

Variation in the glaze color/texture is rated 1–5+. Glazes rated 1 exhibit very little variation; higher ratings show very high tonal, textural, hue, and finish shifts. For glazes with a variation of 4 or above, it is recommended to request several samples to accurately depict the effect the variation will have on the installation. Variation in color and finish cannot be specified. Glossy and matte formulas are unique to each glaze.

#### **Acid Resistance**

Some glazes are not acid resistant and may change over time with repeated/prolonged exposure to acidic materials. "Good" glazes are recommended for all applications. "Medium" glazes may require additional care or annual sealing depending on the application. "Sensitive" glazes are not recommended for high-traffic or heavy-use applications. Please contact a Tile Specialist for more information.

#### Pools

Glazes NOT recommended for use in pools (without a +) can discolor when exposed to acidic materials and/or common pool chemicals.

#### **Residential Floors**

Softer glazes and glossy finish glazes are not recommended for flooring as they are slippery when wet and will show scratches more readily.

#### **Commercial Floors**

Commercial floors generally require a high slip-resistance rating based on industry standards. While matte glazes would be more suitable for commercial use, individual testing must be performed on a case by case basis. Please contact a Tile Specialist for more information.

#### Crazing

Crazing is the development, over time, of small surface cracks that do not affect the structural integrity of the tile. No guarantee is made against crazing.

#### INSTALLATION + GROUTING CONSIDERATIONS

No tile installations look good before grouting. Here are our top tips for ensuring a successful installation. Visit our website at heathceramics.com/tile for additional installation advice and ideas.

#### Planning

Meticulously plan your layout. The time taken for prep and placement will greatly impact the finished result. Pre-sort tile by size, color, and finish. Blend or strategically place. To achieve a leveled surface, use a deeper comb of mortar or thinset to allow for variations in tile thickness and architecture.

#### Grout Release and Sealing

Matte, crackle glazes, and unglazed tile will benefit from applying a grout release product or pre-grout sealant before grouting to aid in grout haze removal and prevent staining from saturated grout colors. Be sure to follow the manufacturer's instructions for these products and test before applying to your installation. Once installed, textured matte, crackle glazes, unglazed, and acid-sensitive tile should be sealed after grouting to protect the grout and glaze, and potentially re-sealed annually if in a wet location or food prep area. This is particularly important for crackle glazes as the crackle will continue to develop.

#### Grout

Grout is the glue that pulls the entire installation together. Give special consideration to choosing the right color and be sure to use a sanded grout formulated for 1/8 - 1/4" spacing (and no smaller or larger). Some sanded grout may contain large/sharp aggregate that can scratch tile. If you're grouting glossy tiles, we recommend testing the grout prior to grouting your installation. Every bag can be unique so if your installation requires multiple bags, test each bag. Be sure to follow the manufacturer's instructions for mixing and applying grout. Stan Bitters Tile should be installed without grout. More installation details can be found on page 13, or ask a Tile Specialist for additional advice.

#### **Grout Spacing**

Heath tile sizes are nominal—length and width varies from tile to tile. Thoughtful grout spacing can compensate for tile variation. Tighter grout spacing will require more tiles than the listed square footage and can also result in installation failure due to expansion and contraction. In some cases, a wider grout line may be necessary to achieve the best overall look depending on tile characteristics and installation. Don't rely on one size spacer; shimming will help maintain level lines throughout the installation. See how grout spacing relates to size and length variation on page 5. Please refer to the guide below for our minimum recommended grout widths, and ask a Tile Specialist for additional advice.

Recommended Grout Spacing Guide	min. suggested
tile size	grout width
1x3, 2x2, 3x3, 3.5" hex, little diamond, half hex, wide hex	1/8"
2x4, 2x6, 2x8, 2x9, 3x6, 3x9, 4x4, 4" triangle, 4x8, 6x6, 5" hex	3⁄16"
2x12, 3x12, 6x12	1/4"
crease in, crease out, dimensional triangle, dimensional diamond, oval	<sup>3</sup> / <sub>16</sub> "- <sup>1</sup> /4"

Glossv	<b>Palette</b> – glaze qualities							
code	glaze name	finish	variation	acid resistant	residential floors	pools	scratch resistant	grout release
G2.2	light grey whale	glossy	2	good		+	good	
G16.2	jade manganese	glossy	4	sensitive			good	
G18.2	gloss black	glossy	3	good		+	good	
G21	opal pacific	glossy	5	sensitive			good	
G22	opal blue	glossy	4	medium			good	
G32.2	midnight #6	glossy	3	medium			good	
G40	frost	glossy	5	medium			good	
G44	bright yellow	glossy	4	good		+	good	
G54	heath orange	glossy	4	good		+	good	
G55	brick	glossy	5	medium			good	
G58	pomegranate	glossy	5	good			good	
G62	campari red	glossy	5	good			good	
G66	verde	glossy	4	good		+	good	
G67	gunmetal manganese	glossy	3	medium			good	
G107	mid-century white	glossy	3	good			good	
G116	geyser green	glossy	3	good		+	good	
G117	wave gloss	glossy	3	good		+	good	
G119	vintage rose	glossy	5	good		+	good	
G120	lemon ice	glossy	5	good		+	good	
G121	kitchen green	glossy	5	good		+	good	
G122	serpentine	glossy	5	good		+	good	
G123	coastline	glossy	5	medium			good	
G124	river	glossy	5	good		+	good	
G125	meteorite	glossy	5	good		+	good	
G126	buckwheat	glossy	3	good		+	good	
G127	nightfall	glossy	3	good		+	good	
G128	deep sea blue	glossy	4	good		+	good	
G129	reef	glossy/crackle	4	medium			good	+
G130	antique green	glossy	4	good		+	good	
G131	hazel	glossy	4	good		+	good	
G132	lily	glossy	3	good			good	
G133	haze	glossy	4	good			good	
G134	polo grey manganese	glossy	2	good		+	good	

matte	Palette – glaze qualities			acid	residential		scratch	grout
code	glaze name	finish	variation	resistant	floors	pools	resistant	release
M12.2	olive #1	textured matte	3	good	+		good	+
M13.2	kpfa green	matte	3	sensitive	+		good	+
M17.2	redwood	matte	5	medium	+		good	+
M27	olive #3	matte	5	sensitive	+		good	+
M34.2	museum black	matte	3	medium	+		good	+
M39.2	matte brown	matte	5	good	+	+	good	+
M40	turquoise	textured matte	2	good	+		good	+
M44.3	modern blue	textured matte	4	good	+	+	good	+
M64	steam	textured matte	4	good	+		good	+
M67	horizon blue	textured matte	3	good	+		good	+
M68	ochre	textured matte	3	good	+		good	+
M73	basalt	textured matte	2	good	+		good	+
M76	tahoe blue	textured matte	3	sensitive	+		good	+
M102	wildflower	textured matte	4	good	+		good	+
M119	ogawa green manganese	matte	3	good	+	+	good	
M120	patina manganese	matte	3	good	+	+	good	
M121	petal	textured matte	2	good	+		good	+
M122	myrtle green	textured matte	2	good	+		good	+
M123	winter sky	textured matte	3	good	+		good	+
M124	powder	textured matte	2	good	+		good	+
M125	moon	textured matte	3	good	+		good	+
M126	alpine	textured matte	2	good	+		good	+
M127	hydrangea	textured matte	3	good	+		good	+
M128	slate blue manganese	textured matte	3	good	+		good	+
M129	cranberry	textured matte	2	good	+	+	good	+
M131	rose	textured matte	4	good	+		good	+
M132	desert	textured matte	4	good	+		good	+
M133	turmeric	textured matte	3	medium	+		good	+
M134	stone gold manganese	textured matte	2	good	+		good	+
M135	grove	textured matte	2	good	+		good	+
M138	bay blue manganese	textured matte	2	good	+		medium	+
M139	ultramarine	textured matte	4	medium	+		good	+
M140	blue thistle	textured matte	4	good	+		good	+
M141	zinnia	textured matte	2	good	+		good	+

Matte	Palette – glaze qualities						
code	glaze name	finish	variation	acid resistant	residential floors pools	scratch resistant	grout release
M142	white pumic	textured matte	3	good	+	good	+
M144	oat	textured matte	3	medium	+	good	+
M146	sagebrush	textured matte	2	good	+	good	+
M147	slate #3	textured matte	2	good	+	good	+

Layere	ed Glaze Palette – glaze qualitie	es						
code	glaze name	finish	variation	acid resistant	residential floors	pools	scratch resistant	grout release
LM1	chalk-gunmetal	textured matte	5+	medium	+		good	+
LG2	jade mangolive #3	glossy	5+	sensitive			good	
LM5	basalt-gunmetal	layered/textured matte	5+	good	+		good	+
LG6	rainshower	glossy	5+	medium		+	good	
LG7	opaque white-antique green	layered/glossy	5+	good		+	good	
LG8	manzanita	glossy	5+	good		+	good	
LG9	tropics blue-chalk	glossy	5+	medium			good	
LG11	redwood-hematite	layered/textured matte	5+	sensitive	+		good	+
LG12	shell-dove	layered/glossy	5+	good		+	good	
LG13	frost-hematite	glossy	5+	medium			good	

Ungla	zed Palette - glaze qualities			acid	residential		scratch	grout
code	glaze name	finish	variation	resistant	floors	pools	resistant	release
NM3	natural manganese	unglazed/matte	3	medium	+		medium	+

## Classic Field MADE-TO-ORDER

#### **Classic Field Pricing**

glaze	quantity per size and glaze	standard size price/sq.ft.	premium size price/sq.ft.
standard glaze	25+ sq.ft.	38.00	50.00
layered glaze	25+ sq.ft.	50.00	66.00
natural unglazed	25+ sq.ft.	34.00	46.00

Accent tile - quantities between 4 - 24 sq.ft are 2x the price listed above.

**Premium sizes** – 1x3, 2x2, 6x12, 3.5" hexagon, 5" hexagon, 4" triangle. See table to the right for tiles/sq.ft.

Layered glazes – not available on 1x3 and 6x12 sizes.

Grout line - see page 6 for recommended widths.

Classic Field Trim Pricing	
type/size	price/piece
bullnose edge (short)**	1.56-37.50
bullnose edge (long, corner, parallel)**	3.13-75.00
glazed edge (short)**	1.56-37.50
glazed edge (long, corner, parallel)**	3.13-75.00
radius bullnose 3" to 12"	13.12-66.00
quarter round 3" to 12"	10.50-42.00
beak 6"	30.00
finger cove 3" to 12"	10.50-42.00
cove base 3" or 4"W x 3" to 12"H	13.12-66.00
corner cove post $1^{1}\!\!/_{2}"x3"$ or $4"H$	28.50
simple counter v-cap 6"	26.25
rectangular box liner 3" to 12"	19.50-97.50
modern v-cap 3" to 12"	10.50-42.00
modern v-cove 3" to 12"	10.50-42.00
Contact a Tile Specialist for specific piece pricing	×

Contact a Tile Specialist for specific piece pricing.

Layered glazes – add 50%. Not available on all trims.

\* G16.2, G58, and G62 glazes are not available on 6"x12" tiles

\*\*Bullnose/glazed edge is available on short, long, corner, or parallel edges on all standard Classic Field and select Dimensional tile sizes. Glazed edge only available in matte glazes.

Classic Field Sizes				
standard sizes		premium sizes		
tile size	tiles/sq.ft.	tile size	tiles/sq.ft.	
2x4	18	1x3**	48	
2x6	12	2x2	36	
2x8	9	3.5" hex	13.5	
2x9	8	5" hex	6.6	
2x12	6	4" triangle	18	
3x3	16	6x12**	2	
3x6	8	half hex 3 <sup>7</sup> / <sub>8</sub> " x 2" nominal*	28	
3x9	5.3	wide hex 5 <sup>1</sup> / <sub>4</sub> " x 2" nominal*	20.2	
3x12	4	<b>little diamond</b> 3 <sup>3</sup> /8" x 2" nominal*	42.7	
4x4	9			
4x8	4.5			
6x6	4			


\* Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within. See p.5 for Tile Dimensions and Performance. \*\* Not available in Layered glazes.

Tape Mounting Pricing	
type	additional price/sq.ft.
1-color	8.00
2-color	10.00
3-color	12.00

Available patterns - See following page.

**Minimum Order** – Mixed glaze or size mounted orders are subject to a minimum order of 25 sq.ft. per pattern, not per glaze or size.


### Classic Field MADE-TO-ORDER



\* Pattern is only available mounted.

### Mural MADE-TO-ORDER

Mural Pricing				
	pre-configured color pale 7-9 for more information	ette.* Refer to the Glaze Qualities on each glaze.		
style	price/sq.ft.	price/module		
Mounted	72.00	243.00		
Minimum order	– 10 modules (about 34 s	sq.ft.)		
		odule & nature of the pattern, a sure proper order quantity.		
Sample kits – glaze samples for each palette are available upon request for \$12; samples are Little Diamond and will come mounted.				
Tape mounting - all pricing includes tape mounting.				
Grout line - 1/8"	recommended.			
Trim – please co	onsult a Tile Specialist.			



\*We are in the process of refreshing the glaze palettes for our Mural collection. Please contact a Tile Specialist for specific details.


## Dimensional MADE-TO-ORDER

Dimensional Pricing				
glaze type	all shapes price/sq.ft.			
Standard glazes	95.00			
Layered glazes	152.00			
Unglazed	85.00			

Minimum order - 10 sq.ft.

Grout line - 3/16"-1/4" minimum recommended.

 ${\rm Trim}$  – available only in matte glazes on Oval, Crease In, and Crease Out shapes. Please reference Trim Pieces on page 10 for more.



\* Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within.

#### Stan Bitters Tile Pricing


Available in a select color palette of 7 glazed and 1 unglazed options.

size	price/sq.ft.
6x6	134.00
6x12	134.00
12x12	134.00

Minimum Order - 16 sq.ft.

**Joint Spacing** – Stan Bitters Tile should be installed without grout, however, a  $\frac{1}{3}$ " or larger joint spacing between tiles is required to ensure they do not rub together and to account for size variation between individual tiles.

**Glazed Edges** – Available in matte glazes on short, long, parallel, and corner edges. Consult a Tile Specialist for specific pricing.



Stan Bitters Palette – glaze qualities							
code	glaze name	finish	variation	acid resistant	pools	scratch resistant	grout release
NM3	natural manganese	unglazed/matte	3	medium		medium	+
M17.2	redwood	matte	5	medium		good	+
M34.2	museum black	matte	3	good		good	+
M44.3	modern blue	textured matte	4	good	+	good	+
M144	oat	textured matte	3	medium		good	+
G22	opal blue	glossy	4	medium		good	
G107	mid-century white	glossy	3	good		good	

## Dual Glaze MADE-TO-ORDER

Dual Glaze Pricing				
Available in 8 different glaze combinations.				
size	tile blend	price/sq.ft.		
2x4, 2x6, 3x6, 2x12, 3x12	3-tile blend	82.00		
4" triangle	4-tile blend	92.00		
Minimum order – 25 sq.ft.				
Tape mounting - \$12.00/sq.ft. in 2x4 only.				
Sample kit - each color blend in 2x4 (\$13.00) or 4" triangle (\$16.00), available upon request.				

Grout line - see page 6 for recommended widths.

Trim - glazed edges are available only on matte glazes; please reference Trim Pieces on page 10.

#### **Dual Glaze Size and Blend Guide**

Order quantity is divided equally between each tile in the 3-tile blend or 4-tile blend.

3-tile blend





**2x6** 12 tiles/sq.ft.

**3x6** 8 tiles/sq.ft.

2x4 18 tiles/sq.ft.



2x12 6 tiles/sq.ft.




3x12 4 tiles/sq.ft.

4-tile blend



# Dual Glaze, continued MADE-TO-ORDER



Dual Glaze Triangles Pattern Guide

patterns

Dial Glaze Triangles Pattern Guide

Dial Glaze Triangles Pattern Guide

Tartan
Image: Curtain for the second for the s

Dual Glaze Palette – glaze qualities								
code	glaze name	finish	variation	acid resistant	residential floors	pools	scratch resistant	grout release
DG6	bay blue blend	matte/glossy	5+	sensitive			good	+
DG11	natural manganese blend	textured matte/ unglazed	5+	medium	+		good	+
DG12	basalt lava blend	textured matte	5+	sensitive	+		good	+
DG14	ochre blend	glossy/ textured matte	5+	good			good	+
DG15	zinnia blend	glossy/ textured matte	5+	medium			good	
DG17	mid-century white blend	glossy/matte	5+	good			good	
DG18	geyser green blend	glossy	5+	good		+	good	



#### Terms of Sale

Please review quotes carefully, as they become sales contracts upon signing.

A signed contract and deposit are required for an order to be processed. Orders under \$10,000 require payment in full for the order to be processed; orders over \$10,000 require a 50% deposit. Payment is due in full prior to release of the order, including shipping & handling charges. We accept credit cards, payment by wire transfer, and first party checks (mail checks to Heath Sausalito, allow 7-10 days for check processing prior to order release).

Prices are F.O.B. factory, applicable sales taxes extra.

A storage fee of \$75 a pallet/day may be applied to orders held longer than 15 days.

Cancellation of a signed quote will incur a 15% cancellation fee. Once in production, orders cannot be cancelled. All made-toorder tile is final sale.

#### Shipping and Handling

For orders under 25 sq.ft., small package service will be quoted.

Orders over 25 sq.ft. will be shipped on pallet via Heath's preferred carrier. There is a \$25.00 charge per pallet used.

Freight fees are passed on at cost, with a \$10.00 pallet charge per pallet used.

Visit one of our three Heath tile showrooms where you can see the product firsthand and learn more about working with Heath. Visit us online at **heathceramics.com/tile**.

#### San Francisco tile-sf@heathceramics.com 2900 18th Street, San Francisco, CA 94110 415 361 5552 x13

Sausalito tile-sau@heathceramics.com 400 Gate 5 Road, Sausalito, CA 94965 415 332 3732 x32

Los Angeles tile-la@heathceramics.com 7525 Beverly Blvd, Los Angeles, CA 90036 323 965 0800

#### General

Due to the handcrafted nature of our tile, actual size and color variation should be expected.

Price quotes are valid for 30 days. Lead times are re-quoted upon conversion of quote to sales order.

Prices are subject to change without notice.

We recommend ordering up to 20% extra material depending on specifics of your tile specification and installation design. Please consult with a Tile Specialist for more information.

Job completions have a minimum order of 4 sq.ft. They are priced at full retail price plus a \$100 order completion fee per line item.