

Model No.	Blade Size
21357/05	250 mm
21358/05	200 mm

Congratulation on the purchase of your new Brilliant Ecoflow exhaust Fan. Before first using, it is most important that you read and follow these instructions, even if you feel you are quite familiar with this type of product. Keep this document handy for future reference.

DIY Installation

<u>WARNING</u>: Power socket and any alteration or additions to building wiring must be done by a licenced electrician or person authorised by legislation to work on the fixed wiring of any electrical installation.

FOR YOUR SAFETY:

- If you are in any doubt as to the installation of this product, please consult a qualified electrical contractor before
 proceeding.
- This product is intended for DIY fitting into installations where suitable switched power outlets are already installed. All new installations or any alterations or additions to building wiring **must be completed by a licensed electrician** or person authorised by legislation to work on the fixed wiring of any electrical installation.
- Be aware of the height of your installation. Refer to 'Working at Heights' guide from your local or State Authorities.
- Do not install in a position where the fitting can be easily accessed by children or the infirm.
- Young children should be supervised to ensure that they do not play with this appliance.
- Do not cut or remove ceiling beams to install this device.
- This exhaust fan is for indoor use only.
- Do not install the exhaust fan in high temperature areas such as above or adjacent to cooking equipment.
- Failure to follow these instructions will result in breakages and will invalidate warranty.
- If product is functioning irregularly, please TURN OFF the power and contact the nearest authorized dealer.
- Do not perform modification or change parts within the product.
- Switch the unit off when cleaning






A - Fan cover.

B - 2 pin power plug with 0.6m cord

C – Fan blade x3.

D – Motor.

E – Fixing screw & wing x3.



Specification:			
Fitting:	Plastic body.	Maight:	0.62 kg (21357/05)
Construction:	Class II	Weight:	0.46 kg (21358/05)
Input Voltage :	230/240V AC 50Hz	Cut aut bala	ø290 mm (21357/05)
Air Flow :	200 m³/hrs (21357/05)	Cut out hole :	ø235 mm (21358/05)
All Flow .	180 m³/hrs (21358/05)		ø350 mm (21357/05)
IP Rating :	IPX0		ø280 mm (21357/05)
Installation :	DIY, 0.6m cable with flex and plug	Noise :	<= 50dB



Model No.	Blade Size
21357/05	250 mm
21358/05	200 mm

Installation Location

This product is intended for indoor installation, into locations already fitted with switched, pre-wired power outlets.

When selecting a mounting location, please consider the following:


- Unit must be installed into a horizontal location, and is not suitable for wall mount or raked ceilings.
- Prior to installation, inspect the ceiling cavity to check for hidden beams, structures and concealed electrical cabling.
- In applicable cases, the switch should not be installed where it can be touched by someone within a bath or shower.
- Position fan in as central location as possible, to maximise ventilation to all areas.
- Do not install the exhaust fan within 1m distance from a ceiling or wall mounted heat source.
- Ensure there is at least 250mm clearance around and above the exhaust fan once it is installed in the ceiling cavity.

Installation Instructions:

- 1. Ensure the Mains Supply is switched 'OFF'. (Fig. A).
- 2. Unpack the fixture carefully and place it on a flat surface. Dispose of the packaging material thoughtfully.
- 3. Ensure that there are no hidden cables or utilities in the ceiling before cutting the hole in the ceiling.

NOTE: If installation of power sockets is required, it must be carried out by a Licences Electrical Contractor in accordance to AS/NZS 3000.

- 4. Consider the position that you wish the exhaust fan to be installed in carefully. Take care to avoid structural elements and existing wiring when selecting the position for your exhaust fan.
- 5. Mark and cut out a **290mm diameter** hole into the ceiling (Fig B) for 21357/05 **OR** mark and cut out a **235mm diameter** hole into the ceiling (Fig B) for 21358/05.
- 6. Cut the hole in the ceiling using a suitable plaster saw, jig saw or hole saw. Always wear protective clothing, safety glasses and an appropriate respirator mask when cutting into plaster. Double check there are no hidden electrical cables or ceiling batters before cutting.
- 7. Remove the fan cover. (Fig. C)
- 8. Insert the two pin power cable into the ceiling hole and plug it into the power point socket in the ceiling as previously installed by a licensed electrical contractor. (Fig D)
- 9. Position fan in hole and with screwdriver, rotate mounting screws until clamps firmly secure fan onto ceiling plaster. *Do not over-tighten.*
- 10. Replace fan cover over fan blades by firmly clipping the cover clips over the main housing. (Fig E)
- 11. Turn on the power at the mains. (Fig F)
- 12. Switch unit on at the wall switch.
- 13. When cleaning cover, switch off all power, remove cover and wipe with damp cloth. Allow cover to dry before reinserting cover.





Model No.	Blade Size
21357/05	250 mm
21358/05	200 mm

Remarks:

Upon turning on of this motor, the fan will oscillate and exhibit a minor noise before it operates in one direction. This is normal to expect for this low energy use motor.

Warranty:

Brilliant Lighting warrants this product against defects in manufacture and workmanship for a period of 1 year from date of purchase or as specified elsewhere. For products used in non-domestic or commercial applications, Brilliant Lighting warrants this product for a period of 3 months from date of purchase. This warranty is only valid for products installed and operated within the guidelines specified by Brilliant Lighting, and within the correct operating voltage ranges as stated on the product's rating label.

Warranty does not include damage or loss arising from incorrect installation, operation or maintenance of this product, damage caused through modification, incorrect installation, service by unqualified or unauthorised personnel or lack of regular maintenance and cleaning. Proof of installation by qualified personnel may be required, e.g. Electrical Safety Certificate. Proof of purchase must be supplied with all warranty claims.

This warranty is provided in addition to any other rights and remedies of the customer under any law. In applications not intended for household, personal or domestic use, liability is limited to replacement or reimbursement of product only. Brilliant Lighting does not warranty the costs of removal or re-installation of this product or associated components.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

Any claim under this warranty must be made within the specified warranty period from date of purchase of this product. To make a claim under the warranty; at your own expense take the product (with proof of purchase – receipt or similar) to the store where you purchased the product or contact Brilliant Lighting at the address below.

This warranty is given by:

Brilliant Lighting (Aust) Pty. Ltd. ABN 37 006 203 694 956 Stud Road Rowville, VIC 3178 Phone: 03 9765 2555

Email: warranty@brilliantlighting.com.au
Web: www.brilliantlighting.com.au

MADE IN CHINA

WARRANTY REGISTRATION

Register your product, to ensure you protect your purchase with hassle free warranty and technical support. Ask our experts for advice and learn about new products before they are released.

Scan the QR code to register your product to be part of our Customer Care Program.

