




Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204787
EAN/UPC	9008606215720

## Dimensions

Article Diameter (in mm/in)	1016
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	203376, 203375

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.1	4.1	5.5	8.2	12.5	20
RPM (1)	60	100	133	168	205	250
Air Movement m3/Hr (1)	2410	4830	6380	9080	12200	15650

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

## Controls



optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)



## General Information

Material number	204788
EAN/UPC	9008606215737

## Dimensions

Article Diameter (in mm/in)	1016
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.1	4.1	5.5	8.2	12.5	20
RPM (1)	60	100	133	168	205	250
Air Movement m3/Hr (1)	2410	4830	6380	9080	12200	15650

### Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

### Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro



### Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

# 204789 NOOSA



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204789
EAN/UPC	9008606215744

## Dimensions

Article Diameter (in mm/in)	1016
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	titanium
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	titanium
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	204751, 204752

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.1	4.1	5.5	8.2	12.5	20
RPM (1)	60	100	133	168	205	250
Air Movement m3/Hr (1)	2410	4830	6380	9080	12200	15650

### Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

### Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

### Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--