



General Information

Material number	203622
EAN/UPC	9008606192045
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	334
Canopy Height (in mm)	58
Canopy Diameter (in mm)	150
Net Weight	6.9 Kilogram
Gross Weight	8 Kilogram
Single-Box Height (in mm)	326
Single-Box Length (in mm)	560
Single-Box Depth (in mm)	298

Fan

Motor Type	AC
Motor dimension in MM (Ø x H)	172x14
Motor Wattage	56
Adjustable Canopy	15°
Blade pitch in degree	9,5°
Blade Quantity	4
Mains Voltage	220-240V, 50Hz

Functions

Function

3-step dimming
3-step CCT
indoor and covered outdoor area
3 speeds

Material & Colour







Blade Material	Anti-UV ABS
Blade Colour (1)	white matt
Canopy Material	Anti-UV ABS
Canopy Colour	white matt
Enclosure Material	Anti-UV ABS
Enclosure Colour	white matt
Glass/Shade Material	acryl
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	14.5
RPM (1)	110
Air Movement m3/Hr (1)	5632
Wattage by air movement (2)	32.7
RPM (2)	170
Air Movement m3/Hr (2)	9648
Wattage by air movement (3)	59.5
RPM (3)	230
Air Movement m3/Hr (3)	13792

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	1X20W
Lumen Complete	1860
Light colour Complete	TRICOLOUR
Suitable for LM EEI	A++ - A

					
56 W	13792 m ³ /h	15°	1X20 W	1X x 1860lm	

Technical changes reserved

2/2



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	203623
EAN/UPC	9008606192052
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	334
Canopy Height (in mm)	58
Canopy Diameter (in mm)	150
Net Weight	6.9 Kilogram
Gross Weight	8 Kilogram
Single-Box Height (in mm)	326
Single-Box Length (in mm)	560
Single-Box Depth (in mm)	298

Fan

Motor Type	AC
Motor dimension in MM (Ø x H)	172x14
Motor Wattage	56
Adjustable Canopy	15°
Blade pitch in degree	9,5°
Blade Quantity	4
Mains Voltage	220-240V, 50Hz

Functions

Function	3-step dimming 3-step CCT indoor and covered outdoor area 3 speeds
----------	---

Material & Colour







Blade Material	Anti-UV ABS
Blade Colour (1)	black matt
Canopy Material	Anti-UV ABS
Canopy Colour	black matt
Enclosure Material	Anti-UV ABS
Enclosure Colour	black matt
Glass/Shade Material	acryl
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	14.5
RPM (1)	110
Air Movement m3/Hr (1)	5632
Wattage by air movement (2)	32.7
RPM (2)	170
Air Movement m3/Hr (2)	9648
Wattage by air movement (3)	59.5
RPM (3)	230
Air Movement m3/Hr (3)	13792

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	1X20W
Lumen Complete	1860
Light colour Complete	TRICOLOUR
Suitable for LM EEI	A++ - A

					
56 W	13792 m ³ /h	15°	1X20 W	1X x 1860lm	

