



General Information

Material number	204112
EAN/UPC	9008606198283
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	6.6 Kilogram
Gross Weight	8.09 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12
Motor Wattage	24
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	bamboo
Canopy Material	ABS, UV Resistant
Canopy Colour	white matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	white matt

Performance

Wattage by air movement (1)	3.5
RPM (1)	60
Air Movement m3/Hr (1)	3243
Wattage by air movement (2)	6.3
RPM (2)	101
Air Movement m3/Hr (2)	5794
Wattage by air movement (3)	7.9
RPM (3)	121
Air Movement m3/Hr (3)	7420
Wattage by air movement (4)	11.4
RPM (4)	141
Air Movement m3/Hr (4)	9262
Wattage by air movement (5)	16.8
RPM (5)	160
Air Movement m3/Hr (5)	10847
Wattage by air movement (6)	25.7
RPM (6)	190
Air Movement m3/Hr (6)	13280



13280 m³/h 6 speed
1h 2h
4h 8h 13°





General Information

Material number	204113
EAN/UPC	9008606198290
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	6.6 Kilogram
Gross Weight	8.09 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12
Motor Wattage	24
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	teak
Canopy Material	ABS, UV Resistant
Canopy Colour	black matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	black matt

Performance

Wattage by air movement (1)	3.5
RPM (1)	60
Air Movement m3/Hr (1)	3243
Wattage by air movement (2)	6.3
RPM (2)	101
Air Movement m3/Hr (2)	5794
Wattage by air movement (3)	7.9
RPM (3)	121
Air Movement m3/Hr (3)	7420
Wattage by air movement (4)	11.4
RPM (4)	141
Air Movement m3/Hr (4)	9262
Wattage by air movement (5)	16.8
RPM (5)	160
Air Movement m3/Hr (5)	10847
Wattage by air movement (6)	25.7
RPM (6)	190
Air Movement m3/Hr (6)	13280



13280 m³/h 6 speed
1h 2h
4h 8h 13°





General Information

Material number	204114
EAN/UPC	9008606198306
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	6.6 Kilogram
Gross Weight	8.09 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12
Motor Wattage	24
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	dark natural timber
Canopy Material	ABS, UV Resistant
Canopy Colour	black matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	black matt

Performance

Wattage by air movement (1)	3.5
RPM (1)	60
Air Movement m3/Hr (1)	3243
Wattage by air movement (2)	6.3
RPM (2)	101
Air Movement m3/Hr (2)	5794
Wattage by air movement (3)	7.9
RPM (3)	121
Air Movement m3/Hr (3)	7420
Wattage by air movement (4)	11.4
RPM (4)	141
Air Movement m3/Hr (4)	9262
Wattage by air movement (5)	16.8
RPM (5)	160
Air Movement m3/Hr (5)	10847
Wattage by air movement (6)	25.7
RPM (6)	190
Air Movement m3/Hr (6)	13280



13280 m³/h 6 speed
1h 2h
4h 8h 13°

