



General Information

Material number	204231
EAN/UPC	9008606201372
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	7.3 Kilogram
Gross Weight	8.77 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16
Motor Wattage	38
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	bamboo
Canopy Material	ABS, UV Resistant
Canopy Colour	white matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	4.3
RPM (1)	60
Air Movement m3/Hr (1)	3591
Wattage by air movement (2)	7.2
RPM (2)	90
Air Movement m3/Hr (2)	6032
Wattage by air movement (3)	10.2
RPM (3)	111
Air Movement m3/Hr (3)	7638
Wattage by air movement (4)	15.1
RPM (4)	131
Air Movement m3/Hr (4)	9526
Wattage by air movement (5)	24.9
RPM (5)	150
Air Movement m3/Hr (5)	10957
Wattage by air movement (6)	37.4
RPM (6)	178
Air Movement m3/Hr (6)	14346

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	18W
Lumen Complete	2011
Light colour Complete	TRICOLOUR
Suitable for LM EEI	A++ - A

204231 NOOSA 60



14346
m³/h

6
speed
2h 8h

13°

18W





General Information

Material number	204232
EAN/UPC	9008606201389
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	7.3 Kilogram
Gross Weight	8.77 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16
Motor Wattage	38
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	teak
Canopy Material	ABS, UV Resistant
Canopy Colour	black matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	4.3
RPM (1)	60
Air Movement m3/Hr (1)	3591
Wattage by air movement (2)	7.2
RPM (2)	90
Air Movement m3/Hr (2)	6032
Wattage by air movement (3)	10.2
RPM (3)	111
Air Movement m3/Hr (3)	7638
Wattage by air movement (4)	15.1
RPM (4)	131
Air Movement m3/Hr (4)	9526
Wattage by air movement (5)	24.9
RPM (5)	150
Air Movement m3/Hr (5)	10957
Wattage by air movement (6)	37.4
RPM (6)	178
Air Movement m3/Hr (6)	14346

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	18W
Lumen Complete	2011
Light colour Complete	TRICOLOUR
Suitable for LM EEI	A++ - A

204232 NOOSA 60



14346
m³/h

6
speed
2h 8h

13°

18W





General Information

Material number	204233
EAN/UPC	9008606201396
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	295
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	7.3 Kilogram
Gross Weight	8.77 Kilogram
Single-Box Height (in mm)	251
Single-Box Length (in mm)	768
Single-Box Depth (in mm)	427

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16
Motor Wattage	38
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	remote control incl. CCT reversible Night Mode 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	dark natural timber
Canopy Material	ABS, UV Resistant
Canopy Colour	black matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	4.3
RPM (1)	60
Air Movement m3/Hr (1)	3591
Wattage by air movement (2)	7.2
RPM (2)	90
Air Movement m3/Hr (2)	6032
Wattage by air movement (3)	10.2
RPM (3)	111
Air Movement m3/Hr (3)	7638
Wattage by air movement (4)	15.1
RPM (4)	131
Air Movement m3/Hr (4)	9526
Wattage by air movement (5)	24.9
RPM (5)	150
Air Movement m3/Hr (5)	10957
Wattage by air movement (6)	37.4
RPM (6)	178
Air Movement m3/Hr (6)	14346

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	18W
Lumen Complete	2011
Light colour Complete	TRICOLOUR
Suitable for LM EEI	A++ - A

204233 NOOSA 60



14346
m³/h

6
speed
2h 8h

13°

18W

