



General Information

| | |
|-----------------|---------------------|
| Material number | 20523601 |
| EAN/UPC | 9008606234103 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|---------------|
| Article Diameter (in mm) | 1120 |
| Article Height (in mm) | 258 |
| Canopy Height (in mm) | 197 |
| Canopy Diameter (in mm) | 189 |
| Net Weight | 5.36 Kilogram |
| Gross Weight | 6.3 Kilogram |
| Single-Box Height (in mm) | 230 |
| Single-Box Length (in mm) | 676 |
| Single-Box Depth (in mm) | 296 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x8mm |
| Motor Wattage | 70 |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

Function

timer
3-step CCT
SunSet dimming
5 speeds

Material & Colour

| | |
|----------------------|-------------------|
| Blade Material | ABS, UV Resistant |
| Blade Colour (1) | white matt |
| Enclosure Material | steel |
| Enclosure Colour | white matt |
| Glass/Shade Material | acrylic |
| Glass/Shade Colour | milky |

Performance

| | |
|-----------------------------|------|
| Wattage by air movement (1) | 1.5 |
| RPM (1) | 70 |
| Air Movement m3/Hr (1) | 2093 |
| Wattage by air movement (2) | 2.2 |
| RPM (2) | 100 |
| Air Movement m3/Hr (2) | 3684 |
| Wattage by air movement (3) | 3.1 |
| RPM (3) | 130 |
| Air Movement m3/Hr (3) | 4940 |
| Wattage by air movement (4) | 4.6 |
| RPM (4) | 160 |
| Air Movement m3/Hr (4) | 6651 |
| Wattage by air movement (5) | 7 |
| RPM (5) | 190 |
| Air Movement m3/Hr (5) | 7903 |
| Wattage by air movement (6) | 14.1 |
| RPM (6) | 250 |
| Air Movement m3/Hr (6) | 9270 |

Illuminant

| | |
|-----------------------|-----------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 12W |
| Lumen Complete | 1750 |
| Light colour Complete | TRICOLOUR |

20523601
SEACLIFF



9270 0W
m³/h





General Information

| | |
|-----------------|---------------------|
| Material number | 20523602 |
| EAN/UPC | 9008606234110 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|---------------|
| Article Diameter (in mm) | 1120 |
| Article Height (in mm) | 258 |
| Canopy Height (in mm) | 197 |
| Canopy Diameter (in mm) | 189 |
| Net Weight | 5.36 Kilogram |
| Gross Weight | 6.3 Kilogram |
| Single-Box Height (in mm) | 230 |
| Single-Box Length (in mm) | 676 |
| Single-Box Depth (in mm) | 296 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x8mm |
| Motor Wattage | 70 |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

Function

timer
3-step CCT
SunSet dimming
5 speeds

Material & Colour

| | |
|----------------------|-------------------|
| Blade Material | ABS, UV Resistant |
| Blade Colour (1) | black matt |
| Enclosure Material | steel |
| Enclosure Colour | black matt |
| Glass/Shade Material | acrylic |
| Glass/Shade Colour | milky |

Performance

| | |
|-----------------------------|------|
| Wattage by air movement (1) | 1.5 |
| RPM (1) | 70 |
| Air Movement m3/Hr (1) | 2093 |
| Wattage by air movement (2) | 2.2 |
| RPM (2) | 100 |
| Air Movement m3/Hr (2) | 3684 |
| Wattage by air movement (3) | 3.1 |
| RPM (3) | 130 |
| Air Movement m3/Hr (3) | 4940 |
| Wattage by air movement (4) | 4.6 |
| RPM (4) | 160 |
| Air Movement m3/Hr (4) | 6651 |
| Wattage by air movement (5) | 7 |
| RPM (5) | 190 |
| Air Movement m3/Hr (5) | 7903 |
| Wattage by air movement (6) | 14.1 |
| RPM (6) | 250 |
| Air Movement m3/Hr (6) | 9270 |

Illuminant

| | |
|-----------------------|-----------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 12W |
| Lumen Complete | 1750 |
| Light colour Complete | TRICOLOUR |

20523602
SEACLIFF



9270 0W
m³/h





General Information

| | |
|-----------------|---------------------|
| Material number | 20523605 |
| EAN/UPC | 9008606234127 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|---------------|
| Article Diameter (in mm) | 1120 |
| Article Height (in mm) | 258 |
| Canopy Height (in mm) | 197 |
| Canopy Diameter (in mm) | 189 |
| Net Weight | 5.36 Kilogram |
| Gross Weight | 6.3 Kilogram |
| Single-Box Height (in mm) | 230 |
| Single-Box Length (in mm) | 676 |
| Single-Box Depth (in mm) | 296 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x8mm |
| Motor Wattage | 70 |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

Function

timer
3-step CCT
SunSet dimming
5 speeds

Material & Colour

| | |
|----------------------|-------------------|
| Blade Material | ABS, UV Resistant |
| Blade Colour (1) | Gessami Oak |
| Enclosure Material | steel |
| Enclosure Colour | white matt |
| Glass/Shade Material | acrylic |
| Glass/Shade Colour | milky |

Performance

| | |
|-----------------------------|------|
| Wattage by air movement (1) | 1.5 |
| RPM (1) | 70 |
| Air Movement m3/Hr (1) | 2093 |
| Wattage by air movement (2) | 2.2 |
| RPM (2) | 100 |
| Air Movement m3/Hr (2) | 3684 |
| Wattage by air movement (3) | 3.1 |
| RPM (3) | 130 |
| Air Movement m3/Hr (3) | 4940 |
| Wattage by air movement (4) | 4.6 |
| RPM (4) | 160 |
| Air Movement m3/Hr (4) | 6651 |
| Wattage by air movement (5) | 7 |
| RPM (5) | 190 |
| Air Movement m3/Hr (5) | 7903 |
| Wattage by air movement (6) | 14.1 |
| RPM (6) | 250 |
| Air Movement m3/Hr (6) | 9270 |

Illuminant

| | |
|-----------------------|-----------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 12W |
| Lumen Complete | 1750 |
| Light colour Complete | TRICOLOUR |

20523605
SEACLIFF



9270 0W
m³/h

Technical changes reserved



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

| | |
|-----------------|---------------------|
| Material number | 20523606 |
| EAN/UPC | 9008606234134 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|---------------|
| Article Diameter (in mm) | 1120 |
| Article Height (in mm) | 258 |
| Canopy Height (in mm) | 197 |
| Canopy Diameter (in mm) | 189 |
| Net Weight | 5.36 Kilogram |
| Gross Weight | 6.3 Kilogram |
| Single-Box Height (in mm) | 230 |
| Single-Box Length (in mm) | 676 |
| Single-Box Depth (in mm) | 296 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x8mm |
| Motor Wattage | 70 |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

Function

timer
3-step CCT
SunSet dimming
5 speeds

Material & Colour

| | |
|----------------------|-------------------|
| Blade Material | ABS, UV Resistant |
| Blade Colour (1) | light walnut |
| Enclosure Material | steel |
| Enclosure Colour | black matt |
| Glass/Shade Material | acrylic |
| Glass/Shade Colour | milky |

Performance

| | |
|-----------------------------|------|
| Wattage by air movement (1) | 1.5 |
| RPM (1) | 70 |
| Air Movement m3/Hr (1) | 2093 |
| Wattage by air movement (2) | 2.2 |
| RPM (2) | 100 |
| Air Movement m3/Hr (2) | 3684 |
| Wattage by air movement (3) | 3.1 |
| RPM (3) | 130 |
| Air Movement m3/Hr (3) | 4940 |
| Wattage by air movement (4) | 4.6 |
| RPM (4) | 160 |
| Air Movement m3/Hr (4) | 6651 |
| Wattage by air movement (5) | 7 |
| RPM (5) | 190 |
| Air Movement m3/Hr (5) | 7903 |
| Wattage by air movement (6) | 14.1 |
| RPM (6) | 250 |
| Air Movement m3/Hr (6) | 9270 |

Illuminant

| | |
|-----------------------|-----------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 12W |
| Lumen Complete | 1750 |
| Light colour Complete | TRICOLOUR |

20523606
SEACLIFF



9270 0W
m³/h

