

## General info

### Outdoor - Ceiling lamps


<b>Ean</b>	8021696092324
<b>Item</b>	GUN PL1 ALLUMINIO
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-



## General info

### Outdoor - Ceiling lamps

<b>Ean</b>	8021696236865
<b>Item</b>	GUN PL1 ANTRACITE
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-



## General info

### Outdoor - Ceiling lamps


<b>Ean</b>	8021696122687
<b>Item</b>	GUN PL1 NERO
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-



## General info

### Outdoor - Ceiling lamps


<b>Ean</b>	8021696163666
<b>Item</b>	GUN PL1 COFFEE
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-



## General info

### Outdoor - Ceiling lamps


<b>Ean</b>	8021696163642
<b>Item</b>	GUN PL1 GRIGIO
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-



## General info

### Outdoor - Ceiling lamps

<b>Ean</b>	8021696122663
<b>Item</b>	GUN PL1 BIANCO
<b>Installation</b>	Ceiling lamps
<b>Guarantee</b>	5 years
<b>Gross weight</b>	0.69 kg
<b>Volume</b>	0.002969 m <sup>3</sup>

## Technical info

<b>Net weight</b>	0.49 kg
<b>Insulation class</b>	I
<b>Protection index</b>	IP44
<b>Compliance</b>	CE
<b>Operating temperature</b>	-
<b>Full load efficiency</b>	X
<b>Dimmer</b>	Determined by the light bulb
<b>Power output</b>	220-240 V AC
<b>Power supply</b>	Not required
<b>Load resistance</b>	IK06

## Source info

<b>Integrated source</b>	Light bulb (not included)
<b>Replaceable source</b>	No
<b>Power</b>	GU10 max 1 x 28 W
<b>Emission</b>	Direct
<b>Max consumption</b>	-