
DISCOVERY II AC Series Installation Guide

Thanks for choosing our Discovery II AC Series ceiling fan.

We strongly recommend that you read this manual carefully before installation.



1220mm 4 Blade Ceiling Fan White Satin MDF124W MDF124M 1220mm 4 Blade Ceiling Fan Matt Black MDF134W 1320mm 4 Blade Ceiling Fan White Satin MDF134M 1320mm 4 Blade Ceiling Fan Matt Black MDF144W 1420mm 4 Blade Ceiling Fan White Satin MDF144M 1420mm 4 Blade Ceiling Fan Matt Black



Models Parameters (Fan and LED Light):-


MDF1243W 1220mm 4 Blade Ceiling Fan White Satin with 15w LED Light 1220mm 4 Blade Ceiling Fan Matt Black with 15w LED Light MDF1243M MDF1343W 1320mm 4 Blade Ceiling Fan White Satin with 15w LED Light 1320mm 4 Blade Ceiling Fan Matt Black with 15w LED Light MDF1343M MDF1443W 1420mm 4 Blade Ceiling Fan White Satin with 15w LED Light MDF1443M 1420mm 4 Blade Ceiling Fan Matt Black with 15w LED Light

Part List:


Qty 1x motor assembly Qty 1x instruction manual Qty 1x screw kit Qty 1x balancing kit

Qty 1x wall control kit Qty 1x hanging bracket Qty 4x blades

Application



How to Assemble



Secure the hanger bracket to ceiling beam or a suitable piece of timber inserted between the ceiling beams using the two long screws supplied with the package.

Fg.2



Place circular shockproof gasket above the hanger bracket. Align the bracket and screw the hanger bracket to the ceiling tightly.



Place fan into hanger bracket and align Ball Joint Slot with hanger bracket as illustrated.

Fg.4




After wiring is completed, attach the canopy to the hanger bracket by pushing upwards and twisting anti-clockwise. Tighten screws and ensure canopy is not touching the ball joint.



WARNING Installation MUST carry out by a qualified and licensed electrician.

How to Install Blades




The side of the blade marks with "THIS SIDE UP" should be facing upward.

- 1. Align holes on the blades with holes at the bottom of the motor.
- 2. Insert the blade and secure with screw.
- 3. Repeat the same step until all blades are installed.


NB: Ensure the blades do not get damaged or bent during the installation process while the fan maybe on the ground, this will affect the performance and balance of the fan and this is NOT covered under warranty.

Fg.7

How to Install Light Plate



CCT (Colour Changeable Temperature)



Choose colour temperature by flicking the switch in the LED


C = 5000K cool white

N = 4000K neutral white

W = 3000K warm white


How to Install / Remove the Cover

Fg.8 Fan only model



Place the cover plate and screw the tooth hole of the cover plate to the motor shaft.

Fg.9 Fan LED Light Model



Turn anti-clockwise to remove and clockwise to tighten.




WARNING Installation MUST carry out by a qualified and licensed electrician.

Dimming


The Discovery II ceiling fan has a smart 3 step dimming LED light module which doesn't require a dimmable remote control or a wall dimmer. It only requires a normal on/off remote kit (MPREMS) or a normal light wall switch. (Supplied in remote control kit).

Turn the switch on and the light will turn on. Flick the switch on/off within 1 second and the light output will dim down to approx. 50%. Flick the switch on/off again and the light output will dim down to approximately 15%. The light kit has no memory function, It will turn on 100% initially.

Installing Receiver Remote Control




Optional Accessories





WARNING Installation MUST carry out by a qualified and licensed electrician.

Wire Connections



6* Year Warranty

Visit our website for details https://www.martecaustralia.com.au/warranty-statement/



WARNING

- $\bullet \quad \text{Installation of fans \textbf{MUST} follow SAA standards and meet local authority regulations.}$
- Installation MUST be carried out by a qualified and licensed electrician.
- Fan and light MUST be earthed.
- Bracket MUST be firmly attached to a flat solid structure or timber frame.
- DO NOT mix blades from one model to another, all blades MUST be replaced if damaged.
- The warranty is **VOID** if product is not installed according to this installation guide.

