



AIRSLLOT FRAME - FMA



LED panel frame for T-bar ceiling

Application

Conventional LED commercial airlslot panels for general office spaces

Design Specifications

- Pressed steel base
- Quality white powder coated finish
- Designated panels listed below
- S306FMA = S9754/306 range, S9784/306 range, S9724/306 range
- S312FMA = S9754/312 range, S9784/312 range, S9724/312 range S9734/312 range




Technical Specification

Product	Model No.	Body Colour
	S306FMA	WHITE
	S312FMA	WHITE


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

S306FMA




S312FMA




Photometric Data

Unit: cd C0/C180 — C90/C270 —

S9754/306AS/CW at 4000K



S9754/312AS/DL at 6000K





LED downlights, oysters, linear battens and profiles,
track lights, strip lights, interior architectural, highbays,
lamps, emergency, floodlights, exterior architectural,
weatherproof, bulkheads, sensors, electrical accessories,
smart lighting controls, drivers

**For more
information
please
scan me**

