



## LPAR30 IP65 - 9W

9 watt PAR20 LED, IP65, E27 lamp base

### Application

Perfect for retail and residential spaces

### Design Specifications

- Opal polycarbonate diffuser
- Poly covered aluminium body, short neck
- High efficiency LED optics, CRI >80, beam distribution 100°
- Integral non-dimmable LED driver, E27 lamp base
- CCT choice of 3000K / 6000K, CRI > 80
- Designed for equivalent IP rated PAR floodlights, installed in under covered eave environments





### Performance

- Dimmable - NO



### Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	LPAR30WW	240	9	800	3000	80
	LPAR30DL	240	9	800	6000	80


Beam Angle (°)	Dimmable	Base Type
100	NO	E27
100	NO	E27

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".




## Dimensions

LPAR30



# COLOUR TEMPERATURE, THERE IS A DIFFERENCE



TC SELECTABLE COLOUR		
WARM WHITE <b>2700K</b>	COOL WHITE <b>4000K</b>	DAYLIGHT <b>6000K</b>

Lighting is more than just brightness or lumens. Make sure you take the time to select the right colour temperature to create the best visual appearance; your eyes don't tell lies!