



LT SERIES LT407 - 7W

7 watt LED SMD tubular lamps

Application

Energy efficient LED lamp solutions

Design Specifications

- Opal polycarbonate diffuser
- Poly covered aluminium body
- High efficiency SMD LED chips, beam 270 degree
- Integral non-dimmable LED driver
- Colour temperature 3000K, 4000K, 6000K, CRI > 80
- Suits most CFL lamp fitting, lamp bases B15, B22, E14, E27



Technical Specification


Model No.	Description	Input (ac) (V)	Power (W)	Lumens (lm)	CCT (K)	CRI
LT407/27B15	LED TUBULAR 40mm 7W B15 3K	240	7	650	3000	80
LT407/27B22	LED TUBULAR 40MM 7W B22 3K	240	7	650	3000	80
LT407/27E14	LED TUBULAR 40mm 7W E14 3K	240	7	650	3000	80
LT407/27E27	LED TUBULAR 40mm 7W E27 3K	240	7	650	3000	80
LT407/40B15	LED TUBULAR 40mm 7W B15 4K	240	7	700	4000	80
LT407/40B22	LED TUBULAR 40mm 7W B22 4K	240	7	700	4000	80
LT407/40E14	LED TUBULAR 40mm 7W E14 4K	240	7	700	4000	80
LT407/40E27	LED TUBULAR 40mm 7W E27 4K	240	7	700	4000	80
LT407/65B15	LED TUBULAR 40mm 7W B15 6K	240	7	750	6000	80
LT407/65B22	LED TUBULAR 40mm 7W B22 6K	240	7	750	6000	80
LT407/65E14	LED TUBULAR 40mm 7W E14 6K	240	7	750	6000	80
LT407/65E27	LED TUBULAR 40mm 7W E27 6K	240	7	750	6000	80




Model No.	Body Colour	Base Type
LT407/27B15	OPAL	B15
LT407/27B22	OPAL	B22
LT407/27E14	OPAL	E14
LT407/27E27	OPAL	E27
LT407/40B15	OPAL	B15
LT407/40B22	OPAL	B22
LT407/40E14	OPAL	E14
LT407/40E27	OPAL	E27
LT407/65B15	OPAL	B15
LT407/65B22	OPAL	B22
LT407/65E14	OPAL	E14
LT407/65E27	OPAL	E27

Dimensions


LT407 B15




LT407 B22



LT407 E27



LT407 E14





Product Images

