



PIXIE MULTIFUNCTION CONTROL - SMF/BTAS G3

PIXIE SECONDARY DEVICE - SMART HOME digital push button multifunction control

Application

Ideal for residential designs, commercial interior spaces requiring multiple location device control

Design Specifications


- Digital push button control to enable multifunction switching or dimming control, simply with an active and neutral termination. All devices must be paired with a PIXIE Master device once installed, for functionality.
- Three (3) complimentary key caps provided to suit most switch plates
- Easy to install, dim and switch with ease, two wire termination mech.
- Switch or dimming control is achieved only in conjunction with PIXIE Master controls.
- Fully compatible with PIXIE and PIXIE PLUS
- Slimline design to allow 1-6 gang configurations

Performance

- Dimmable - **YES**
- Dimmer Type - **PAIRED WITH PIXIE MASTER DIMMER**




Technical Specification

Product	Model No.	Input Voltage (V/AC)	Body Colour	Dim (mm)
	SMF/BTAS	240	WHITE CAP	42(L) x 24(W) x 24(H)

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

Wiring Diagram



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
ECO GEM SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

