Last modification

2024-02-26

Telbıx.

FOLEY WB80-AG3C 9329501067345



MARTINE

The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

#### <u>Overview</u>

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978
5	5 5

## Color / Material

Fixture Color	Antique Gold
Fixture Finish	Gloss
Fixture Material	Aluminium, Polycarbonate

## <u>Size</u>

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

# **Specification**

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

#### <u>Barcode</u>

GTIN

9329501067345

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Telbix**.

Last modification

2024-02-26

Telbıx.

FOLEY WB80-BK3C 9329501067321



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

#### <u>Overview</u>

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978

## Color / Material

Fixture Color	Black
Fixture Finish	Matte
Fixture Material	Aluminium, Polycarbonate

MORETURE )

## <u>Size</u>

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

# **Specification**

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

#### <u>Barcode</u>

GTIN

9329501067321

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Telbix**.

# Telbıx.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Last modification

2024-02-26

Telbıx.

FOLEY WB80-CH3C 9329501067338



The Foley Vanity Wall Light epitomises contemporary elegance with its sleek design and advanced features. Boasting an integrated LED system, this lighting fixture offers both efficiency and longevity. The addition of 3 CCT (Correlated Colour Temperature) options allows users to customise the lighting to achieve the desired ambiance. The aluminium fitting ensures durability while contributing to the fixture's modern aesthetic. Available in Chrome, Black and Antique Gold, the Foley Vanity Wall Light caters to diverse interior styles. Furthermore, it is offered in three different sizes, providing flexibility for various spatial requirements and design preferences.

#### <u>Overview</u>

Family name	Foley
Categories	Wall Lights
Mounting	Surface
Switch	Slide Switch
Usage	Indoor Lighting
ERAC Product Registration	AZ 69023978

## Color / Material

Fixture Color	Chrome
Fixture Finish	Gloss
Fixture Material	Aluminium, Polycarbonate

MINITURE

## <u>Size</u>

Fixture Length (cm)	10.0
Fixture Width (cm)	80.0
Fixture Height (cm)	5.5
Fixture Projection (cm)	10.0

# **Specification**

Voltage Input	240V
Total Wattage (max)	20
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1155

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>83
Dimmable	No
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP44
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

#### <u>Barcode</u>

GTIN

9329501067338

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Telbix**.

# Telbıx.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.