Last modification

2024-02-20

Telbıx.

FULCRUM OY40-GY 9329501071397



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

#### **Overview**

Family name	Fulcrum
Categories	Oysters
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA
<u>Color / Material</u>	
Fixture Color	Pearl Grey
Fixture Finish	Satin
Fixture Material	Aluminium, PVC, Acrylic
Size	
Fixture Diameter (cm)	40.0
Fixture Height (cm)	6.0
Canopy Diameter (cm)	27.0
Specification	
Total Wattage (max)	40
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1520
Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No

# Telbıx.


Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501071397

### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-20

Telbıx.

FULCRUM OY60-GY 9329501071403



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

#### **Overview**

Family name	Fulcrum
Categories	Oysters
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA
<u>Color / Material</u>	
Fixture Color	Pearl Grey
Fixture Finish	Satin
Fixture Material	Aluminium, PVC, Acrylic
Size	
Fixture Diameter (cm)	60.0
Fixture Height (cm)	6.0
Canopy Diameter (cm)	45.0
Specification	
Total Wattage (max)	60
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	2270
Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No

# Telbıx.

ApprovalsRCMInstallation RequiredYes (Care InstructionsDo noReplacement Warranty\*3 Yes


Yes (by Licensed Electrician only) Do not use strong liquid cleaners, Wipe clean with a dry cloth \*3 Years

<u>Barcode</u>

GTIN

9329501071403

### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-20

Telbıx.

FULCRUM OY80-GY 9329501071410



The Fulcrum family of pendant and oyster fittings presents a sleek and contemporary design, featuring integrated LED technology for energy efficiency and optimal illumination. Available in various sizes, these fixtures offer versatility to suit different spaces and preferences, providing both functionality and aesthetic appeal in modern interior settings.

#### **Overview**

Family name Categories Mounting Usage ERAC Product Registration	Fulcrum Oysters Surface Indoor Lighting SAA-231005-EA
<u>Color / Material</u>	
Fixture Color Fixture Finish Fixture Material	Pearl Grey Satin Aluminium, PVC, Acrylic
Size	
Fixture Diameter (cm) Fixture Height (cm) Canopy Diameter (cm)	80.0 6.0 68.0
<u>Specification</u>	
Total Wattage (max) Globe Type Globe / Light Source included Lumens Color Temperature Color Kelvin Dimmable Electrical Protection IP rating	75 LED integrated SMD Yes 2450 Warm White 3000k Yes - TRIAC CLASS III - LOW VOLTAGE, <54v IP20 No
Lead and Plug	NO

# Telbıx.


Approvals Installation Required Care Instructions Replacement Warranty RCM Yes (by Licensed Electrician only) Do not use strong liquid cleaners, Wipe clean with a dry cloth \*3 Years

<u>Barcode</u>

GTIN

9329501071410

### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.