

Last modification

2024-02-21

MOLENA PE5-CH

9329501070734



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Chrome, Smoke, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	38.0
Fixture Height (cm)	38.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	15
Wattage	3
Globe Type	G9
Globe / Light Source qty	5
Globe / Light Source included	No
Dimmable	Globe Dependant
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070734

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE5-GD

9329501070727



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Gold, Amber, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal
Glass Color	Amber, Clear

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	38.0
Fixture Height (cm)	38.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	15
Wattage	3
Globe Type	G9
Globe / Light Source qty	5
Globe / Light Source included	No
Dimmable	Globe Dependant


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070727

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE6-CH

9329501070758



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Chrome, Smoke, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	48.0
Fixture Height (cm)	36.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	18
Wattage	3
Globe Type	G9
Globe / Light Source qty	6
Globe / Light Source included	No
Dimmable	Globe Dependant
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070758

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE6-GD

9329501070741



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Gold, Amber, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal
Glass Color	Amber, Clear

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	48.0
Fixture Height (cm)	36.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	18
Wattage	3
Globe Type	G9
Globe / Light Source qty	6
Globe / Light Source included	No
Dimmable	Globe Dependant


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070741

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE8-CH

9329501070772



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Chrome, Smoke, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	60.0
Fixture Height (cm)	40.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	24
Wattage	3
Globe Type	G9
Globe / Light Source qty	8
Globe / Light Source included	No
Dimmable	Globe Dependant
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070772

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE8-GD

9329501070765



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Gold, Amber, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal
Glass Color	Amber, Clear

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	60.0
Fixture Height (cm)	40.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	24
Wattage	3
Globe Type	G9
Globe / Light Source qty	8
Globe / Light Source included	No
Dimmable	Globe Dependant


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070765

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE10-CH 9329501070796



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Chrome, Smoke, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	76.0
Fixture Height (cm)	40.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	30
Wattage	3
Globe Type	G9
Globe / Light Source qty	10
Globe / Light Source included	No
Dimmable	Globe Dependant
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070796

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-02-21

MOLENA PE10-GD

9329501070789



Introducing the Molena Pendant Range: elegant fittings crafted from aluminium and crystals, available in chrome or gold finishes and various sizes to suit any space. Experience luxury and refinement in every detail.

Overview

Family name	Molena
Categories	Pendants
Mounting	Surface
Suspension Type	Break Wire
Usage	Indoor Lighting

Color / Material

Fixture Color	Gold, Amber, Clear
Fixture Finish	Gloss
Fixture Material	Aluminium, Crystal
Glass Color	Amber, Clear

Size

Fixture Length (cm)	42.0
Fixture Width (cm)	76.0
Fixture Height (cm)	40.0
Canopy Width (cm)	12.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

Specification

Voltage Input	240V
Total Wattage (max)	30
Wattage	3
Globe Type	G9
Globe / Light Source qty	10
Globe / Light Source included	No
Dimmable	Globe Dependant


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501070789

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.