

Last modification

2023-07-03

BALLY PE 08-NKOM 9329501002766



The BALLY pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally
Categories Pendants
Mounting Surface

This item includes Glass, Suspension

Shade ShapeRoundSuspension TypeCable

Usage Indoor Lighting

Color / Material

Fixture Color
Opal Matt, Nickel
Fixture Material
Canopy Color
Nickel
Glass Color
Opal Matt
Glass Finish
Matte
Cable Color
Black
Cable Material
Textile

<u>Size</u>

Fixture Diameter (cm)20.0Canopy Diameter (cm)10.0Canopy Projection (cm)5.0Glass Diameter20.00Glass Opening (cm)10.0Suspension Length (cm)200.0Height Adjustable?Yes

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501002766

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

3



Last modification

2023-07-03

BALLY PE 10-NKOM 9329501002773



The BALLY pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Opal Matt, Nickel **Fixture Material** Glass, Metal **Canopy Color** Nickel **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

1

25.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 25.00 Glass Opening (cm) 11.5 Suspension Length (cm) 200.0 **Height Adjustable?** Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501002773

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2023-07-03

BALLY PE 12-NKOM 9329501002780



The BALLY pendant is the essence of pure and simple lighting design. The sphere is finely blasted opal glass resembling the surface of fresh snow. The rounded shape is continued with the minimal metal gallery. A short metal stem finishes the story of mid-century modernism. Available in 4 sizes and 3 metal finishes.

Overview

Family name Bally Categories **Pendants** Mounting Surface

This item includes Glass, Suspension

Shade Shape Round **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Opal Matt, Nickel **Fixture Material** Glass, Metal **Canopy Color** Nickel **Glass Color Opal Matt Glass Finish** Matte **Cable Color** Black **Cable Material** Textile

Size

1

30.0 Fixture Diameter (cm) Canopy Diameter (cm) 10.0 Canopy Projection (cm) 5.0 **Glass Diameter** 30.00 11.5 Glass Opening (cm) Suspension Length (cm) 200.0 **Height Adjustable?** Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Beam Angle (degree) 360

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501002780

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

